

MISSISSIPPI VITAL STATISTICS 2003

MISSISSIPPI DEPARTMENT OF HEALTH

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 2003	
 POPULATION	
Table P1. 2003 Estimated Population, by Age, Race, and Sex, Residents of Mississippi	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2003	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16

Table A14.	Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15.	Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16.	Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2001-2003	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1978, 1983, 1988, 1993, 1998, 2003	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2003	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	30
Table C13A.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death	31
Table C13B.	Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females	32

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females	33
--	----

MARRIAGES

Table D1. Marriages and Average per Day, by Month	34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . .	35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race	37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race	40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race	40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race	41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	44

MAJOR TABLES, 2003

POPULATION

Table I. 2003 Estimated Population and Percent Change From 2000 Census Population, Mississippi	47
--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2003	49
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2003	52
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2003	53
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 2003	56
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2003	58
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2003	60
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2003	62
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2003	64
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2003	66
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2003	68
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2003	70
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2003	72
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2003	74

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2003	76
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2003	78
Table 10A.	Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2003	81
Table 10B.	Deaths, by Cause and Race, Mississippi Residents, 2003	91

	Page
Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2003	114
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2003	121
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1999-2003 (5-Year Average) . .	123
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2003	125
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2003	128
 MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2003	130
 DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2003	132
 INDUCED TERMINATIONS	
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2003	133
 TEENAGE PREGNANCY	
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2003	134
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2003	136
 DEATHS (COUNTY AND STATE SUMMARIES)	
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	139
The State	159

TIME SERIES TABLES

Table 20.	Live Births and Rates, by Year and Race, Mississippi, 1913-2003, (Occurrence Data 1913-1943, Residence Data 1944-2003)	163
Table 21.	Deaths and Rates, by Year and Race, Mississippi, 1913-2003, (Occurrence Data 1913-1943, Residence Data 1944-2003)	165
Table 22.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2003, (Occurrence Data 1913-1943, Residence Data 1944-2003)	167
Table 23.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2003, (Occurrence Data 1917-1943, Residence Data 1944-2003)	169
Table 24.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2003, (Occurrence Data 1924-1944, Residence Data 1945-2003)	171
Table 25.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2003, (Occurrence Data 1924-1943, Residence Data 1944-2003)	173
Table 26.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2003	175
Table 27.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2003	177
Table 28.	Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2003	178

APPENDICES

Appendix A.	List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	181
Appendix B.	List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category	195
Appendix C.	List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included	197

VITAL STATISTICS MISSISSIPPI, 2003

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2003; the second part contains major statistical tables for 2003. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2003 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-

American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Internet site

The tables contained in this book can also be found on the Internet at:

www.msdh.state.ms.us/phs

SUMMARY TABLES, 2003

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

**TABLE P1. 2003 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI**

AGE	TOTAL			WHITE			NONWHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,881,281	1,396,216	1,485,065	1,763,609	868,808	894,801	1,117,672	527,408	590,264
0-4	210,550	107,752	102,798	110,024	56,860	53,164	100,526	50,892	49,634
(Under 1)	43,412	22,218	21,194	22,341	11,638	10,703	21,071	10,580	10,491
(1-4)	167,138	85,534	81,604	87,683	45,222	42,461	79,455	40,312	39,143
5-9	203,507	103,626	99,881	106,562	54,777	51,785	96,945	48,849	48,096
10-14	219,046	111,851	107,195	114,458	59,018	55,440	104,588	52,833	51,755
15-19	216,778	110,788	105,990	115,545	59,677	55,868	101,233	51,111	50,122
20-24	233,892	119,050	114,842	126,979	65,705	61,274	106,913	53,345	53,568
25-29	192,569	95,860	96,709	110,952	57,314	53,638	81,617	38,546	43,071
30-34	189,783	92,387	97,396	115,190	58,380	56,810	74,593	34,007	40,586
35-39	193,515	94,200	99,315	120,268	61,255	59,013	73,247	32,945	40,302
40-44	212,697	102,721	109,976	134,295	67,383	66,912	78,402	35,338	43,064
45-49	206,356	100,129	106,227	130,622	65,418	65,204	75,734	34,711	41,023
50-54	180,844	87,566	93,278	119,887	59,398	60,489	60,957	28,168	32,789
55-59	152,142	73,377	78,765	110,052	54,097	55,955	42,090	19,280	22,810
60-64	120,195	56,619	63,576	89,059	43,000	46,059	31,136	13,619	17,517
65-69	101,037	46,056	54,981	74,966	35,208	39,758	26,071	10,848	15,223
70-74	85,424	36,351	49,073	64,084	27,988	36,096	21,340	8,363	12,977
75-79	70,430	28,494	41,936	53,199	22,107	31,092	17,231	6,387	10,844
80-84	48,740	16,919	31,821	36,563	12,774	23,789	12,177	4,145	8,032
85+	43,776	12,470	31,306	30,904	8,449	22,455	12,872	4,021	8,851
UNDER 15	633,103	323,229	309,874	331,044	170,655	160,389	302,059	152,574	149,485
15-64	1,898,771	932,697	966,074	1,172,849	591,627	581,222	725,922	341,070	384,852
65 & OVER	349,407	140,290	209,117	259,716	106,526	153,190	89,691	33,764	55,927
MEDIAN AGE	34.3	32.7	35.9	38.4	36.9	40.0	28.0	25.9	29.9

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS AND MAY BE SLIGHTLY DIFFERENT FROM CENSUS BUREAU ESTIMATES FOR OTHER DEMOGRAPHIC GROUPINGS DUE TO ROUNDING.

LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2003**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>42,321</u>	<u>116</u>			
JANUARY	3,517	113	JULY	3,690	119
FEBRUARY	3,135	112	AUGUST	3,815	123
MARCH	3,406	110	SEPTEMBER	3,709	124
APRIL	3,222	107	OCTOBER	3,809	123
MAY	3,296	106	NOVEMBER	3,408	114
JUNE	3,501	117	DECEMBER	3,813	123

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2003**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1990#	99.6	99.6	99.6
1971#	92.2	99.6	84.2	1991#	99.6	99.6	99.6
1972#	95.2	99.8	90.4	1992#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1993#	99.7	99.7	99.6
1974#	97.4	99.7	94.8	1994#	99.7	99.7	99.7
1975#	97.9	99.6	96.0	1995#	99.7	99.7	99.6
1976#	98.5	99.7	97.3	1996#	99.7	99.7	99.7
1977#	98.9	99.7	98.1	1997#	99.7	99.8	99.7
1978#	99.1	99.7	98.4	1998#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1999#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2000#	99.7	99.7	99.7
1981#	99.3	99.6	99.0	2001#	99.7	99.7	99.7
1982#	99.4	99.6	99.2	2002#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2003#	99.7	99.7	99.7
1984#	99.5	99.6	99.4				
1985#	99.6	99.7	99.4				
1986#	99.6	99.7	99.5				
1987#	99.6	99.8	99.5				
1988#	99.6	99.7	99.6				
1989#	99.6	99.8	99.5				

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2003**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>42,321</u>	<u>41,377</u>	<u>774</u>	<u>41</u>	<u>104</u>	<u>24</u>	<u>100.0</u>	<u>97.8</u>	<u>1.8</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPITAL	42,205	41,364	767	3	51	20	99.7	97.7	1.8	*	0.1	*
CLINIC/DOCTOR'S												
OFFICE	1	0	0	0	1	0	*	-	-	-	*	-
HOME	98	8	6	35	47	2	0.2	*	*	0.1	0.1	*
OTHER PLACE	14	5	1	3	5	0	*	*	*	*	*	-
UNKNOWN PLACE	2	0	0	0	0	2	*	-	-	-	-	*
<u>WHITE</u>	<u>23,118</u>	<u>22,637</u>	<u>388</u>	<u>38</u>	<u>44</u>	<u>10</u>	<u>100.0</u>	<u>97.9</u>	<u>1.7</u>	<u>0.2</u>	<u>0.2</u>	<u>*</u>
HOSPITAL	23,051	22,634	382	3	22	10	99.7	97.9	1.6	*	0.1	*
CLINIC/DOCTOR'S												
OFFICE	1	0	0	0	1	0	*	-	-	-	*	-
HOME	57	1	6	32	18	0	0.2	*	*	0.1	0.1	-
OTHER PLACE	8	2	0	3	3	0	*	*	-	*	*	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>19,203</u>	<u>18,740</u>	<u>386</u>	<u>3</u>	<u>60</u>	<u>14</u>	<u>100.0</u>	<u>97.6</u>	<u>2.0</u>	<u>*</u>	<u>0.3</u>	<u>0.1</u>
HOSPITAL	19,154	18,730	385	0	29	10	99.7	97.5	2.0	-	0.2	*
CLINIC/DOCTOR'S												
OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	41	7	0	3	29	2	0.2	*	-	*	0.2	*
OTHER PLACE	6	3	1	0	2	0	*	*	*	-	*	-
UNKNOWN PLACE	2	0	0	0	0	2	*	-	-	-	-	*

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2003**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>67.8</u>	<u>65.4</u>	<u>70.9</u>
UNDER 15	154	26	128	0.4	0.1	0.7	1.4	0.5	2.5
15-19	6,615	2,726	3,889	15.6	11.8	20.2	62.4	48.8	77.6
20-24	14,727	7,193	7,534	34.8	31.1	39.2	128.2	117.4	140.6
25-29	10,820	6,521	4,299	25.6	28.2	22.4	111.9	121.6	99.8
30-34	6,840	4,680	2,160	16.2	20.2	11.2	70.2	82.4	53.2
35-39	2,589	1,634	955	6.1	7.1	5.0	26.1	27.7	23.7
40-44	545	318	227	1.3	1.4	1.2	5.0	4.8	5.3
45-49	22	14	8	*	0.1	*	0.2	0.2	0.2
UNKNOWN	9	6	3	*	*	*			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 2003**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL BIRTHS</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	411	310	101	1.0	1.3	0.5	1.0	1.3	0.5
7-9 YEARS	3,223	1,759	1,464	7.6	7.6	7.6	8.6	9.0	8.2
10,11 YEARS	6,522	2,668	3,854	15.4	11.6	20.1	24.1	20.6	28.3
12 YEARS	13,194	6,317	6,877	31.3	27.4	35.9	55.3	48.0	64.2
1-3 YEARS COLLEGE	10,885	6,043	4,842	25.8	26.2	25.3	81.1	74.2	89.4
4 OR MORE YEARS OF COLLEGE	7,968	5,941	2,027	18.9	25.8	10.6	100.0	100.0	100.0
UNKNOWN	118	80	38						
MEDIAN YEARS COMPLETED*	12	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2003**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>19,890</u>	<u>5,709</u>	<u>14,181</u>	<u>47.0</u>	<u>24.7</u>	<u>73.8</u>
UNDER 15	151	23	128	98.0	88.5	100.0
15-19	5,519	1,742	3,777	83.4	63.9	97.1
20-24	8,629	2,362	6,267	58.6	32.8	83.2
25-29	3,534	945	2,589	32.7	14.5	60.2
30-34	1,372	447	925	20.0	9.6	42.8
35-39	539	146	393	20.8	8.9	41.2
40-44	137	42	95	25.1	13.2	41.8
45-49	7	2	5	31.8	14.3	62.5
UNKNOWN	2	0	2			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 2003**

TOTAL - BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>67.8</u>	<u>65.4</u>	<u>70.9</u>	<u>24</u>	<u>26</u>	<u>23</u>
FIRST	14,366	8,205	6,161	33.9	35.5	32.1	23.0	23.2	22.8	21	23	20
SECOND	12,776	7,315	5,461	30.2	31.6	28.4	20.5	20.7	20.2	24	26	23
THIRD	8,102	4,307	3,795	19.1	18.6	19.8	13.0	12.2	14.0	26	28	25
FOURTH	3,941	1,914	2,027	9.3	8.3	10.6	6.3	5.4	7.5	27	29	26
FIFTH	1,722	780	942	4.1	3.4	4.9	2.8	2.2	3.5	28	30	27
SIXTH	747	318	429	1.8	1.4	2.2	1.2	0.9	1.6	29	32	28
SEVENTH	310	125	185	0.7	0.5	1.0	0.5	0.4	0.7	31	33	30
EIGHTH	158	66	92	0.4	0.3	0.5	0.2	0.2	0.3	32	33	30
NINTH	70	24	46	0.2	0.1	0.2	0.1	0.1	0.2	34	35	34
TENTH & OVER	85	40	45	0.2	0.2	0.2	0.1	0.1	0.2	35	35	36
UNKNOWN	44	24	20	0.1	0.1	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 2003**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	371	110	261	0.9	0.5	1.4
<u>SOME PRENATAL CARE</u>	<u>41,700</u>	<u>22,842</u>	<u>18,858</u>	<u>98.5</u>	<u>98.8</u>	<u>98.2</u>
FIRST TRIMESTER	35,663	20,804	14,859	84.3	90.0	77.4
SECOND TRIMESTER	5,096	1,730	3,366	12.0	7.5	17.5
THIRD TRIMESTER	785	249	536	1.8	1.1	2.8
UNKNOWN MONTH	156	59	97	0.4	0.2	0.5
UNKNOWN WHETHER ANY PRENATAL CARE	250	166	84	0.6	0.7	0.4

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 2003**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,932	781	1,151	4.6	3.4	6.0
PREMATURE ONLY**	4,448	2,179	2,269	10.5	9.4	11.8
BOTH IMMATURE AND PREMATURE	2,926	1,200	1,726	6.9	5.2	9.0
TOTAL IMMATURE	4,858	1,981	2,877	11.5	8.6	15.0
TOTAL PREMATURE	7,374	3,379	3,995	17.4	14.6	20.8
TOTAL IMMATURE AND/OR PREMATURE	9,306	4,160	5,146	22.0	18.0	26.8
NEITHER IMMATURE NOR PREMATURE**	33,015	18,958	14,057	78.0	82.0	73.2

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 2003**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>594</u>	<u>272</u>	<u>322</u>
ANENCEPHALUS	3	2	1
SPINA BIFIDA / MENINGOCELE	6	3	3
HYDROCEPHALUS	10	8	2
MICROCEPHALUS	0	0	0
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	9	5	4
HEART MALFORMATIONS	52	35	17
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	36	20	16
RECTAL ATRESIA / STENOSIS	6	4	2
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	1	1	0
OMPHALOCELE / GASTROSCHISIS	29	14	15
OTHER GASTROINTESTINAL ANOMALIES	23	9	14
MALFORMED GENITALIA	40	23	17
RENAL AGENESIS	4	4	0
OTHER UROGENITAL ANOMALIES	29	16	13
CLEFT LIP / PALATE	34	23	11
POLYDACTYLY / SYNDACTYLY / ADACTYLY	93	21	72
CLUB FOOT	33	19	14
DIAPHRAGMATIC HERNIA	4	0	4
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	141	40	101
DOWNS SYNDROME	16	13	3
OTHER CHROMOSOMAL ANOMALIES	8	4	4
OTHER	17	8	9

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 2003**

MEDICAL RISK FACTOR	TOTAL	WHITE	NON- WHITE
<u>TOTAL RISK FACTORS REPORTED</u>	<u>12,541</u>	<u>5,993</u>	<u>6,548</u>
ANEMIA (HCT. < 30/HGB. < 10)	900	392	508
CARDIAC DISEASE	179	142	37
ACUTE OR CHRONIC LUNG DISEASE	368	193	175
DIABETES	1,218	631	587
GENITAL HERPES	284	162	122
HYDRAMNIOS/OLIGOHYDRAMNIOS	539	237	302
HEMOGLOBINOPATHY	136	6	130
HYPERTENSION, CHRONIC	781	252	529
HYPERTENSION, PREGNANCY-ASSOCIATED	2,195	1,093	1,102
ECLAMPSIA	224	122	102
INCOMPETENT CERVIX	88	34	54
PREVIOUS INFANT 4000+ GRAMS	136	98	38
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	480	194	286
RENAL DISEASE	83	60	23
RH SENSITIZATION	352	254	98
UTERINE BLEEDING	140	87	53
OTHER	4,438	2,036	2,402

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 2003**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL LIVE BIRTHS</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
TOBACCO USE DURING PREGNANCY						
NONE	37,396	19,256	18,140	88.4	83.3	94.5
<u>SOME</u>	<u>4,868</u>	<u>3,828</u>	<u>1,040</u>	<u>11.5</u>	<u>16.6</u>	<u>5.4</u>
1-9 CIGARETTES PER DAY	1,909	1,299	610	4.5	5.6	3.2
10-19 CIGARETTES PER DAY	1,705	1,471	234	4.0	6.4	1.2
20-29 CIGARETTES PER DAY	1021	900	121	2.4	3.9	0.6
30-39 CIGARETTES PER DAY	49	42	7	0.1	0.2	*
40-49 CIGARETTES PER DAY	23	21	2	*	0.1	*
50-59 CIGARETTES PER DAY	2	1	1	*	*	*
60 OR MORE PER DAY	6	3	3	*	*	*
UNKNOWN AMOUNT	153	91	62	0.4	0.4	0.3
NOT STATED	57	34	23	0.1	0.1	0.1
ALCOHOL USE DURING PREGNANCY						
NONE	42,062	22,999	19,063	99.4	99.5	99.3
<u>SOME</u>	<u>203</u>	<u>84</u>	<u>119</u>	<u>0.5</u>	<u>0.4</u>	<u>0.6</u>
1 DRINK PER WEEK	69	30	39	0.2	0.1	0.2
2 DRINKS PER WEEK	31	9	22	0.1	*	0.1
3 DRINKS PER WEEK	14	7	7	*	*	*
4 DRINKS PER WEEK	2	2	0	*	*	-
5 DRINKS PER WEEK	5	3	2	*	*	*
6 OR MORE PER WEEK	17	7	10	*	*	*
UNKNOWN AMOUNT	65	26	39	0.2	0.1	0.2
NOT STATED	56	35	21	0.1	0.2	0.1
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,233	457	776	2.9	2.0	4.0
1-4 POUNDS	606	284	322	1.4	1.2	1.7
5-9 POUNDS	1,192	493	699	2.8	2.1	3.6
10-14 POUNDS	2,559	1,109	1,450	6.0	4.8	7.6
15-19 POUNDS	2,978	1,398	1,580	7.0	6.0	8.2
20-24 POUNDS	5,277	2,659	2,618	12.5	11.5	13.6
25-29 POUNDS	5,098	2,857	2,241	12.0	12.4	11.7
30-34 POUNDS	6,341	3,669	2,672	15.0	15.9	13.9
35-39 POUNDS	4,266	2,606	1,660	10.1	11.3	8.6
40-44 POUNDS	4,119	2,532	1,587	9.7	11.0	8.3
45 OR MORE POUNDS	6,546	3,964	2,582	15.5	17.1	13.4
UNKNOWN AMOUNT	2,106	1,090	1,016	5.0	4.7	5.3
MEDIAN WEIGHT GAIN (LBS)**	30	30	28			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 2003**

COMPLICATION	TOTAL	WHITE	NON- WHITE
<u>TOTAL COMPLICATIONS REPORTED</u>	<u>11,963</u>	<u>6,650</u>	<u>5,313</u>
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	312	167	145
MECONIUM, MODERATE / HEAVY	1,617	712	905
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	794	398	396
ABRUPTIO PLACENTA	248	126	122
PLACENTA PREVIA	93	69	24
OTHER EXCESSIVE BLEEDING	125	69	56
SEIZURES DURING LABOR	10	5	5
PRECIPITOUS LABOR (< 3 HOURS)	451	199	252
PROLONGED LABOR (> 20 HOURS)	129	75	54
DYSFUNCTIONAL LABOR	1,219	689	530
BREECH / MALPRESENTATION	1,542	953	589
CEPHALOPELVIC DISPROPORTION	961	616	345
CORD PROLAPSE	69	37	32
ANESTHETIC COMPLICATIONS	24	18	6
FETAL DISTRESS	2,272	1,155	1,117
OTHER	2,097	1,362	735

**TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 2003**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
<u>TOTAL METHODS OF DELIVERY REPORTED</u>	<u>44,991</u>	<u>24,698</u>	<u>20,293</u>
VAGINAL	28,057	15,246	12,811
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	357	160	197
PRIMARY C-SECTION	8,013	4,493	3,520
REPEAT C-SECTION	5,871	3,198	2,673
FORCEPS	738	489	249
VACUUM	1,955	1,112	843

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 2003**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OBSTETRIC PROCEDURES REPORTED</u>	<u>73,938</u>	<u>42,434</u>	<u>31,504</u>
AMNIOCENTESIS	212	146	66
ELECTRONIC FETAL MONITORING	34,890	19,202	15,688
INDUCTION OF LABOR	7,649	5,008	2,641
STIMULATION OF LABOR	4,969	2,642	2,327
TOCOLYSIS	569	304	265
ULTRASOUND	25,578	15,086	10,492
OTHER	71	46	25

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 2003**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
<u>TOTAL ABNORMAL CONDITIONS REPORTED</u>	<u>3,165</u>	<u>1,617</u>	<u>1,548</u>
ANEMIA (HCT. < 39 / HGB. < 13)	72	32	40
BIRTH INJURY	229	164	65
FETAL ALCOHOL SYNDROME	1	0	1
HYALINE MEMBRANE DISEASE / RDS	550	301	249
MECONIUM ASPIRATION SYNDROME	40	17	23
ASSISTED VENTILATION < 30 MINUTES	635	333	302
ASSISTED VENTILATION 30 MINUTES OR MORE	635	277	358
SEIZURES	13	9	4
OTHER	990	484	506

FETAL DEATHS

**TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2003**

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>417</u>	<u>391</u>	<u>7</u>	<u>0</u>	<u>13</u>	<u>6</u>	<u>100.0</u>	<u>93.8</u>	<u>1.7</u>	-	<u>3.1</u>	<u>1.4</u>
HOSPITAL	410	390	7	0	9	4	98.3	93.5	1.7	-	2.2	1.0
CLINIC / DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	6	1	0	0	3	2	1.4	0.2	-	-	0.7	0.5
OTHER PLACE	1	0	0	0	1	0	0.2	-	-	-	0.2	-
<u>WHITE</u>	<u>121</u>	<u>118</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>100.0</u>	<u>97.5</u>	<u>0.8</u>	-	<u>1.6</u>	-
HOSPITAL	121	118	1	0	2	0	100.0	97.5	0.8	-	1.6	-
CLINIC / DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
<u>NONWHITE</u>	<u>296</u>	<u>273</u>	<u>6</u>	<u>0</u>	<u>11</u>	<u>6</u>	<u>100.0</u>	<u>92.2</u>	<u>2.0</u>	-	<u>3.7</u>	<u>2.0</u>
HOSPITAL	289	272	6	0	7	4	97.6	91.9	2.0	-	2.4	1.4
CLINIC / DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	6	1	0	0	3	2	2.0	0.3	-	-	1.0	0.7
OTHER PLACE	1	0	0	0	1	0	0.3	-	-	-	0.3	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 2003**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>417</u>	<u>121</u>	<u>296</u>	<u>9.8</u>	<u>5.2</u>	<u>15.4</u>
UNDER 15	1	0	1	6.5	#	7.8
15-19	71	17	54	10.7	6.2	13.9
20-24	143	33	110	9.7	4.6	14.6
25-29	90	24	66	8.3	3.7	15.4
30-34	68	32	36	9.9	6.8	16.7
35-39	30	8	22	11.6	4.9	23.0
40-44	13	7	6	23.8	22.0	26.4
45-49	0	0	0	#	#	#
50 & OVER	0	0	0	#	#	#
UNKNOWN	1	0	1	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 2003**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	0.9	0.5	1.4	9.4	7.4	10.1
SOME CARE	98.2	98.6	97.7	77.9	86.0	74.7
UNKNOWN WHETHER ANY CARE	1.0	1.0	0.9	12.7	6.6	15.2

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 2001-2003**

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2001	2002	2003	2001	2002	2003	2001	2002	2003
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>376</u>	<u>394</u>	<u>417</u>	<u>109</u>	<u>122</u>	<u>121</u>	<u>267</u>	<u>272</u>	<u>296</u>
UNDER 20	15	13	18	2	2	1	13	11	17
<u>20 AND OVER</u>	<u>286</u>	<u>294</u>	<u>285</u>	<u>83</u>	<u>102</u>	<u>94</u>	<u>203</u>	<u>192</u>	<u>191</u>
20-22	76	76	68	23	14	11	53	62	57
23-27	63	73	82	11	29	27	52	44	55
28-36	98	93	77	37	38	27	61	55	50
37 AND OVER	49	52	58	12	21	29	37	31	29
UNKNOWN	75	87	114	24	18	26	51	69	88
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>8.9</u>	<u>9.5</u>	<u>9.8</u>	<u>4.8</u>	<u>5.4</u>	<u>5.2</u>	<u>13.7</u>	<u>14.4</u>	<u>15.4</u>
UNDER 20	0.4	0.3	0.4	0.1	0.1	##	0.7	0.6	0.9
<u>20 AND OVER</u>	<u>6.8</u>	<u>7.1</u>	<u>6.7</u>	<u>3.6</u>	<u>4.5</u>	<u>4.1</u>	<u>10.4</u>	<u>10.2</u>	<u>9.9</u>
20-22	1.8	1.8	1.6	1.0	0.6	0.5	2.7	3.3	3.0
23-27	1.5	1.8	1.9	0.5	1.3	1.2	2.7	2.3	2.9
28-36	2.3	2.2	1.8	1.6	1.7	1.2	3.1	2.9	2.6
37 AND OVER	1.2	1.2	1.4	0.5	0.9	1.2	1.9	1.6	1.5
UNKNOWN	1.8	2.1	2.7	1.0	0.8	1.1	2.6	3.6	4.6

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2003**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>28,333</u>	<u>78</u>			
JANUARY	2,697	87	JULY	2,185	70
FEBRUARY	2,336	83	AUGUST	2,312	74
MARCH	2,466	80	SEPTEMBER	2,098	70
APRIL	2,227	74	OCTOBER	2,382	77
MAY	2,325	75	NOVEMBER	2,345	78
JUNE	2,121	71	DECEMBER	2,839	92

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2003**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>28,333</u>	<u>19,013</u>	<u>9,320</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.8</u>	<u>10.8</u>	<u>8.3</u>
UNDER 1	453	158	295	1.6	0.8	3.2	10.4	7.1	14.0
1-4	88	38	50	0.3	0.2	0.5	0.5	0.4	0.6
5-9	44	22	22	0.2	0.1	0.2	0.2	0.2	0.2
10-14	65	35	30	0.2	0.2	0.3	0.3	0.3	0.3
15-24	479	260	219	1.7	1.4	2.4	1.1	1.1	1.0
25-34	655	302	353	2.3	1.6	3.8	1.7	1.3	2.3
35-44	1,260	677	583	4.4	3.6	6.2	3.1	2.6	3.8
45-54	2,400	1,276	1,124	8.5	6.7	12.1	6.2	5.1	8.2
55-64	3,504	2,236	1,268	12.4	11.8	13.6	12.9	11.2	17.3
65-74	5,184	3,535	1,649	18.3	18.6	17.7	27.8	25.4	34.8
75 AND OVER	14,196	10,472	3,724	50.1	55.1	40.0	87.1	86.8	88.1
UNKNOWN	5	2	3	**	**	**	**	**	**

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2003**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
<u>TOTAL</u>	<u>14,137</u>	<u>14,196</u>	<u>1.00</u>	<u>9,389</u>	<u>9,624</u>	<u>0.98</u>	<u>4,748</u>	<u>4,572</u>	<u>1.04</u>
UNDER 1	254	199	1.28	79	79	1.00	175	120	1.46
1-4	48	40	1.20	21	17	1.24	27	23	1.17
5-9	22	22	1.00	13	9	1.44	9	13	0.69
10-14	37	28	1.32	20	15	1.33	17	13	1.31
15-24	326	153	2.13	171	89	1.92	155	64	2.42
25-34	430	225	1.91	205	97	2.11	225	128	1.76
35-44	734	526	1.40	401	276	1.45	333	250	1.33
45-54	1,508	892	1.69	847	429	1.97	661	463	1.43
55-64	2,127	1,377	1.54	1,387	849	1.63	740	528	1.40
65-74	2,936	2,248	1.31	2,062	1,473	1.40	874	775	1.13
75-84	3,582	3,871	0.92	2,711	2,859	0.95	871	1,012	0.86
85 AND OVER	2,132	4,611	0.46	1,472	3,430	0.43	660	1,181	0.56
UNKNOWN	1	4		0	2		1	2	
MEDIAN AGE	70	78		72	80		65	74	

**TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2003**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
<u>TOTAL</u>	<u>10.1</u>	<u>9.6</u>	<u>10.8</u>	<u>10.8</u>	<u>9.0</u>	<u>7.7</u>
UNDER 1	11.4	9.4	6.8	7.4	16.5	11.4
1-4	0.6	0.5	0.5	0.4	0.7	0.6
5-9	0.2	0.2	0.2	0.2	0.2	0.3
10-14	0.3	0.3	0.3	0.3	0.3	0.2
15-24	1.4	0.7	1.4	0.8	1.5	0.6
25-34	2.3	1.2	1.8	0.9	3.1	1.5
35-44	3.7	2.5	3.1	2.2	4.9	3.0
45-54	8.0	4.5	6.8	3.4	10.5	6.3
55-64	16.4	9.7	14.3	8.3	22.5	13.1
65-74	35.6	21.6	32.6	19.4	45.5	27.5
75 AND OVER	98.7	80.7	96.5	81.3	105.2	79.1

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 2003**

CAUSE AND GROUP NUMBER	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>22,553</u>	<u>15,412</u>	<u>7,141</u>	<u>7.8</u>	<u>8.7</u>	<u>6.4</u>	<u>79.6</u>	<u>81.1</u>	<u>76.6</u>
1. HEART DISEASES (156-160,162,164-181)	8,662	5,932	2,730	300.6	336.4	244.2	30.6	31.2	29.3
2. MALIGNANT NEOPLASMS (056-108)	5,924	4,006	1,918	205.6	227.1	171.6	20.9	21.1	20.6
3. CEREBROVASCULAR DISEASE (182-186)	1,723	1,110	613	59.8	62.9	54.8	6.1	5.8	6.6
4. ACCIDENTS (295-330)	1,647	1,147	500	57.2	65.0	44.7	5.8	6.0	5.4
5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,385	1,182	203	48.1	67.0	18.2	4.9	6.2	2.2
6. INFLUENZA AND PNEUMONIA (195-198)	754	553	201	26.2	31.4	18.0	2.7	2.9	2.2
7. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	675	361	314	23.4	20.5	28.1	2.4	1.9	3.4
8. DIABETES MELLITUS (124)	671	355	316	23.3	20.1	28.3	2.4	1.9	3.4
9. ALZHEIMERS DISEASE (148)	575	453	122	20.0	25.7	10.9	2.0	2.4	1.3
10. SEPTICEMIA (018)	537	313	224	18.6	17.7	20.0	1.9	1.6	2.4

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 2003**

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	<u>ALL CAUSES</u>	<u>88</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (295-330)	38	43.2	22.7
	2. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	11	12.5	6.6
	3. HOMICIDE (338-346)	8	9.1	4.8
	4. MALIGNANT NEOPLASMS (056-108)	5	5.7	3.0
	5T. SEPTICEMIA (018)	3	3.4	1.8
	5T. INFLUENZA AND PNEUMONIA (195-198)	3	3.4	1.8
5-14	<u>ALL CAUSES</u>	<u>109</u>	<u>100.0</u>	<u>0.2</u>
	1. ACCIDENTS (295-330)	50	45.9	11.8
	2. MALIGNANT NEOPLASMS (056-108)	16	14.7	3.8
	3T. HEART DISEASES (156-160,162,164-181)	5	4.6	1.2
	3T. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	4.6	1.2
	3T. HOMICIDE (338-346)	5	4.6	1.2
15-24	<u>ALL CAUSES</u>	<u>479</u>	<u>100.0</u>	<u>1.1</u>
	1. ACCIDENTS (295-330)	248	51.8	55.0
	2. HOMICIDE (338-346)	67	14.0	14.9
	3. SUICIDE (331-337)	40	8.4	8.9
	4. HEART DISEASES (156-160,162,164-181)	22	4.6	4.9
	5. MALIGNANT NEOPLASMS (056-108)	18	3.8	4.0
25-44	<u>ALL CAUSES</u>	<u>1,915</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (295-330)	469	24.5	59.5
	2. HEART DISEASES (156-160,162,164-181)	314	16.4	39.8
	3. MALIGNANT NEOPLASMS (056-108)	268	14.0	34.0
	4. SUICIDE (331-337)	130	6.8	16.5
	5. HOMICIDE (338-346)	125	6.5	15.8
45-64	<u>ALL CAUSES</u>	<u>5,904</u>	<u>100.0</u>	<u>9.0</u>
	1. MALIGNANT NEOPLASMS (056-108)	1,782	30.2	270.2
	2. HEART DISEASES (156-160,162,164-181)	1,599	27.1	242.4
	3. ACCIDENTS (295-330)	396	6.7	60.0
	4. CEREBROVASCULAR DISEASE (182-186)	297	5.0	45.0
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	187	3.2	28.4
65 & OVER	<u>ALL CAUSES</u>	<u>19,380</u>	<u>100.0</u>	<u>55.5</u>
	1. HEART DISEASES (156-160,162,164-181)	6,709	34.6	1,920.1
	2. MALIGNANT NEOPLASMS (056-108)	3,835	19.8	1,097.6
	3. CEREBROVASCULAR DISEASE (182-186)	1,358	7.0	388.6
	4. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,179	6.1	337.4
	5. INFLUENZA AND PNEUMONIA (195-198)	651	3.4	186.3

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 2003**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	2,198	1,038	1,808	880	253.0	196.8	202.0	149.1
1. RESPIRATORY AND INTRA- THORACIC ORGANS (071-075)	895	356	535	155	103.0	67.5	59.8	26.3
2. DIGESTIVE ORGANS (060-070)	467	282	399	242	53.8	53.5	44.6	41
3. GENITAL ORGANS (083-091)	183	189	135	110	21.1	35.8	15.1	18.6
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	217	57	171	94	25.0	10.8	19.1	15.9
5. BREAST (082)	1	0	259	166	0.1	0.0	28.9	28.1
6. URINARY TRACT (092-094)	100	31	65	23	11.5	5.9	7.3	3.9
7. BRAIN (096)	65	17	43	16	7.5	3.2	4.8	2.7
8. SKIN (077,078)	48	29	25	9	5.5	5.5	2.8	1.5
9. LIP, ORAL CAVITY, AND PHARYNX (056-059)	50	5	21	6	5.8	0.9	2.3	1
10. BONE AND ARTICULAR CARTILAGE (076)	10	4	8	3	1.2	0.8	0.9	0.5
- OTHER AND UNSPECIFIED SITES (079-081,095, 097-99)	162	68	147	56	18.6	12.9	16.4	9.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1978, 1983, 1988, 1993, 1998, 2003**

DISEASE*	1978	1983	1988	1993	1998	2003
TUBERCULOSIS OF RESPIRATORY SYSTEM	42	23	23	21	11	4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,113	1,378	1,619	1,713	1,954	1,941
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,069	1,340	1,567	1,761	1,887	1,886
CHRONIC AND UNQUALIFIED BRONCHITIS	38	32	44	41	33	19
EMPHYSEMA	138	85	132	154	150	116
ASTHMA	23	35	38	64	63	34

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

**TABLE C8 DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 2003**

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,393</u>	<u>990</u>	<u>403</u>	<u>84.6</u>	<u>86.3</u>	<u>80.6</u>
1. MOTOR VEHICLE (296-306)	890	595	295	54.0	51.9	59.0
2. POISONING AND EXPO- SURE TO NOXIOUS SUBSTANCES (327-329)	172	152	20	10.4	13.2	4.0
3. FALLS (312-314)	165	146	19	10.0	12.7	3.8
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	87	55	32	5.3	4.8	6.4
5. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	79	42	37	4.8	3.7	7.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2003**

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
<u>ALL ACCIDENTS</u>	<u>1,647</u>	<u>1,066</u>	<u>581</u>	<u>16</u>	<u>38</u>	<u>50</u>	<u>248</u>	<u>214</u>	<u>255</u>	<u>396</u>	<u>430</u>	<u>0</u>
MOTOR VEHICLE (296-306)	890	572	318	5	17	34	196	141	150	222	125	0
OTHER LAND TRANSPORT (295,307-308)	3	3	0	0	0	1	0	1	0	1	0	0
WATER TRANSPORT (309)	21	20	1	0	0	2	5	1	5	7	1	0
AIR AND SPACE TRANSPORT (310)	6	5	1	0	0	0	1	1	1	3	0	0
FALLS (312-314)	165	95	70	0	0	1	2	1	5	24	132	0
DISCHARGE OF FIREARMS (315)	22	20	2	0	1	2	6	2	2	3	6	0
EXPLOSION (316)	4	3	1	0	0	0	1	0	0	0	3	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	52	37	15	1	10	5	6	9	7	8	6	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUC- TION OF RESPIRATORY TRACT (318)	87	39	48	2	0	1	3	6	3	12	60	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	14	8	6	8	1	2	0	0	1	0	2	0
EXPOSURE TO ELECTRIC CURRENT (320)	10	10	0	0	0	0	0	3	2	4	1	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	79	54	25	0	8	1	4	3	8	27	28	0
CONTACT WITH HEAT AND HOT SUBSTANCES (323)	3	2	1	0	0	0	0	0	1	2	0	0
<u>POISONING (327-329)</u>	<u>172</u>	<u>115</u>	<u>57</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>19</u>	<u>39</u>	<u>55</u>	<u>50</u>	<u>9</u>	<u>0</u>
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	164	110	54	0	0	0	19	38	54	46	7	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES AND VAPORS (328,329)	8	5	3	0	0	0	0	1	1	4	2	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	119	83	36	0	1	1	5	7	15	33	57	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

**TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN
MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT
DEATHS OF MISSISSIPPI RESIDENTS AND RATES,
BY YEAR, 1950,1955, 1960, 1965, 1970-2003**

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5
1992	838	3.2	826	32.1
1993	897	3.3	868	33.7
1994	854	3.0	844	32.8
1995	904	3.0	898	33.3
1996	851	2.8	868	32.2
1997	896	2.9	868	32.2
1998	983	2.9	957	34.8
1999	943	2.7	954	34.4
2000	948	2.7	935	32.9
2001	804	2.2	816	28.7
2002	898	2.5	875	30.5
2003	895	2.4	890	30.9

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES
OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER
100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES
BY AGE AND RACE
MISSISSIPPI, 2003**

	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>453</u>	<u>158</u>	<u>295</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>10.7</u>	<u>6.8</u>	<u>15.4</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>246</u>	<u>78</u>	<u>168</u>	<u>54.3</u>	<u>49.4</u>	<u>56.9</u>	<u>5.8</u>	<u>3.4</u>	<u>8.7</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>196</u>	<u>67</u>	<u>129</u>	<u>43.3</u>	<u>42.4</u>	<u>43.7</u>	<u>4.6</u>	<u>2.9</u>	<u>6.7</u>
UNDER 1 DAY	140	49	91	30.9	31.0	30.8	3.3	2.1	4.7
1-6 DAYS	56	18	38	12.4	11.4	12.9	1.3	0.8	2.0
7-27 DAYS	50	11	39	11.0	7.0	13.2	1.2	0.5	2.0
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>207</u>	<u>80</u>	<u>127</u>	<u>45.7</u>	<u>50.6</u>	<u>43.0</u>	<u>4.9</u>	<u>3.5</u>	<u>6.6</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 2003**

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>453</u>	<u>158</u>	<u>295</u>	<u>10.7</u>	<u>6.8</u>	<u>15.4</u>
1. SUDDEN INFANT DEATH SYNDROME (111)	95	34	61	2.2	1.5	3.2
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	84	20	64	2.0	0.9	3.3
3. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	64	30	34	1.5	1.3	1.8
4. BACTERIAL SEPSIS OF NEWBORN (085)	20	7	13	0.5	0.3	0.7
5. ACCIDENTS (114-124)	16	7	9	0.4	0.3	0.5
6. RESPIRATORY DISTRESS OF NEWBORN (077)	14	5	9	0.3	0.2	0.5
7. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	13	2	11	0.3	0.1	0.6
8. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	7	5	0.3	0.3	0.3
9. SEPTICEMIA (008)	11	0	11	0.3	0.0	0.6
10. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	10	4	6	0.2	0.2	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

**TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2003**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>ALL RACES - ALL CAUSES</u>	<u>287,290</u>	<u>10,568.6</u>
HEART DISEASES (156-160,162,164-181)	52,386	1,927.1
ISCHEMIC HEART DISEASE (165-168)	30,631	1,126.8
CEREBROVASCULAR DISEASES (182-186)	9,464	348.2
MALIGNANT NEOPLASMS (056-108)	52,980	1,949.0
RESPIRATORY SYSTEM (071-075)	15,828	582.3
COLORECTAL (063,064)	4,727	173.9
PROSTATE (089)#	1212	90.6
BREAST (082)##	5,331	386.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	5,548	204.1
PNEMONIA AND INFLUENZA (195-198)	3,559	130.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3,626	133.4
DIABETES MELLITUS (124)	5,722	210.5
HIV INFECTION (039-043)	6,114	224.9
UNINTENTIONAL INJURIES (295-330)	48,940	1,800.4
MOTOR VEHICLE CRASHES (296-306)	31,633	1,163.7
SUICIDE (331-337)	9,971	366.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	11,946	439.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

**TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2003**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>WHITE MALES - ALL CAUSES</u>	<u>95,143</u>	<u>11,525.8</u>
HEART DISEASES (156-160,162,164-181)	19,443	2,355.4
ISCHEMIC HEART DISEASE (165-168)	13,359	1,618.3
CEREBROVASCULAR DISEASES (182-186)	2,396	290.2
MALIGNANT NEOPLASMS (056-108)	17,850	2,162.4
RESPIRATORY SYSTEM (071-075)	6,787	822.2
COLORECTAL (063,064)	1,531	185.5
PROSTATE (089)	552	66.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,261	273.9
PNEMONIA AND INFLUENZA (195-198)	1144	138.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,793	217.2
DIABETES MELLITUS (124)	1,745	211.4
HIV INFECTION (039-043)	781	94.6
UNINTENTIONAL INJURIES (295-330)	20,947	2,537.6
MOTOR VEHICLE CRASHES (296-306)	12,670	1,534.9
SUICIDE (331-337)	5,788	701.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,065	250.2
<u>WHITE FEMALES - ALL CAUSES</u>	<u>58,362</u>	<u>7,139.4</u>
HEART DISEASES (156-160,162,164-181)	8,301	1,015.4
ISCHEMIC HEART DISEASE (165-168)	5,245	641.6
CEREBROVASCULAR DISEASES (182-186)	2,044	250.0
MALIGNANT NEOPLASMS (056-108)	14,519	1,776.1
RESPIRATORY SYSTEM (071-075)	3,883	475.0
COLORECTAL (063,064)	1,153	141.0
BREAST (082)	2,894	354.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,964	240.2
PNEMONIA AND INFLUENZA (195-198)	816	99.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	727	88.9
DIABETES MELLITUS (124)	882	107.9
HIV INFECTION (039-043)	259	31.7
UNINTENTIONAL INJURIES (295-330)	11,125	1,360.9
MOTOR VEHICLE CRASHES (296-306)	7,662	937.3
SUICIDE (331-337)	2,078	254.2
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	723	88.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

**TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2003**

CAUSE AND GROUP NUMBER*	YEARS	RATE **
<u>NONWHITE MALES - ALL CAUSES</u>	<u>79,576</u>	<u>15,516.3</u>
HEART DISEASES (156-160,162,164-181)	14,118	2,752.8
ISCHEMIC HEART DISEASE (165-168)	7,215	1,406.8
CEREBROVASCULAR DISEASES (182-186)	2,785	543.0
MALIGNANT NEOPLASMS (056-108)	10,563	2,059.6
RESPIRATORY SYSTEM (071-075)	3,720	725.4
COLORECTAL (063,064)	971	189.3
PROSTATE (089)	660	128.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	708	138.0
PNEMONIA AND INFLUENZA (195-198)	992	193.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	886	172.8
DIABETES MELLITUS (124)	1,576	307.3
HIV INFECTION (039-043)	3,468	676.2
UNINTENTIONAL INJURIES (295-330)	12,126	2,364.4
MOTOR VEHICLE CRASHES (296-306)	7,731	1,507.4
SUICIDE (331-337)	1,747	340.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	6,900	1,345.4
<u>NONWHITE FEMALES - ALL CAUSES</u>	<u>54,209</u>	<u>9,636.5</u>
HEART DISEASES (156-160,162,164-181)	10,524	1,870.8
ISCHEMIC HEART DISEASE (165-168)	4,812	855.4
CEREBROVASCULAR DISEASES (182-186)	2,239	398.0
MALIGNANT NEOPLASMS (056-108)	10,048	1,786.2
RESPIRATORY SYSTEM (071-075)	1,438	255.6
COLORECTAL (063,064)	1072	190.6
BREAST (082)	2,424	430.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	615	109.3
PNEMONIA AND INFLUENZA (195-198)	607	107.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	220	39.1
DIABETES MELLITUS (124)	1,519	270.0
HIV INFECTION (039-043)	1,606	285.5
UNINTENTIONAL INJURIES (295-330)	4,742	843.0
MOTOR VEHICLE CRASHES (296-306)	3,570	634.6
SUICIDE (331-337)	358	63.6
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	2,258	401.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000
POPULATION UNDER AGE 75.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2003**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>17,827</u>	<u>49</u>			
JANUARY	809	26	JULY	1,654	53
FEBRUARY	1,287	46	AUGUST	1,667	54
MARCH	1,628	52	SEPTEMBER	1,315	44
APRIL	1,424	47	OCTOBER	1,331	43
MAY	1,983	64	NOVEMBER	1,320	44
JUNE	2,070	69	DECEMBER	1,339	43

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2003**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	17,827	12,081	5,746	17,827	12,023	5,804	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	1,554	1,389	165	533	479	54	8.7	11.5	2.9	3.0	4.0	0.9
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	1	1	0	0	0	0	*	*	-	-	-	-
14	2	2	0	0	0	0	*	*	-	-	-	-
15	52	47	5	0	0	0	0.3	0.4	0.1	-	-	-
16	100	94	6	3	3	0	0.6	0.8	0.1	*	*	-
17	210	197	13	56	52	4	1.2	1.6	0.2	0.3	0.4	0.1
18	484	443	41	152	137	15	2.7	3.7	0.7	0.8	1.1	0.2
19	705	605	100	322	287	35	4.0	5.0	1.7	1.8	2.4	0.6
20-24	5,136	3,867	1,269	4,273	3,238	1,035	28.8	32.0	22.1	24.0	26.9	17.8
25-34	5,721	3,372	2,349	6,561	4,204	2,357	32.1	27.9	40.9	36.8	35.0	40.6
35-44	3,052	1,833	1,219	3,332	1,996	1,336	17.1	15.2	21.2	18.7	16.6	23.0
45-54	1,532	954	578	1,848	1,177	671	8.6	7.9	10.0	10.4	9.8	11.6
55-64	544	420	124	807	564	243	3.0	3.5	2.2	4.5	4.7	4.2
65-74	217	182	35	314	242	72	1.2	1.5	0.6	1.8	2.0	1.2
75 & OVER	71	64	7	159	123	36	0.4	0.5	0.1	0.9	1.0	0.6
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2003**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	27	26	30	30	29	32
FIRST MARRIAGES	23	22	26	25	24	28

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 2003**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>17,827</u>	<u>12,081</u>	<u>5,746</u>	<u>17,827</u>	<u>12,023</u>	<u>5,804</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	10,717	6,741	3,976	10,577	6,804	3,773	60.1	55.8	69.2	59.3	56.6	65.0
<u>REMARRIAGE</u>	<u>7,107</u>	<u>5,338</u>	<u>1,769</u>	<u>7,249</u>	<u>5,218</u>	<u>2,031</u>	<u>39.9</u>	<u>44.2</u>	<u>30.8</u>	<u>40.7</u>	<u>43.4</u>	<u>35.0</u>
SECOND	4,677	3,297	1,380	4,907	3,350	1,557	26.2	27.3	24.0	27.5	27.9	26.8
<u>OVER TWO</u>	<u>2,430</u>	<u>2,041</u>	<u>389</u>	<u>2,342</u>	<u>1,868</u>	<u>474</u>	<u>13.6</u>	<u>16.9</u>	<u>6.8</u>	<u>13.1</u>	<u>15.5</u>	<u>8.2</u>
THIRD	1,729	1,406	323	1,739	1,334	405	9.7	11.6	5.6	9.8	11.1	7.0
FOURTH	521	471	50	448	399	49	2.9	3.9	0.9	2.5	3.3	0.8
FIFTH	119	109	10	111	98	13	0.7	0.9	0.2	0.6	0.8	0.2
SIXTH	45	41	4	36	32	4	0.2	0.3	0.1	0.2	0.3	0.1
SEVENTH	12	10	2	6	4	2	0.1	0.1	#	#	#	#
EIGHTH	3	3	0	1	1	0	#	#	-	#	#	-
NINTH	1	1	0	0	0	0	#	#	-	-	-	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	0	0	0	1	0	1	-	-	-	#	-	#
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	3	2	1	1	1	0	#	#	#	#	#	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 2003**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>17,827</u>	<u>12,081</u>	<u>5,746</u>	<u>17,827</u>	<u>12,023</u>	<u>5,804</u>
NOT PREVIOUSLY MARRIED	10,717	6,741	3,976	10,577	6,804	3,773
<u>REMARRIAGES</u>	<u>7,107</u>	<u>5,338</u>	<u>1,769</u>	<u>7,249</u>	<u>5,218</u>	<u>2,031</u>
WIDOWED	743	568	175	692	504	188
DIVORCED*	6,355	4,763	1,592	6,550	4,710	1,840
UNKNOWN**	9	7	2	7	4	3
UNKNOWN#	3	2	1	1	1	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	60.1	55.8	69.2	59.3	56.6	65.0
<u>REMARRIAGES</u>	<u>39.9</u>	<u>44.2</u>	<u>30.8</u>	<u>40.7</u>	<u>43.4</u>	<u>35.0</u>
WIDOWED	4.2	4.7	3.0	3.9	4.2	3.2
DIVORCED*	35.6	39.4	27.7	36.7	39.2	31.7
UNKNOWN**	##	##	##	##	##	##
UNKNOWN#	##	##	##	##	##	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES
MAY BE INCOMPLETE.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2003**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER												
<u>TOTAL</u>	<u>17,827</u>	<u>16,629</u>	<u>1,190</u>	<u>8</u>	<u>12,081</u>	<u>11,179</u>	<u>898</u>	<u>4</u>	<u>5,746</u>	<u>5,450</u>	<u>292</u>	<u>4</u>
MISSISSIPPI	16,322	16,048	271	3	10,944	10,747	196	1	5,378	5,301	75	2
OTHER	1,497	575	919	3	1,132	428	702	2	365	147	217	1
UNKNOWN	8	6	0	2	5	4	0	1	3	2	0	1
PERCENT												
<u>TOTAL</u>	<u>100.0</u>	<u>93.3</u>	<u>6.7</u>	<u>*</u>	<u>100.0</u>	<u>92.5</u>	<u>7.4</u>	<u>*</u>	<u>100.0</u>	<u>94.8</u>	<u>5.1</u>	<u>0.1</u>
MISSISSIPPI	91.6	90.0	1.5	*	90.6	89.0	1.6	*	93.6	92.2	1.3	*
OTHER	8.4	3.2	5.2	*	9.4	3.5	5.8	*	6.4	2.6	3.8	*
UNKNOWN	*	*	-	*	*	*	-	*	*	*	-	*

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2003

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>13,330</u>	<u>9,737</u>	<u>3,325</u>	<u>268</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	11,840	8,900	2,717	223	88.8	91.4	81.7	83.2
CRUEL AND INHUMAN TREATMENT	693	421	248	24	5.2	4.3	7.4	9.0
DESERTION	356	141	201	14	2.7	1.4	6.0	5.2
ADULTERY	278	177	98	3	2.1	1.8	2.9	1.1
DRUNKENNESS	62	37	25	0	0.5	0.4	0.8	-
PENITENTIARY	61	33	27	1	0.4	0.3	0.8	0.4
ANNULMENT	22	17	4	1	0.2	0.2	0.1	0.4
BIGAMY	6	2	3	1	#	#	0.1	0.4
MISCELLANEOUS AND OTHER	9	8	0	1	0.1	0.1	-	0.4
UNKNOWN	3	1	2	0	#	#	0.1	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2003

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>13,330</u>	<u>9,737</u>	<u>3,325</u>	<u>268</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,959	5,030	1,751	178	52.2	51.6	52.7	66.4
ONE	3,260	2,381	828	51	24.4	24.4	24.9	19.0
TWO	2,335	1,765	540	30	17.5	18.1	16.2	11.2
THREE OR MORE	775	561	205	9	5.8	5.8	6.2	3.4
UNKNOWN	1	0	1	0	#	-	#	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2003**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>13,330</u>	<u>9,737</u>	<u>3,325</u>	<u>268</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>5,094</u>	<u>3,901</u>	<u>1,084</u>	<u>109</u>	<u>38.2</u>	<u>40.1</u>	<u>32.6</u>	<u>40.7</u>
UNDER ONE	579	495	68	16	4.3	5.1	2.0	6.0
ONE	1,090	861	202	27	8.2	8.8	6.1	10.1
TWO	1,159	902	230	27	8.7	9.3	6.9	10.1
THREE	1,138	838	282	18	8.5	8.6	8.5	6.7
FOUR	1,128	805	302	21	8.5	8.3	9.1	7.8
FIVE-NINE	3,454	2,432	944	78	25.9	25.0	28.4	29.1
TEN-NINETEEN	3,162	2,306	808	48	23.7	23.7	24.3	17.9
TWENTY AND OVER	1,596	1,085	481	30	12.0	11.1	14.5	11.2
UNKNOWN	24	13	8	3	0.2	0.1	0.2	1.1

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 2003**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,753</u>	<u>957</u>	<u>2,769</u>	<u>27</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>88.7</u>	<u>41.4</u>	<u>144.2</u>
UNDER 15	42	5	37	0	1.1	0.5	1.3	272.7	192.3	289.1
15-19	648	201	445	2	17.3	21.0	16.1	98.0	73.7	114.4
20-24	1,474	340	1,130	4	39.3	35.5	40.8	100.1	47.3	150.0
25-29	822	192	625	5	21.9	20.1	22.6	76.0	29.4	145.4
30-34	478	126	343	9	12.7	13.2	12.4	69.9	26.9	158.8
35-39	205	62	139	4	5.5	6.5	5.0	79.2	37.9	145.6
40-44	73	28	43	2	1.9	2.9	1.6	133.9	88.0	189.4
45-49	4	2	2	0	0.1	0.2	0.1	181.8	142.8	250.0
UNKNOWN	7	1	5	1	0.2	0.1	0.2			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION.
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2003**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,753</u>	<u>957</u>	<u>2,769</u>	<u>27</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	3,645	914	2,704	27	97.1	95.5	97.6
<u>NONRESIDENT</u>	<u>108</u>	<u>43</u>	<u>65</u>	<u>0</u>	<u>2.9</u>	<u>4.5</u>	<u>2.3</u>
BORDER STATE	99	40	59	0	2.6	4.2	2.1
OTHER STATE	9	3	6	0	0.2	0.3	0.2
<u>MARITAL STATUS</u>							
MARRIED	466	208	245	13	12.4	21.7	8.8
NOT MARRIED	3,248	743	2,493	12	86.5	77.6	90.0
UNKNOWN	39	6	31	2	1.0	0.6	1.1
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	25	5	20	0	0.7	0.5	0.7
7-9 YEARS	140	48	92	0	3.7	5.0	3.3
10, 11 YEARS	362	113	247	2	9.6	11.8	8.9
12 YEARS	1,052	263	779	10	28.0	27.5	28.1
1-3 YEARS COLLEGE	1,557	369	1,182	6	41.5	38.6	42.7
4 OR MORE YEARS COLLEGE	558	146	407	5	14.9	15.2	14.7
UNKNOWN	57	13	40	4	1.5	1.4	1.4
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	1,302	411	885	6	34.7	42.9	32.0
ONE	1,185	280	897	8	31.6	29.2	32.4
TWO	838	200	630	8	22.3	20.9	22.8
THREE	292	51	238	3	7.8	5.3	8.6
FOUR	94	11	82	1	2.5	1.1	3.0
FIVE OR MORE	40	4	36	0	1.1	0.4	1.3
UNKNOWN	2	0	1	1	*	-	*
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	2,483	678	1,790	15	66.2	70.8	64.6
ONE	912	205	699	8	24.3	21.4	25.2
TWO	269	57	209	3	7.2	6.0	7.5
THREE OR MORE	87	17	70	0	2.3	1.8	2.5
UNKNOWN	2	0	1	1	*	-	*

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 2003**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>3,753</u>	<u>957</u>	<u>2,769</u>	<u>27</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	2,005	552	1,435	18	53.4	57.7	51.8
9, 10	819	181	635	3	21.8	18.9	22.9
11, 12	491	121	367	3	13.1	12.6	13.2
13-15	298	62	235	1	7.9	6.5	8.5
16-20	21	6	15	0	0.6	0.6	0.5
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	118	35	81	2	3.1	3.6	2.9
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	3,748	955	2,767	26	99.9	99.8	99.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	1	0	1	0	**	-	**
INTRA-UTERINE INSTILLATION	2	2	0	0	**	0.2	-
SHARP CURETTAGE	1	0	0	1	**	-	-
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	1	0	1	0	**	-	**
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO
TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

MAJOR TABLES

2003

TABLE I
2003 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2000 CENSUS POPULATION
MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	2,881,283	1,763,609	1,117,674	1.3	1.0	1.7
ADAMS	33,233	14,776	18,457	-3.2	-6.5	-0.4
ALCORN	34,930	30,595	4,335	1.1	1.3	-0.7
AMITE	13,594	7,716	5,878	*	0.6	-0.8
ATTALA	19,673	11,594	8,079	0.1	1.1	-1.4
BENTON	7,774	4,915	2,859	-3.1	-0.8	-6.9
BOLIVAR	39,235	12,894	26,341	-3.4	-4.5	-2.9
CALHOUN	14,827	10,363	4,464	-1.6	-0.9	-3.2
CARROLL	10,462	6,786	3,676	-2.9	0.6	-8.6
CHICKASAW	19,204	10,988	8,216	-1.2	-0.7	-2.0
CHOCTAW	9,661	6,598	3,063	-1.0	-0.6	-1.8
CLAIBORNE	11,502	1,679	9,823	-2.8	-6.5	-2.1
CLARKE	17,746	11,555	6,191	-1.2	-0.2	-2.9
CLAY	21,625	9,013	12,612	-1.6	-4.2	0.4
COAHOMA	29,546	7,862	21,684	-3.5	-12.3	0.1
COPIAH	28,928	13,991	14,937	0.6	1.8	-0.5
COVINGTON	20,177	12,790	7,387	4.0	3.9	4.0
DESOTO	124,378	103,246	21,132	16.0	12.3	38.6
FORREST	74,386	47,245	27,141	2.5	1.1	4.8
FRANKLIN	8,340	5,291	3,049	-1.3	-0.3	-3.0
GEORGE	20,407	18,364	2,043	6.6	7.3	0.4
GREENE	13,169	9,668	3,501	-1.0	-0.1	-3.2
GRENADA	22,809	13,080	9,729	-2.0	-2.9	-0.6
HANCOCK	45,145	41,048	4,097	5.1	5.9	-2.8
HARRISON	189,614	136,936	52,678	*	-1.3	3.5
HINDS	249,087	86,985	162,102	-0.7	-7.1	3.1
HOLMES	21,347	3,984	17,363	-1.2	-10.0	1.0
HUMPHREYS	10,722	2,843	7,879	-4.3	-6.6	-3.5
ISSAQUENA	2,016	714	1,302	-11.4	-13.6	-10.1
ITAWAMBA	22,964	21,291	1,673	0.9	1.1	-2.5
JACKSON	133,928	100,106	33,822	1.9	1.1	4.4
JASPER	18,280	8,432	9,848	0.7	*	1.4
JEFFERSON	9,533	1,193	8,340	-2.1	-6.2	-1.5
JEFF DAVIS	13,399	5,471	7,928	-4.0	-5.9	-2.7
JONES	65,168	46,751	18,417	0.3	1.2	-1.9
KEMPER	10,435	4,028	6,407	-0.2	-1.3	0.5
LAFAYETTE	40,188	28,931	11,257	3.7	3.9	3.2
LAMAR	41,957	35,752	6,205	7.4	7.2	8.3
LAUDERDALE	77,706	45,695	32,011	-0.6	-2.8	2.8
LAWRENCE	13,520	9,112	4,408	2.0	2.7	0.6
LEAKE	21,820	12,296	9,524	4.2	4.6	3.7
LEE	77,690	56,502	21,188	2.6	1.3	6.2
LEFLORE	36,470	10,687	25,783	-3.9	-6.1	-2.9

TABLE i - PAGE 2
2003 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2000		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	33,549	23,103	10,446	1.2	0.4	2.9
LOWNDES	60,658	33,585	27,073	-1.5	-3.4	1.0
MADISON	79,758	48,250	31,508	6.8	7.2	6.3
MARION	25,090	16,753	8,337	-2.0	-2.3	-1.4
MARSHALL	35,442	17,259	18,183	1.3	2.0	0.6
MONROE	37,842	25,926	11,916	-0.5	-0.3	-0.9
MONTGOMERY	11,935	6,429	5,506	-2.1	-2.8	-1.3
NESHOBA	29,134	18,756	10,378	1.6	-0.2	4.9
NEWTON	22,044	14,477	7,567	0.9	2.0	-1.0
NOXUBEE	12,318	3,559	8,759	-1.8	-3.8	-1.0
OKTIBBEHA	42,573	25,031	17,542	-0.8	-0.5	-1.1
PANOLA	35,243	17,903	17,340	2.8	3.5	2.2
PEARL RIVER	50,894	43,676	7,218	4.7	5.0	2.8
PERRY	12,288	9,434	2,854	1.2	2.0	-1.4
PIKE	38,935	19,566	19,369	*	-2.0	2.0
PONTOTOC	27,575	23,363	4,212	3.2	3.6	1.0
PRENTISS	25,581	21,907	3,674	0.1	-0.2	1.6
QUITMAN	9,740	2,875	6,865	-3.7	-6.8	-2.4
RANKIN	124,695	100,032	24,663	8.1	7.0	12.7
SCOTT	28,450	16,873	11,577	0.1	3.8	-4.8
SHARKEY	6,224	1,859	4,365	-5.4	-3.8	-6.1
SIMPSON	27,592	17,809	9,783	-0.2	0.1	-0.6
SMITH	15,834	12,135	3,699	-2.2	-1.5	-4.3
STONE	14,206	11,204	3,002	4.3	3.6	7.1
SUNFLOWER	33,374	9,108	24,266	-2.9	-8.3	-0.7
TALLAHATCHIE	14,394	5,634	8,760	-3.4	-4.6	-2.7
TATE	25,794	17,733	8,061	1.7	3.0	-1.2
TIPPAH	20,920	17,174	3,746	0.5	0.8	-0.9
TISHOMINGO	18,966	18,193	773	-1.0	*	-20.4
TUNICA	9,917	2,585	7,332	7.5	1.7	9.7
UNION	26,113	22,003	4,110	3.0	4.0	-2.3
WALTHALL	15,191	8,319	6,872	0.2	0.5	-0.1
WARREN	48,993	26,130	22,863	-1.3	-4.2	2.3
WASHINGTON	60,347	19,404	40,943	-4.2	-9.3	-1.5
WAYNE	21,149	13,105	8,044	-0.3	0.8	-2.1
WEBSTER	10,159	7,981	2,178	-1.3	*	-5.8
WILKINSON	10,241	3,136	7,105	-0.7	-2.6	0.2
WINSTON	19,911	10,963	8,948	-1.2	-1.6	-0.8
YALOBUSHA	13,347	8,059	5,288	2.3	2.1	2.5
YAZOO	28,272	12,552	15,720	0.4	-0.3	1.1

* LESS THAN 0.06 PERCENT CHANGE.

* POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS AND MAY BE SLIGHTLY DIFFERENT FROM CENSUS BUREAU ESTIMATES FOR OTHER DEMOGRAPHIC GROUPINGS DUE TO ROUNDING.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2003

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>41,289</u>	<u>21,940</u>	<u>19,349</u>	<u>42,321</u>	<u>23,118</u>	<u>19,203</u>	<u>14.7</u>	<u>13.1</u>	<u>17.2</u>
ADAMS	854	315	539	397	142	255	11.9	9.6	13.8
ALCORN	561	475	86	438	371	67	12.5	12.1	15.4
AMITE	0	0	0	151	70	81	11.1	9.1	13.8
ATTALA	0	0	0	266	138	128	13.5	11.9	15.8
BENTON	0	0	0	121	68	53	15.6	13.8	18.5
BOLIVAR	622	126	496	612	142	470	15.6	11.0	17.8
CALHOUN	0	0	0	194	137	57	13.1	13.2	12.8
CARROLL	2	0	2	99	58	41	9.5	8.5	11.2
CHICKASAW	1	0	1	313	147	166	16.3	13.4	20.2
CHOCTAW	0	0	0	101	66	35	10.4	10.0	11.4
CLAIBORNE	3	0	3	142	9	133	12.3	5.4	13.5
CLARKE	0	0	0	253	144	109	14.2	12.5	17.6
CLAY	386	138	248	285	94	191	13.2	10.4	15.1
COAHOMA	859	149	710	534	90	444	18.1	11.4	20.5
COPIAH	18	1	17	430	177	253	14.9	12.6	16.9
COVINGTON	82	23	59	285	165	120	14.1	12.9	16.2
DESOTO	1,557	921	636	1,839	1,521	318	14.8	14.7	15.0
FORREST	2,827	1,927	900	1,074	590	484	14.4	12.5	17.8
FRANKLIN	0	0	0	114	63	51	13.7	11.9	16.7
GEORGE	195	154	41	335	297	38	16.4	16.2	18.6
GREENE	1	1	0	143	121	22	10.8	12.5	6.3
GRENADA	678	322	356	311	165	146	13.6	12.6	15.0
HANCOCK	439	383	56	545	491	54	12.1	12.0	13.2
HARRISON	3,453	2,493	960	2,904	2,028	876	15.3	14.8	16.6
HINDS	6,614	2,140	4,474	3,958	987	2,971	15.9	11.3	18.3
HOLMES	5	1	4	375	41	334	17.6	10.3	19.2
HUMPHREYS	2	1	1	199	34	165	18.6	12.0	20.9
ISSAQUENA	0	0	0	19	6	13	9.4	8.4	10.0
ITAWAMBA	0	0	0	300	280	20	13.1	13.2	12.0
JACKSON	1,305	915	390	1,812	1,318	494	13.5	13.2	14.6
JASPER	1	0	1	279	117	162	15.3	13.9	16.4
JEFFERSON	1	0	1	136	3	133	14.3	2.5	15.9
JEFF DAVIS	2	0	2	173	55	118	12.9	10.0	14.9
JONES	1118	545	573	970	611	359	14.9	13.1	19.5
KEMPER	0	0	0	133	41	92	12.7	10.2	14.4
LAFAYETTE	838	505	333	461	277	184	11.5	9.6	16.3
LAMAR	803	603	200	675	553	122	16.1	15.5	19.7
LAUDERDALE	2,591	1,371	1,220	1,178	587	591	15.2	12.8	18.5
LAWRENCE	0	0	0	198	125	73	14.6	13.7	16.6
LEAKE	8	2	6	371	193	178	17.0	15.7	18.7
LEE	2,468	1,917	551	1,187	817	370	15.3	14.5	17.5
LEFLORE	703	110	593	614	119	495	16.8	11.1	19.2

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2003

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	578	345	233	458	302	156	13.6	13.1	14.9
LOWNDES	865	370	495	868	446	422	14.3	13.3	15.6
MADISON	320	9	311	1,209	613	596	15.2	12.7	18.9
MARION	2	1	1	356	231	125	14.2	13.8	15.0
MARSHALL	2	2	0	479	236	243	13.5	13.7	13.4
MONROE	697	502	195	486	323	163	12.8	12.4	13.7
MONTGOMERY	1	0	1	158	67	91	13.2	10.4	16.5
NESHOBA	4	0	4	531	290	241	18.2	15.5	23.2
NEWTON	2	0	2	337	182	155	15.3	12.6	20.5
NOXUBEE	0	0	0	196	38	158	15.9	10.7	18.0
OKTIBBEHA	1,088	519	569	519	243	276	12.2	9.7	15.7
PANOLA	240	77	163	535	224	311	15.2	12.5	17.9
PEARL RIVER	306	224	82	665	551	114	13.1	12.6	15.8
PERRY	1	0	1	173	142	31	14.1	15.0	10.9
PIKE	867	432	435	608	249	359	15.6	12.7	18.5
PONTOTOC	7	6	1	357	307	50	12.9	13.1	11.9
PRETISS	1	1	0	304	265	39	11.9	12.1	10.6
QUITMAN	0	0	0	133	30	103	13.6	10.4	15.0
RANKIN	3,601	2,469	1132	1,917	1,548	369	15.4	15.5	15.0
SCOTT	5	2	3	472	270	202	16.6	16.0	17.4
SHARKEY	0	0	0	89	22	67	14.3	11.8	15.3
SIMPSON	122	73	49	390	228	162	14.1	12.8	16.6
SMITH	0	0	0	226	160	66	14.3	13.2	17.8
STONE	1	0	1	192	148	44	13.5	13.2	14.6
SUNFLOWER	335	50	285	466	81	385	14.0	8.9	15.9
TALLAHATCHIE	1	0	1	221	53	168	15.4	9.4	19.2
TATE	1	0	1	410	251	159	15.9	14.2	19.7
TIPPAH	0	0	0	325	260	65	15.5	15.1	17.4
TISHOMINGO	0	0	0	244	239	5	12.9	13.1	6.5
TUNICA	0	0	0	199	39	160	20.1	15.1	21.8
UNION	796	582	214	344	289	55	13.2	13.1	13.4
WALTHALL	0	0	0	231	117	114	15.2	14.1	16.6
WARREN	1,104	357	747	811	370	441	16.6	14.2	19.3
WASHINGTON	1,029	267	762	985	228	757	16.3	11.8	18.5
WAYNE	223	96	127	297	143	154	14.0	10.9	19.1
WEBSTER	1	1	0	141	96	45	13.9	12.0	20.7
WILKINSON	70	14	56	149	31	118	14.5	9.9	16.6
WINSTON	0	0	0	278	117	161	14.0	10.7	18.0
YALOBUSHA	0	0	0	197	105	92	14.8	13.0	17.4
YAZOO	22	3	19	441	126	315	15.6	10.0	20.0
OUT OF STATE	2,253	1,863	390	1,221	685	536			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2003

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	873	614	259
BRANDON	705	590	115
BROOKHAVEN	252	143	109
CANTON	357	62	295
CLARKSDALE	401	61	340
CLEVELAND	246	78	168
CLINTON	330	210	120
COLUMBUS	628	279	349
CORINTH	266	207	59
GAUTIER	272	177	95
GREENVILLE	725	139	586
GREENWOOD	423	83	340
GRENADA	241	114	127
GULFPORT	1,234	741	493
HATTIESBURG	963	465	498
INDIANOLA	204	29	175
JACKSON	3,084	517	2,567
LAUREL	547	282	265
LONG BEACH	215	183	32
MCCOMB	318	102	216
MERIDIAN	877	381	496
MOSS POINT	272	140	132
NATCHEZ	333	112	221
OCEAN SPRINGS	439	385	54
PASCAGOULA	376	215	161
PEARL	412	303	109
PICAYUNE	246	170	76
RIDGELAND	320	205	115
SOUTHAVEN	567	490	77
STARKVILLE	440	197	243
TUPELO	619	385	234
VICKSBURG	667	277	390
YAZOO CITY	310	68	242

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>67.8</u>	<u>65.4</u>	<u>70.9</u>				
ADAMS	59.9	56.5	62.0	LINCOLN	66.1	67.8	63.2
ALCORN	63.8	63.1	67.9	LOWNDES	64.0	66.2	61.9
AMITE	56.6	51.1	62.4	MADISON	65.4	58.3	74.8
ATTALA	68.5	67.7	69.3	MARION	70.2	71.7	67.7
BENTON	79.2	75.2	85.1	MARSHALL	63.2	72.1	56.5
BOLIVAR	66.1	51.9	72.0	MONROE	62.1	64.7	57.6
CALHOUN	68.6	75.8	55.9	MONTGOMERY	66.0	61.1	70.2
CARROLL	48.6	45.3	54.2	NESHOBA	88.2	81.9	97.1
CHICKASAW	80.2	73.6	87.2	NEWTON	74.2	66.4	86.3
CHOCTAW	51.6	53.6	48.0	NOXUBEE	76.5	69.1	78.5
CLAIBORNE	47.6	41.1	48.1	OKTIBBEHA	45.1	37.0	55.7
CLARKE	72.3	69.2	76.7	PANOLA	69.4	64.3	73.6
CLAY	62.4	59.6	64.0	PEARL RIVER	62.1	61.2	66.7
COAHOMA	82.7	72.8	85.0	PERRY	65.8	73.2	45.0
COPIAH	68.5	66.3	70.1	PIKE	75.2	69.1	80.0
COVINGTON	66.6	66.0	67.4	PONTOTOC	61.3	64.0	48.8
DESOTO	64.6	66.7	56.1	PRENTISS	56.8	59.8	42.5
FORREST	56.5	51.6	63.9	QUITMAN	64.8	69.3	63.6
FRANKLIN	65.3	63.1	68.3	RANKIN	67.4	70.0	58.2
GEORGE	79.4	77.5	97.9	SCOTT	81.2	86.3	75.2
GREENE	62.5	66.0	48.4	SHARKEY	68.1	74.8	66.1
GRENADA	65.3	67.3	63.1	SIMPSON	69.3	66.7	73.4
HANCOCK	60.4	60.4	60.9	SMITH	72.0	70.0	77.2
HARRISON	70.7	71.7	68.4	STONE	63.8	65.1	59.7
HINDS	69.8	62.2	72.7	SUNFLOWER	71.7	61.1	74.4
HOLMES	78.5	62.3	81.0	TALLAHATCHIE	71.9	55.7	79.2
HUMPHREYS	85.0	72.2	88.2	TATE	73.4	70.2	79.1
ISSAQUENA	47.0	51.3	45.3	TIPPAH	73.3	74.0	70.7
ITAWAMBA	62.7	64.3	46.5	TISHOMINGO	67.0	68.4	33.3
JACKSON	64.2	65.3	61.3	TUNICA	87.4	89.6	86.9
JASPER	74.0	76.0	72.7	UNION	63.2	64.0	59.0
JEFFERSON	67.8	19.2	71.9	WALTHALL	75.0	77.0	73.0
JEFF DAVIS	62.1	60.5	62.9	WARREN	78.4	76.6	80.0
JONES	73.6	68.6	84.0	WASHINGTON	76.0	70.1	78.0
KEMPER	62.3	61.8	62.4	WAYNE	65.4	54.7	79.9
LAFAYETTE	41.3	34.6	58.2	WEBSTER	70.6	64.8	87.2
LAMAR	68.8	67.9	73.2	WILKINSON	77.4	64.6	81.7
LAUDERDALE	72.4	68.6	76.7	WINSTON	71.7	63.2	79.4
LAWRENCE	70.3	69.4	71.7	YALOBUSHA	73.8	74.6	73.0
LEAKE	88.1	88.3	87.8	YAZOO	80.3	62.9	90.4
LEE	71.2	71.8	70.0				
LEFLORE	76.8	67.6	79.3				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2003

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
<u>STATE</u>	<u>42,321</u>	<u>66</u>	<u>0</u>	<u>3</u>	<u>63</u>	<u>49</u>	<u>0</u>	<u>10</u>	<u>39</u>	<u>21,640</u>	<u>20,681</u>
ADAMS	397	142	142	0	0	255	255	0	0	208	189
ALCORN	438	371	371	0	0	67	67	0	0	241	197
AMITE	151	70	70	0	0	81	81	0	0	77	74
ATTALA	266	138	138	0	0	128	128	0	0	132	134
BENTON	121	68	68	0	0	53	53	0	0	59	62
BOLIVAR	612	142	142	0	0	470	467	0	3	299	313
CALHOUN	194	137	137	0	0	57	57	0	0	91	103
CARROLL	99	58	58	0	0	41	39	0	2	44	55
CHICKASAW	313	147	147	0	0	166	165	0	1	148	165
CHOCTAW	101	66	66	0	0	35	35	0	0	48	53
CLAIBORNE	142	9	9	0	0	133	133	0	0	76	66
CLARKE	253	144	144	0	0	109	109	0	0	134	119
CLAY	285	94	93	0	1	191	191	0	0	130	155
COAHOMA	534	90	89	0	1	444	444	0	0	271	263
COPIAH	430	177	176	0	1	253	252	1	0	224	206
COVINGTON	285	165	165	0	0	120	120	0	0	145	140
DESOTO	1,839	1,521	1,517	0	4	318	318	0	0	974	865
FORREST	1,074	590	586	0	4	484	484	0	0	536	538
FRANKLIN	114	63	63	0	0	51	51	0	0	66	48
GEORGE	335	297	296	0	1	38	38	0	0	173	162
GREENE	143	121	120	0	1	22	22	0	0	81	62
GRENADA	311	165	165	0	0	146	146	0	0	165	146
HANCOCK	545	491	490	0	1	54	54	0	0	273	272
HARRISON	2,904	2,028	2,024	0	4	876	875	0	1	1,510	1,394

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2003

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,958	987	986	0	1	2,971	2,964	2	5	2,007	1,951
HOLMES	375	41	41	0	0	334	334	0	0	189	186
HUMPHREYS	199	34	33	0	1	165	165	0	0	109	90
ISSAQUENA	19	6	6	0	0	13	13	0	0	7	12
ITAWAMBA	299	279	279	0	0	20	20	0	0	144	156
JACKSON	1,812	1,318	1,315	0	3	494	494	0	0	926	886
JASPER	279	117	117	0	0	162	160	0	2	153	126
JEFFERSON	136	3	3	0	0	133	133	0	0	68	68
JEFF DAVIS	173	55	55	0	0	118	117	0	1	85	88
JONES	970	611	608	1	2	359	359	0	0	524	446
KEMPER	133	41	41	0	0	92	92	0	0	69	64
LAFAYETTE	461	277	271	0	6	184	183	0	1	220	241
LAMAR	675	553	550	0	3	122	122	0	0	360	315
LAUDERDALE	1,178	587	586	0	1	591	591	0	0	584	594
LAWRENCE	198	125	125	0	0	73	73	0	0	90	108
LEAKE	371	193	192	0	1	178	176	1	1	197	174
LEE	1,187	817	816	0	1	370	370	0	0	596	591
LEFLORE	614	119	119	0	0	495	495	0	0	310	304
LINCOLN	458	302	302	0	0	156	154	0	2	242	216
LOWNDES	868	446	446	0	0	422	421	0	1	439	429
MADISON	1,209	613	612	0	1	596	595	1	0	611	598
MARION	356	231	228	1	2	125	125	0	0	188	168
MARSHALL	479	236	234	0	2	243	243	0	0	249	230
MONROE	486	323	322	0	1	163	162	1	0	235	251
MONTGOMERY	158	67	67	0	0	91	91	0	0	80	78
NESHOBA	531	290	290	0	0	241	239	1	1	278	253
NEWTON	337	182	182	0	0	155	154	0	1	179	158
NOXUBEE	196	38	38	0	0	158	158	0	0	96	100
OKTIBBEHA	519	243	241	0	2	276	275	0	1	271	248
PANOLA	535	224	224	0	0	311	308	0	3	271	264

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2003

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	665	551	550	0	1	114	114	0	0	360	305
PERRY	173	142	142	0	0	31	30	0	1	73	100
PIKE	608	249	249	0	0	359	359	0	0	324	284
PONTOTOC	357	307	300	0	7	50	49	0	1	178	179
PRENTISS	304	265	263	1	1	39	39	0	0	159	145
QUITMAN	133	30	30	0	0	103	103	0	0	83	50
RANKIN	1,917	1,548	1,546	0	2	369	367	1	1	982	935
SCOTT	472	270	269	0	1	202	201	1	0	254	218
SHARKEY	89	22	22	0	0	67	67	0	0	50	39
SIMPSON	390	228	227	0	1	162	162	0	0	188	202
SMITH	226	160	160	0	0	66	66	0	0	124	102
STONE	192	148	148	0	0	44	43	0	1	92	100
SUNFLOWER	466	81	81	0	0	385	383	0	2	233	233
TALLAHATCHIE	221	53	53	0	0	168	167	1	0	101	120
TATE	410	251	251	0	0	159	157	0	2	212	198
TIPPAH	325	260	260	0	0	65	65	0	0	155	170
TISHOMINGO	244	239	239	0	0	5	5	0	0	125	119
TUNICA	199	39	39	0	0	160	160	0	0	87	112
UNION	344	289	289	0	0	55	55	0	0	181	163
WALTHALL	231	117	117	0	0	114	114	0	0	127	104
WARREN	811	370	368	0	2	441	437	0	4	419	392
WASHINGTON	985	228	228	0	0	757	756	0	1	492	493
WAYNE	297	143	143	0	0	154	154	0	0	142	155
WEBSTER	141	96	96	0	0	45	45	0	0	73	68
WILKINSON	149	31	30	0	1	118	118	0	0	77	72
WINSTON	278	117	117	0	0	161	161	0	0	142	136
YALOBUSHA	197	105	105	0	0	92	92	0	0	98	99
YAZOO	441	126	124	0	2	315	315	0	0	227	214

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>42,321</u>	<u>154</u>	<u>6,615</u>	<u>14,727</u>	<u>10,820</u>	<u>6,840</u>	<u>2,589</u>	<u>545</u>	<u>22</u>	<u>9</u>
ADAMS	397	1	67	150	100	49	22	7	1	0
ALCORN	438	3	67	154	101	75	27	11	0	0
AMITE	151	2	19	56	38	24	12	0	0	0
ATTALA	266	3	41	87	74	39	21	1	0	0
BENTON	121	0	22	51	33	10	5	0	0	0
BOLIVAR	612	2	144	236	136	65	24	5	0	0
CALHOUN	194	0	31	75	53	24	8	3	0	0
CARROLL	99	0	15	37	23	17	6	1	0	0
CHICKASAW	313	2	67	120	63	37	15	9	0	0
CHOCTAW	101	1	17	45	23	11	2	2	0	0
CLAIBORNE	142	2	28	50	38	17	7	0	0	0
CLARKE	253	0	39	106	68	24	13	3	0	0
CLAY	285	2	49	107	71	42	11	3	0	0
COAHOMA	534	2	127	223	105	51	21	4	1	0
COPIAH	430	2	75	170	88	66	25	4	0	0
COVINGTON	285	1	56	105	62	42	14	5	0	0
DESOTO	1,839	6	183	471	582	426	146	25	0	0
FORREST	1,074	5	150	385	298	160	66	9	0	1
FRANKLIN	114	0	13	44	36	19	2	0	0	0
GEORGE	335	0	54	133	86	46	16	0	0	0
GREENE	143	0	24	47	36	27	8	1	0	0
GRENADA	311	0	50	105	80	52	17	6	1	0
HANCOCK	545	0	81	176	114	120	46	8	0	0
HARRISON	2,904	8	438	1,016	725	477	186	52	1	1
HINDS	3,958	19	581	1,323	1056	650	265	57	6	1
HOLMES	375	3	70	154	90	35	18	5	0	0
HUMPHREYS	199	3	45	92	31	16	10	2	0	0
ISSAQUENA	19	0	7	3	5	3	1	0	0	0
ITAWAMBA	300	0	44	101	76	56	17	5	1	0
JACKSON	1,812	7	269	568	474	345	120	26	2	1
JASPER	279	2	39	121	71	27	15	4	0	0
JEFFERSON	136	1	34	52	26	11	11	1	0	0
JEFF DAVIS	173	1	24	77	43	16	10	2	0	0
JONES	970	0	128	399	246	143	42	10	0	2
KEMPER	133	0	18	48	36	22	7	2	0	0
LAFAYETTE	461	0	57	132	120	109	36	7	0	0
LAMAR	675	1	75	209	173	148	55	13	1	0
LAUDERDALE	1,178	4	155	413	306	215	68	17	0	0
LAWRENCE	198	0	29	74	50	30	9	6	0	0
LEAKE	371	1	47	152	99	50	17	5	0	0
LEE	1,187	3	201	372	307	213	77	13	0	1
LEFLORE	614	4	144	224	134	64	30	13	1	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	458	1	63	163	126	75	28	2	0	0
LOWNDES	868	2	139	271	236	161	50	9	0	0
MADISON	1,209	3	125	265	338	316	136	26	0	0
MARION	356	2	61	148	87	42	14	2	0	0
MARSHALL	479	1	91	201	89	65	24	7	1	0
MONROE	486	1	77	189	124	69	23	3	0	0
MONTGOMERY	158	3	26	57	40	25	7	0	0	0
NESHOBA	531	0	91	194	140	72	28	5	1	0
NEWTON	337	1	45	128	101	41	18	3	0	0
NOXUBEE	196	1	35	67	47	31	15	0	0	0
OKTIBBEHA	519	2	62	172	146	96	36	5	0	0
PANOLA	535	2	114	192	138	66	16	7	0	0
PEARL RIVER	665	1	102	252	156	110	35	9	0	0
PERRY	173	1	23	75	37	24	12	0	0	1
PIKE	608	2	102	202	148	97	46	11	0	0
PONTOTOC	357	0	52	117	95	61	25	7	0	0
PRENTISS	304	0	49	101	76	57	18	2	1	0
QUITMAN	133	1	36	54	27	7	5	3	0	0
RANKIN	1,917	2	204	498	563	434	178	34	4	0
SCOTT	472	2	87	178	115	53	32	5	0	0
SHARKEY	89	0	9	39	23	10	6	2	0	0
SIMPSON	390	4	61	147	98	59	20	1	0	0
SMITH	226	2	33	77	68	27	15	4	0	0
STONE	192	2	37	64	38	35	14	2	0	0
SUNFLOWER	466	4	117	198	90	44	13	0	0	0
TALLAHATCHIE	221	1	48	88	50	20	11	3	0	0
TATE	410	1	78	155	96	64	13	3	0	0
TIPPAH	325	0	48	130	89	42	13	3	0	0
TISHOMINGO	244	2	32	84	65	42	17	2	0	0
TUNICA	199	2	41	72	66	15	2	1	0	0
UNION	344	0	63	108	101	48	21	3	0	0
WALTHALL	231	1	39	86	63	30	9	2	0	1
WARREN	811	1	122	279	215	129	55	10	0	0
WASHINGTON	985	4	205	424	195	114	38	5	0	0
WAYNE	297	1	50	120	74	39	9	4	0	0
WEBSTER	141	0	32	49	32	24	3	1	0	0
WILKINSON	149	1	24	53	34	21	13	3	0	0
WINSTON	278	1	51	107	75	31	12	1	0	0
YALOBUSHA	197	0	28	91	49	21	6	2	0	0
YAZOO	441	8	89	169	94	50	25	6	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN- KNOWN
<u>STATE</u>	<u>23,118</u>	<u>26</u>	<u>2,726</u>	<u>7,193</u>	<u>6,521</u>	<u>4,680</u>	<u>1,634</u>	<u>318</u>	<u>14</u>	<u>6</u>
ADAMS	142	0	16	54	35	25	9	2	1	0
ALCORN	371	2	51	132	90	63	24	9	0	0
AMITE	70	0	2	28	18	15	7	0	0	0
ATTALA	138	1	17	42	41	23	13	1	0	0
BENTON	68	0	15	24	19	6	4	0	0	0
BOLIVAR	142	0	21	35	42	34	10	0	0	0
CALHOUN	137	0	11	54	45	17	8	2	0	0
CARROLL	58	0	7	20	18	10	3	0	0	0
CHICKASAW	147	1	22	57	34	20	9	4	0	0
CHOCTAW	66	0	9	28	17	8	2	2	0	0
CLAIBORNE	9	0	1	1	4	3	0	0	0	0
CLARKE	144	0	20	52	46	16	8	2	0	0
CLAY	94	0	9	32	24	23	3	3	0	0
COAHOMA	90	0	10	26	25	18	11	0	0	0
COPIAH	177	0	20	71	37	35	12	2	0	0
COVINGTON	165	0	21	66	36	26	12	4	0	0
DESOTO	1,521	3	140	385	481	370	119	23	0	0
FORREST	590	0	68	192	169	111	46	4	0	0
FRANKLIN	63	0	5	19	23	16	0	0	0	0
GEORGE	297	0	44	115	81	43	14	0	0	0
GREENE	121	0	16	39	32	25	8	1	0	0
GRENADA	165	0	19	48	48	37	9	3	1	0
HANCOCK	491	0	72	161	100	110	40	8	0	0
HARRISON	2,028	2	281	669	520	379	137	38	1	1
HINDS	987	1	46	228	328	264	100	16	3	1
HOLMES	41	0	4	15	11	5	5	1	0	0
HUMPHREYS	34	0	6	11	8	7	1	1	0	0
ISSAQUENA	6	0	0	0	3	3	0	0	0	0
ITAWAMBA	280	0	42	95	69	53	16	4	1	0
JACKSON	1,318	0	177	400	360	272	85	22	1	1
JASPER	117	0	12	43	36	19	4	3	0	0
JEFFERSON	3	0	1	2	0	0	0	0	0	0
JEFF DAVIS	55	0	5	23	19	5	2	1	0	0
JONES	611	0	68	235	166	106	30	6	0	0
KEMPER	41	0	3	9	18	6	4	1	0	0
LAFAYETTE	277	0	21	72	78	76	25	5	0	0
LAMAR	553	1	58	162	146	124	49	12	1	0
LAUDERDALE	587	0	42	181	163	147	44	10	0	0
LAWRENCE	125	0	15	46	37	18	7	2	0	0
LEAKE	193	1	23	74	52	31	9	3	0	0
LEE	817	0	112	231	235	173	53	12	0	1
LEFLORE	119	0	14	35	35	25	6	3	1	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2003

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN- KNOWN
LINCOLN	302	0	33	102	92	56	18	1	0	0
LOWNDES	446	1	41	117	150	105	28	4	0	0
MADISON	613	0	29	75	195	210	94	10	0	0
MARION	231	2	40	86	64	30	8	1	0	0
MARSHALL	236	0	34	95	48	39	15	4	1	0
MONROE	323	1	34	123	97	51	15	2	0	0
MONTGOMERY	67	1	11	20	19	13	3	0	0	0
NESHoba	290	0	41	99	90	47	11	2	0	0
NEWTON	182	0	18	65	62	24	11	2	0	0
NOXUBEE	38	0	4	6	10	14	4	0	0	0
OKTIBBEHA	243	0	15	68	70	70	17	3	0	0
PANOLA	224	0	38	72	72	29	10	3	0	0
PEARL RIVER	551	1	80	201	133	97	31	8	0	0
PERRY	142	1	19	63	29	20	9	0	0	1
PIKE	249	0	31	74	62	51	27	4	0	0
PONTOTOC	307	0	44	98	83	52	25	5	0	0
PRENTISS	265	0	39	85	69	51	18	2	1	0
QUITMAN	30	0	5	11	7	4	2	1	0	0
RANKIN	1,548	1	148	384	460	376	149	28	2	0
SCOTT	270	0	55	94	66	32	20	3	0	0
SHARKEY	22	0	0	10	4	4	2	2	0	0
SIMPSON	228	1	37	73	62	41	13	1	0	0
SMITH	160	0	21	54	49	21	12	3	0	0
STONE	148	0	26	48	32	28	13	1	0	0
SUNFLOWER	81	0	17	20	27	15	2	0	0	0
TALLAHATCHIE	53	0	5	12	21	10	4	1	0	0
TATE	251	0	43	93	59	47	9	0	0	0
TIPPAH	260	0	36	104	73	36	9	2	0	0
TISHOMINGO	239	2	32	81	64	41	17	2	0	0
TUNICA	39	0	4	15	14	5	1	0	0	0
UNION	289	0	44	93	89	45	16	2	0	0
WALTHALL	117	1	16	37	34	22	6	0	0	1
WARREN	370	0	42	111	110	78	25	4	0	0
WASHINGTON	228	0	22	77	74	44	10	1	0	0
WAYNE	143	1	13	57	47	18	6	1	0	0
WEBSTER	96	0	16	32	23	21	3	1	0	0
WILKINSON	31	1	4	6	7	8	4	1	0	0
WINSTON	117	0	16	35	37	22	7	0	0	0
YALOBUSHA	105	0	12	46	28	15	4	0	0	0
YAZOO	126	0	15	39	40	21	8	3	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>19,203</u>	<u>128</u>	<u>3,889</u>	<u>7,534</u>	<u>4,299</u>	<u>2,160</u>	<u>955</u>	<u>227</u>	<u>8</u>	<u>3</u>
ADAMS	255	1	51	96	65	24	13	5	0	0
ALCORN	67	1	16	22	11	12	3	2	0	0
AMITE	81	2	17	28	20	9	5	0	0	0
ATTALA	128	2	24	45	33	16	8	0	0	0
BENTON	53	0	7	27	14	4	1	0	0	0
BOLIVAR	470	2	123	201	94	31	14	5	0	0
CALHOUN	57	0	20	21	8	7	0	1	0	0
CARROLL	41	0	8	17	5	7	3	1	0	0
CHICKASAW	166	1	45	63	29	17	6	5	0	0
CHOCTAW	35	1	8	17	6	3	0	0	0	0
CLAIBORNE	133	2	27	49	34	14	7	0	0	0
CLARKE	109	0	19	54	22	8	5	1	0	0
CLAY	191	2	40	75	47	19	8	0	0	0
COAHOMA	444	2	117	197	80	33	10	4	1	0
COPIAH	253	2	55	99	51	31	13	2	0	0
COVINGTON	120	1	35	39	26	16	2	1	0	0
DESOTO	318	3	43	86	101	56	27	2	0	0
FORREST	484	5	82	193	129	49	20	5	0	1
FRANKLIN	51	0	8	25	13	3	2	0	0	0
GEORGE	38	0	10	18	5	3	2	0	0	0
GREENE	22	0	8	8	4	2	0	0	0	0
GRENADA	146	0	31	57	32	15	8	3	0	0
HANCOCK	54	0	9	15	14	10	6	0	0	0
HARRISON	876	6	157	347	205	98	49	14	0	0
HINDS	2,971	18	535	1,095	728	386	165	41	3	0
HOLMES	334	3	66	139	79	30	13	4	0	0
HUMPHREYS	165	3	39	81	23	9	9	1	0	0
ISSAQUENA	13	0	7	3	2	0	1	0	0	0
ITAWAMBA	20	0	2	6	7	3	1	1	0	0
JACKSON	494	7	92	168	114	73	35	4	1	0
JASPER	162	2	27	78	35	8	11	1	0	0
JEFFERSON	133	1	33	50	26	11	11	1	0	0
JEFF DAVIS	118	1	19	54	24	11	8	1	0	0
JONES	359	0	60	164	80	37	12	4	0	2
KEMPER	92	0	15	39	18	16	3	1	0	0
LAFAYETTE	184	0	36	60	42	33	11	2	0	0
LAMAR	122	0	17	47	27	24	6	1	0	0
LAUDERDALE	591	4	113	232	143	68	24	7	0	0
LAWRENCE	73	0	14	28	13	12	2	4	0	0
LEAKE	178	0	24	78	47	19	8	2	0	0
LEE	370	3	89	141	72	40	24	1	0	0
LEFLORE	495	4	130	189	99	39	24	10	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	156	1	30	61	34	19	10	1	0	0
LOWNDES	422	1	98	154	86	56	22	5	0	0
MADISON	596	3	96	190	143	106	42	16	0	0
MARION	125	0	21	62	23	12	6	1	0	0
MARSHALL	243	1	57	106	41	26	9	3	0	0
MONROE	163	0	43	66	27	18	8	1	0	0
MONTGOMERY	91	2	15	37	21	12	4	0	0	0
NESHOBA	241	0	50	95	50	25	17	3	1	0
NEWTON	155	1	27	63	39	17	7	1	0	0
NOXUBEE	158	1	31	61	37	17	11	0	0	0
OKTIBBEHA	276	2	47	104	76	26	19	2	0	0
PANOLA	311	2	76	120	66	37	6	4	0	0
PEARL RIVER	114	0	22	51	23	13	4	1	0	0
PERRY	31	0	4	12	8	4	3	0	0	0
PIKE	359	2	71	128	86	46	19	7	0	0
PONTOTOC	50	0	8	19	12	9	0	2	0	0
PRENTISS	39	0	10	16	7	6	0	0	0	0
QUITMAN	103	1	31	43	20	3	3	2	0	0
RANKIN	369	1	56	114	103	58	29	6	2	0
SCOTT	202	2	32	84	49	21	12	2	0	0
SHARKEY	67	0	9	29	19	6	4	0	0	0
SIMPSON	162	3	24	74	36	18	7	0	0	0
SMITH	66	2	12	23	19	6	3	1	0	0
STONE	44	2	11	16	6	7	1	1	0	0
SUNFLOWER	385	4	100	178	63	29	11	0	0	0
TALLAHATCHIE	168	1	43	76	29	10	7	2	0	0
TATE	159	1	35	62	37	17	4	3	0	0
TIPPAH	65	0	12	26	16	6	4	1	0	0
TISHOMINGO	5	0	0	3	1	1	0	0	0	0
TUNICA	160	2	37	57	52	10	1	1	0	0
UNION	55	0	19	15	12	3	5	1	0	0
WALTHALL	114	0	23	49	29	8	3	2	0	0
WARREN	441	1	80	168	105	51	30	6	0	0
WASHINGTON	757	4	183	347	121	70	28	4	0	0
WAYNE	154	0	37	63	27	21	3	3	0	0
WEBSTER	45	0	16	17	9	3	0	0	0	0
WILKINSON	118	0	20	47	27	13	9	2	0	0
WINSTON	161	1	35	72	38	9	5	1	0	0
YALOBUSHA	92	0	16	45	21	6	2	2	0	0
YAZOO	315	8	74	130	54	29	17	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>19,890</u>	<u>5,709</u>	<u>14,181</u>	<u>47.0</u>	<u>24.7</u>	<u>73.8</u>
ADAMS	245	49	196	61.7	34.5	76.9
ALCORN	153	105	48	34.9	28.3	71.6
AMITE	62	4	58	41.1	5.7	71.6
ATTALA	126	33	93	47.4	23.9	72.6
BENTON	51	19	32	42.1	27.9	60.4
BOLIVAR	434	28	406	70.9	19.7	86.4
CALHOUN	71	27	44	36.6	19.7	77.2
CARROLL	44	12	32	44.4	20.7	78.0
CHICKASAW	141	23	118	45.0	15.6	71.1
CHOCTAW	50	20	30	49.5	30.3	85.7
CLAIBORNE	107	4	103	75.4	44.4	77.4
CLARKE	114	33	81	45.0	22.9	74.3
CLAY	173	23	150	60.7	24.5	78.5
COAHOMA	390	21	369	73.0	23.3	83.1
COPIAH	243	55	188	56.5	31.1	74.3
COVINGTON	131	33	98	46.0	20.0	81.7
DESOTO	528	363	165	28.7	23.9	51.9
FORREST	501	154	347	46.6	26.1	71.7
FRANKLIN	52	10	42	45.6	15.9	82.4
GEORGE	100	74	26	29.8	24.9	68.4
GREENE	38	19	19	26.6	15.7	86.4
GRENADA	141	28	113	45.3	17.0	77.4
HANCOCK	210	176	34	38.5	35.8	63.0
HARRISON	1,273	693	580	43.8	34.2	66.2
HINDS	2,326	180	2,146	58.8	18.2	72.2
HOLMES	285	7	278	76.0	17.1	83.2
HUMPHREYS	156	10	146	78.4	29.4	88.5
ISSAQUENA	12	0	12	63.2	-	92.3
ITAWAMBA	78	65	13	26.0	23.2	65.0
JACKSON	735	399	336	40.6	30.3	68.0
JASPER	125	17	108	44.8	14.5	66.7
JEFFERSON	112	2	110	82.4	66.7	82.7
JEFF DAVIS	99	10	89	57.2	18.2	75.4
JONES	454	181	273	46.8	29.6	76.0
KEMPER	68	6	62	51.1	14.6	67.4
LAFAYETTE	168	41	127	36.4	14.8	69.0
LAMAR	171	102	69	25.3	18.4	56.6
LAUDERDALE	557	124	433	47.3	21.1	73.3
LAWRENCE	78	28	50	39.4	22.4	68.5
LEAKE	188	67	121	50.7	34.7	68.0
LEE	447	193	254	37.6	23.6	68.6
LEFLORE	452	25	427	73.6	21.0	86.3

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	142	45	97	31.0	14.9	62.2
LOWNDES	390	84	306	44.9	18.8	72.5
MADISON	451	69	382	37.3	11.2	64.1
MARION	143	63	80	40.2	27.3	64.0
MARSHALL	272	69	203	56.8	29.2	83.5
MONROE	213	84	129	43.8	26.0	79.1
MONTGOMERY	81	20	61	51.3	29.8	67.0
NESHOBA	238	68	170	44.8	23.4	70.5
NEWTON	145	34	111	43.0	18.7	71.6
NOXUBEE	125	1	124	63.8	2.6	78.5
OKTIBBEHA	206	28	178	39.7	11.5	64.5
PANOLA	321	68	253	60.0	30.4	81.4
PEARL RIVER	252	164	88	37.9	29.8	77.2
PERRY	54	31	23	31.2	21.8	74.2
PIKE	305	52	253	50.2	20.9	70.5
PONTOTOC	108	79	29	30.2	25.7	58.0
PRENTISS	91	67	24	29.9	25.3	61.5
QUITMAN	99	8	91	74.4	26.7	88.4
RANKIN	505	310	195	26.3	20.0	52.8
SCOTT	258	102	156	54.7	37.8	77.2
SHARKEY	57	3	54	64.0	13.6	80.6
SIMPSON	164	62	102	42.0	27.2	63.0
SMITH	75	31	44	33.2	19.4	66.7
STONE	70	33	37	36.4	22.3	84.1
SUNFLOWER	348	17	331	74.7	21.0	86.0
TALLAHATCHIE	156	10	146	70.6	18.9	86.9
TATE	187	67	120	45.6	26.7	75.5
TIPPAH	108	70	38	33.2	26.9	58.5
TISHOMINGO	56	53	3	23.0	22.2	60.0
TUNICA	147	16	131	73.9	41.0	81.9
UNION	117	75	42	34.0	26.0	76.4
WALTHALL	104	27	77	45.0	23.1	67.5
WARREN	459	113	346	56.6	30.5	78.4
WASHINGTON	695	60	635	70.6	26.3	83.9
WAYNE	155	44	111	52.2	30.8	72.1
WEBSTER	66	28	38	46.8	29.2	84.4
WILKINSON	90	5	85	60.4	16.1	72.0
WINSTON	137	18	119	49.3	15.4	73.9
YALOBUSHA	101	29	72	51.3	27.6	78.3
YAZOO	310	39	271	70.3	31.0	86.0

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>19,890</u>	<u>151</u>	<u>5,519</u>	<u>8,629</u>	<u>3,534</u>	<u>1,372</u>	<u>539</u>	<u>137</u>	<u>7</u>	<u>2</u>
ADAMS	245	1	61	106	53	14	9	1	0	0
ALCORN	153	2	49	66	20	10	3	3	0	0
AMITE	62	2	18	22	13	4	3	0	0	0
ATTALA	126	3	37	51	23	9	3	0	0	0
BENTON	51	0	14	29	5	3	0	0	0	0
BOLIVAR	434	2	134	193	75	14	11	5	0	0
CALHOUN	71	0	23	35	7	4	2	0	0	0
CARROLL	44	0	12	19	7	5	0	1	0	0
CHICKASAW	141	2	53	57	18	5	5	1	0	0
CHOCTAW	50	1	12	26	8	2	0	1	0	0
CLAIBORNE	107	2	26	42	24	10	3	0	0	0
CLARKE	114	0	32	54	19	4	4	1	0	0
CLAY	173	2	47	70	37	13	4	0	0	0
COAHOMA	390	2	124	178	58	18	6	3	1	0
COPIAH	243	2	66	106	38	24	6	1	0	0
COVINGTON	131	1	45	50	19	13	2	1	0	0
DESOTO	528	6	153	210	94	47	14	4	0	0
FORREST	501	5	123	229	99	32	9	4	0	0
FRANKLIN	52	0	11	27	11	2	1	0	0	0
GEORGE	100	0	31	45	13	9	2	0	0	0
GREENE	38	0	17	14	5	2	0	0	0	0
GRENADA	141	0	44	56	25	10	5	1	0	0
HANCOCK	210	0	64	87	30	19	9	1	0	0
HARRISON	1,273	8	349	541	234	90	37	14	0	0
HINDS	2,326	19	554	1023	453	178	78	20	1	0
HOLMES	285	3	67	129	65	11	8	2	0	0
HUMPHREYS	156	3	40	80	17	10	5	1	0	0
ISSAQUENA	12	0	7	2	2	0	1	0	0	0
ITAWAMBA	78	0	23	26	13	12	3	1	0	0
JACKSON	735	7	213	292	136	65	15	6	1	0
JASPER	125	2	31	59	24	3	4	2	0	0
JEFFERSON	112	1	34	49	18	6	3	1	0	0
JEFF DAVIS	99	1	22	48	17	5	5	1	0	0
JONES	454	0	94	218	86	40	11	3	0	2
KEMPER	68	0	16	33	9	8	2	0	0	0
LAFAYETTE	168	0	47	68	31	17	3	2	0	0
LAMAR	171	0	43	81	28	11	4	3	1	0
LAUDERDALE	557	4	145	235	110	43	16	4	0	0
LAWRENCE	78	0	22	36	10	7	1	2	0	0
LEAKE	188	1	38	99	36	10	3	1	0	0
LEE	447	3	160	181	66	21	15	1	0	0
LEFLORE	452	4	141	183	83	22	12	7	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	142	1	47	60	18	10	6	0	0	0
LOWNDES	390	2	122	158	63	33	10	2	0	0
MADISON	451	3	114	180	101	34	15	4	0	0
MARION	143	2	47	66	20	6	2	0	0	0
MARSHALL	272	1	78	130	38	15	8	2	0	0
MONROE	213	1	63	98	32	11	8	0	0	0
MONTGOMERY	81	3	20	42	10	5	1	0	0	0
NESHOBA	238	0	68	98	42	19	9	1	1	0
NEWTON	145	1	32	70	30	9	2	1	0	0
NOXUBEE	125	1	31	50	28	11	4	0	0	0
OKTIBBEHA	206	2	56	92	41	10	4	1	0	0
PANOLA	321	2	105	130	58	21	4	1	0	0
PEARL RIVER	252	1	69	112	45	21	4	0	0	0
PERRY	54	1	14	22	10	4	3	0	0	0
PIKE	305	2	86	116	58	27	11	5	0	0
PONTOTOC	108	0	30	48	22	5	3	0	0	0
PRENTISS	91	0	28	37	18	7	1	0	0	0
QUITMAN	99	1	32	41	19	2	2	2	0	0
RANKIN	505	2	155	199	90	44	12	1	2	0
SCOTT	258	2	68	107	50	19	10	2	0	0
SHARKEY	57	0	9	26	15	3	3	1	0	0
SIMPSON	164	4	42	78	33	3	4	0	0	0
SMITH	75	2	22	28	15	3	4	1	0	0
STONE	70	2	21	31	3	8	4	1	0	0
SUNFLOWER	348	4	110	167	49	13	5	0	0	0
TALLAHATCHIE	156	1	46	69	26	8	5	1	0	0
TATE	187	1	62	79	28	15	1	1	0	0
TIPPAH	108	0	28	46	24	8	2	0	0	0
TISHOMINGO	56	2	15	20	11	6	2	0	0	0
TUNICA	147	2	40	55	39	10	1	0	0	0
UNION	117	0	40	43	21	9	3	1	0	0
WALTHALL	104	1	32	44	17	5	4	1	0	0
WARREN	459	1	108	204	89	34	18	5	0	0
WASHINGTON	695	4	195	339	94	48	14	1	0	0
WAYNE	155	0	45	67	25	14	3	1	0	0
WEBSTER	66	0	27	24	11	3	1	0	0	0
WILKINSON	90	1	23	42	14	6	3	1	0	0
WINSTON	137	1	41	64	24	6	1	0	0	0
YALOBUSHA	101	0	24	54	17	4	2	0	0	0
YAZOO	310	8	82	138	47	21	13	1	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>5,709</u>	<u>23</u>	<u>1,742</u>	<u>2,362</u>	<u>945</u>	<u>447</u>	<u>146</u>	<u>42</u>	<u>2</u>	<u>0</u>
ADAMS	49	0	12	23	9	3	2	0	0	0
ALCORN	105	1	33	49	15	3	2	2	0	0
AMITE	4	0	1	2	0	1	0	0	0	0
ATTALA	33	1	13	11	6	1	1	0	0	0
BENTON	19	0	8	8	1	2	0	0	0	0
BOLIVAR	28	0	11	12	3	1	1	0	0	0
CALHOUN	27	0	5	15	5	0	2	0	0	0
CARROLL	12	0	5	3	3	1	0	0	0	0
CHICKASAW	23	1	9	7	4	0	2	0	0	0
CHOCTAW	20	0	4	12	3	0	0	1	0	0
CLAIBORNE	4	0	1	1	1	1	0	0	0	0
CLARKE	33	0	14	12	6	0	1	0	0	0
CLAY	23	0	7	10	3	3	0	0	0	0
COAHOMA	21	0	9	8	2	1	1	0	0	0
COPIAH	55	0	12	28	8	6	1	0	0	0
COVINGTON	33	0	11	16	3	2	1	0	0	0
DESOTO	363	3	110	147	56	36	8	3	0	0
FORREST	154	0	45	68	22	14	4	1	0	0
FRANKLIN	10	0	3	3	3	1	0	0	0	0
GEORGE	74	0	23	31	11	7	2	0	0	0
GREENE	19	0	9	8	2	0	0	0	0	0
GRENADA	28	0	13	11	2	2	0	0	0	0
HANCOCK	176	0	56	75	20	18	6	1	0	0
HARRISON	693	2	199	285	114	59	25	9	0	0
HINDS	180	1	27	85	39	20	6	1	1	0
HOLMES	7	0	2	3	1	0	0	1	0	0
HUMPHREYS	10	0	2	6	0	1	0	1	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	65	0	21	22	10	10	2	0	0	0
JACKSON	399	0	128	152	72	36	7	4	0	0
JASPER	17	0	4	5	5	2	0	1	0	0
JEFFERSON	2	0	1	1	0	0	0	0	0	0
JEFF DAVIS	10	0	3	5	2	0	0	0	0	0
JONES	181	0	36	82	37	18	5	3	0	0
KEMPER	6	0	2	2	1	1	0	0	0	0
LAFAYETTE	41	0	14	18	6	2	1	0	0	0
LAMAR	102	0	27	45	18	6	3	2	1	0
LAUDERDALE	124	0	34	53	21	11	4	1	0	0
LAWRENCE	28	0	8	14	3	2	1	0	0	0
LEAKE	67	1	17	34	11	4	0	0	0	0
LEE	193	0	74	77	29	7	5	1	0	0
LEFLORE	25	0	11	8	4	2	0	0	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
LINCOLN	45	0	17	18	6	3	1	0	0	0
LOWNDES	84	1	26	36	10	9	2	0	0	0
MADISON	69	0	20	20	19	8	2	0	0	0
MARION	63	2	27	24	8	2	0	0	0	0
MARSHALL	69	0	22	35	7	2	2	1	0	0
MONROE	84	1	21	42	14	4	2	0	0	0
MONTGOMERY	20	1	7	9	2	1	0	0	0	0
NESHOBA	68	0	22	26	13	6	1	0	0	0
NEWTON	34	0	8	15	8	3	0	0	0	0
NOXUBEE	1	0	1	0	0	0	0	0	0	0
OKTIBBEHA	28	0	10	11	5	1	0	1	0	0
PANOLA	68	0	30	25	10	2	1	0	0	0
PEARL RIVER	164	1	47	68	29	16	3	0	0	0
PERRY	31	1	11	11	5	2	1	0	0	0
PIKE	52	0	18	19	8	4	2	1	0	0
PONTOTOC	79	0	23	33	17	3	3	0	0	0
PRENTISS	67	0	19	25	15	7	1	0	0	0
QUITMAN	8	0	2	4	0	1	1	0	0	0
RANKIN	310	1	101	120	53	30	5	0	0	0
SCOTT	102	0	36	40	13	9	3	1	0	0
SHARKEY	3	0	0	2	0	0	0	1	0	0
SIMPSON	62	1	20	23	16	1	1	0	0	0
SMITH	31	0	10	11	5	1	3	1	0	0
STONE	33	0	10	15	2	2	3	1	0	0
SUNFLOWER	17	0	11	4	2	0	0	0	0	0
TALLAHATCHIE	10	0	3	4	2	1	0	0	0	0
TATE	67	0	28	29	7	3	0	0	0	0
TIPPAH	70	0	20	27	17	5	1	0	0	0
TISHOMINGO	53	2	15	18	11	5	2	0	0	0
TUNICA	16	0	3	5	6	2	0	0	0	0
UNION	75	0	22	32	14	6	1	0	0	0
WALTHALL	27	1	11	9	4	0	2	0	0	0
WARREN	113	0	29	53	19	6	4	2	0	0
WASHINGTON	60	0	17	26	11	5	1	0	0	0
WAYNE	44	0	10	18	9	6	1	0	0	0
WEBSTER	28	0	11	11	4	1	1	0	0	0
WILKINSON	5	1	3	1	0	0	0	0	0	0
WINSTON	18	0	8	7	3	0	0	0	0	0
YALOBUSHA	29	0	9	12	6	1	1	0	0	0
YAZOO	39	0	10	17	4	5	2	1	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	
<u>STATE</u>	<u>14,181</u>	<u>128</u>	<u>3,777</u>	<u>6,267</u>	<u>2,589</u>	<u>925</u>	<u>393</u>	<u>95</u>	<u>5</u>	<u>2</u>
ADAMS	196	1	49	83	44	11	7	1	0	0
ALCORN	48	1	16	17	5	7	1	1	0	0
AMITE	58	2	17	20	13	3	3	0	0	0
ATTALA	93	2	24	40	17	8	2	0	0	0
BENTON	32	0	6	21	4	1	0	0	0	0
BOLIVAR	406	2	123	181	72	13	10	5	0	0
CALHOUN	44	0	18	20	2	4	0	0	0	0
CARROLL	32	0	7	16	4	4	0	1	0	0
CHICKASAW	118	1	44	50	14	5	3	1	0	0
CHOCTAW	30	1	8	14	5	2	0	0	0	0
CLAIBORNE	103	2	25	41	23	9	3	0	0	0
CLARKE	81	0	18	42	13	4	3	1	0	0
CLAY	150	2	40	60	34	10	4	0	0	0
COAHOMA	369	2	115	170	56	17	5	3	1	0
COPIAH	188	2	54	78	30	18	5	1	0	0
COVINGTON	98	1	34	34	16	11	1	1	0	0
DESOTO	165	3	43	63	38	11	6	1	0	0
FORREST	347	5	78	161	77	18	5	3	0	0
FRANKLIN	42	0	8	24	8	1	1	0	0	0
GEORGE	26	0	8	14	2	2	0	0	0	0
GREENE	19	0	8	6	3	2	0	0	0	0
GRENADA	113	0	31	45	23	8	5	1	0	0
HANCOCK	34	0	8	12	10	1	3	0	0	0
HARRISON	580	6	150	256	120	31	12	5	0	0
HINDS	2,146	18	527	938	414	158	72	19	0	0
HOLMES	278	3	65	126	64	11	8	1	0	0
HUMPHREYS	146	3	38	74	17	9	5	0	0	0
ISSAQUENA	12	0	7	2	2	0	1	0	0	0
ITAWAMBA	13	0	2	4	3	2	1	1	0	0
JACKSON	336	7	85	140	64	29	8	2	1	0
JASPER	108	2	27	54	19	1	4	1	0	0
JEFFERSON	110	1	33	48	18	6	3	1	0	0
JEFF DAVIS	89	1	19	43	15	5	5	1	0	0
JONES	273	0	58	136	49	22	6	0	0	2
KEMPER	62	0	14	31	8	7	2	0	0	0
LAFAYETTE	127	0	33	50	25	15	2	2	0	0
LAMAR	69	0	16	36	10	5	1	1	0	0
LAUDERDALE	433	4	111	182	89	32	12	3	0	0
LAWRENCE	50	0	14	22	7	5	0	2	0	0
LEAKE	121	0	21	65	25	6	3	1	0	0
LEE	254	3	86	104	37	14	10	0	0	0
LEFLORE	427	4	130	175	79	20	12	7	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2003

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	97	1	30	42	12	7	5	0	0	0
LOWNDES	306	1	96	122	53	24	8	2	0	0
MADISON	382	3	94	160	82	26	13	4	0	0
MARION	80	0	20	42	12	4	2	0	0	0
MARSHALL	203	1	56	95	31	13	6	1	0	0
MONROE	129	0	42	56	18	7	6	0	0	0
MONTGOMERY	61	2	13	33	8	4	1	0	0	0
NESHABA	170	0	46	72	29	13	8	1	1	0
NEWTON	111	1	24	55	22	6	2	1	0	0
NOXUBEE	124	1	30	50	28	11	4	0	0	0
OKTIBBEHA	178	2	46	81	36	9	4	0	0	0
PANOLA	253	2	75	105	48	19	3	1	0	0
PEARL RIVER	88	0	22	44	16	5	1	0	0	0
PERRY	23	0	3	11	5	2	2	0	0	0
PIKE	253	2	68	97	50	23	9	4	0	0
PONTOTOC	29	0	7	15	5	2	0	0	0	0
PRENTISS	24	0	9	12	3	0	0	0	0	0
QUITMAN	91	1	30	37	19	1	1	2	0	0
RANKIN	195	1	54	79	37	14	7	1	2	0
SCOTT	156	2	32	67	37	10	7	1	0	0
SHARKEY	54	0	9	24	15	3	3	0	0	0
SIMPSON	102	3	22	55	17	2	3	0	0	0
SMITH	44	2	12	17	10	2	1	0	0	0
STONE	37	2	11	16	1	6	1	0	0	0
SUNFLOWER	331	4	99	163	47	13	5	0	0	0
TALLAHATCHIE	146	1	43	65	24	7	5	1	0	0
TATE	120	1	34	50	21	12	1	1	0	0
TIPPAH	38	0	8	19	7	3	1	0	0	0
TISHOMINGO	3	0	0	2	0	1	0	0	0	0
TUNICA	131	2	37	50	33	8	1	0	0	0
UNION	42	0	18	11	7	3	2	1	0	0
WALTHALL	77	0	21	35	13	5	2	1	0	0
WARREN	346	1	79	151	70	28	14	3	0	0
WASHINGTON	635	4	178	313	83	43	13	1	0	0
WAYNE	111	0	35	49	16	8	2	1	0	0
WEBSTER	38	0	16	13	7	2	0	0	0	0
WILKINSON	85	0	20	41	14	6	3	1	0	0
WINSTON	119	1	33	57	21	6	1	0	0	0
YALOBUSHA	72	0	15	42	11	3	1	0	0	0
YAZOO	271	8	72	121	43	16	11	0	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>4,858</u>	<u>1,981</u>	<u>2,877</u>	<u>11.5</u>	<u>8.6</u>	<u>15.0</u>
ADAMS	62	13	49	15.6	9.2	19.2
ALCORN	46	36	10	10.5	9.7	14.9
AMITE	25	7	18	16.6	10.0	22.2
ATTALA	27	12	15	10.2	8.7	11.7
BENTON	14	3	11	11.6	4.4	20.8
BOLIVAR	94	21	73	15.4	14.8	15.5
CALHOUN	20	13	7	10.3	9.5	12.3
CARROLL	12	5	7	12.1	8.6	17.1
CHICKASAW	31	11	20	9.9	7.5	12.0
CHOCTAW	3	1	2	3.0	1.5	5.7
CLAIBORNE	12	0	12	8.4	-	9.0
CLARKE	42	21	21	16.6	14.6	19.3
CLAY	32	6	26	11.2	6.4	13.6
COAHOMA	67	8	59	12.5	8.9	13.3
COPIAH	72	22	50	16.7	12.4	19.8
COVINGTON	30	16	14	10.5	9.7	11.7
DESOTO	150	124	26	8.2	8.2	8.2
FORREST	119	44	75	11.1	7.4	15.5
FRANKLIN	13	6	7	11.4	9.5	13.7
GEORGE	43	34	9	12.8	11.4	23.7
GREENE	5	3	2	3.5	2.5	9.1
GRENADA	43	17	26	13.8	10.3	17.8
HANCOCK	44	34	10	8.1	6.9	18.5
HARRISON	317	193	124	10.9	9.5	14.2
HINDS	604	81	523	15.3	8.2	17.6
HOLMES	46	1	45	12.3	2.4	13.5
HUMPHREYS	28	6	22	14.1	17.6	13.3
ISSAQUENA	2	0	2	10.5	-	15.4
ITAWAMBA	34	34	0	11.3	12.1	0.0
JACKSON	185	120	65	10.2	9.1	13.2
JASPER	51	11	40	18.3	9.4	24.7
JEFFERSON	21	0	21	15.4	-	15.8
JEFF DAVIS	26	8	18	15.0	14.5	15.2
JONES	97	40	57	10.0	6.5	15.9
KEMPER	15	3	12	11.3	7.3	13.0
LAFAYETTE	48	18	30	10.4	6.5	16.3
LAMAR	54	45	9	8.0	8.1	7.4
LAUDERDALE	141	51	90	12.0	8.7	15.2
LAWRENCE	22	12	10	11.1	9.6	13.7
LEAKE	49	25	24	13.2	13.0	13.5
LEE	106	62	44	8.9	7.6	11.9
LEFLORE	83	8	75	13.5	6.7	15.2

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	57	25	32	12.4	8.3	20.5
LOWNDES	89	25	64	10.2	5.6	15.2
MADISON	114	36	78	9.4	5.9	13.1
MARION	30	17	13	8.4	7.4	10.4
MARSHALL	56	23	33	11.7	9.7	13.6
MONROE	56	31	25	11.5	9.6	15.3
MONTGOMERY	19	8	11	12.0	11.9	12.1
NESHOBA	50	25	25	9.4	8.6	10.4
NEWTON	34	14	20	10.1	7.7	12.9
NOXUBEE	35	4	31	17.8	10.5	19.6
OKTIBBEHA	44	10	34	8.5	4.1	12.3
PANOLA	51	24	27	9.5	10.7	8.7
PEARL RIVER	50	37	13	7.5	6.7	11.4
PERRY	14	10	4	8.1	7.0	12.9
PIKE	58	18	40	9.5	7.2	11.1
PONTOTOC	25	19	6	7.0	6.2	12.0
PRENTISS	23	18	5	7.6	6.8	12.8
QUITMAN	18	3	15	13.5	10.0	14.6
RANKIN	206	147	59	10.7	9.5	16.0
SCOTT	64	25	39	13.6	9.2	19.3
SHARKEY	14	3	11	15.7	13.6	16.4
SIMPSON	48	16	32	12.3	7.0	19.8
SMITH	35	21	14	15.5	13.1	21.2
STONE	25	16	9	13.0	10.8	20.4
SUNFLOWER	63	10	53	13.5	12.3	13.8
TALLAHATCHIE	33	2	31	14.9	3.8	18.4
TATE	39	20	19	9.5	8.0	12.0
TIPPAH	40	31	9	12.3	11.9	13.8
TISHOMINGO	27	27	0	11.1	11.3	-
TUNICA	28	4	24	14.1	10.2	15.0
UNION	41	34	7	11.9	11.8	12.7
WALTHALL	15	4	11	6.5	3.4	9.6
WARREN	85	37	48	10.5	10.0	10.9
WASHINGTON	151	23	128	15.3	10.1	16.9
WAYNE	35	6	29	11.8	4.2	18.8
WEBSTER	23	11	12	16.3	11.4	26.7
WILKINSON	21	0	21	14.1	-	17.8
WINSTON	31	2	29	11.2	1.7	18.0
YALOBUSHA	14	6	8	7.1	5.7	8.7
YAZOO	62	14	48	14.0	11.1	15.2

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>963</u>	<u>318</u>	<u>645</u>	<u>2.3</u>	<u>1.4</u>	<u>3.4</u>
ADAMS	15	0	15	3.8	-	5.9
ALCORN	8	4	4	1.8	1.1	6.0
AMITE	3	0	3	2.0	-	3.7
ATTALA	4	0	4	1.5	-	3.1
BENTON	1	0	1	0.8	-	1.9
BOLIVAR	26	4	22	4.2	2.8	4.7
CALHOUN	5	2	3	2.6	1.5	5.3
CARROLL	2	1	1	2.0	1.7	2.4
CHICKASAW	3	1	2	1.0	0.7	1.2
CHOCTAW	1	0	1	1.0	-	2.8
CLAIBORNE	5	0	5	3.5	-	3.8
CLARKE	9	6	3	3.6	4.2	2.8
CLAY	7	1	6	2.4	1.1	3.1
COAHOMA	15	2	13	2.8	2.2	2.9
COPIAH	10	4	6	2.3	2.3	2.4
COVINGTON	6	3	3	2.1	1.8	2.5
DESOTO	20	17	3	1.1	1.1	0.9
FORREST	24	4	20	2.2	0.7	4.1
FRANKLIN	3	1	2	2.6	1.6	3.9
GEORGE	8	6	2	2.4	2.0	5.3
GREENE	0	0	0	-	-	-
GRENADA	8	4	4	2.6	2.4	2.7
HANCOCK	10	6	4	1.8	1.2	7.4
HARRISON	50	28	22	1.7	1.4	2.5
HINDS	138	21	117	3.5	2.1	3.9
HOLMES	9	0	9	2.4	-	2.7
HUMPHREYS	5	1	4	2.5	2.9	2.4
ISSAQUENA	1	0	1	5.3	-	7.7
ITAWAMBA	8	8	0	2.7	2.8	-
JACKSON	32	19	13	1.8	1.4	2.6
JASPER	7	1	6	2.5	0.8	3.7
JEFFERSON	3	0	3	2.2	-	2.2
JEFF DAVIS	2	0	2	1.2	-	1.7
JONES	12	7	5	1.2	1.1	1.4
KEMPER	4	0	4	3.0	-	4.3
LAFAYETTE	8	2	6	1.7	0.7	3.3
LAMAR	10	9	1	1.5	1.6	0.8
LAUDERDALE	25	7	18	2.1	1.2	3.0
LAWRENCE	6	1	5	3.0	0.8	6.8
LEAKE	11	6	5	3.0	3.1	2.8
LEE	11	4	7	0.9	0.5	1.9
LEFLORE	28	3	25	4.6	2.5	5.0

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	12	3	9	2.6	1.0	5.8
LOWNDES	22	4	18	2.5	0.9	4.3
MADISON	33	7	26	2.7	1.1	4.4
MARION	5	2	3	1.4	0.9	2.4
MARSHALL	14	8	6	2.9	3.4	2.5
MONROE	13	6	7	2.7	1.8	4.3
MONTGOMERY	3	1	2	1.9	1.5	2.2
NESHOBA	6	2	4	1.1	0.7	1.7
NEWTON	7	5	2	2.1	2.7	1.3
NOXUBEE	7	1	6	3.6	2.6	3.8
OKTIBBEHA	10	0	10	1.9	-	3.6
PANOLA	20	5	15	3.7	2.2	4.8
PEARL RIVER	7	6	1	1.0	1.1	0.9
PERRY	1	1	0	0.6	0.7	-
PIKE	16	6	10	2.6	2.4	2.8
PONTOTOC	3	2	1	0.8	0.6	2.0
PRENTISS	2	2	0	0.6	0.8	-
QUITMAN	3	0	3	2.2	-	2.9
RANKIN	37	24	13	1.9	1.6	3.5
SCOTT	9	4	5	1.9	1.5	2.5
SHARKEY	5	0	5	5.6	-	7.5
SIMPSON	9	1	8	2.3	0.4	4.9
SMITH	4	1	3	1.8	0.6	4.5
STONE	3	2	1	1.6	1.4	2.3
SUNFLOWER	19	4	15	4.1	4.9	3.9
TALLAHATCHIE	10	0	10	4.5	-	6.0
TATE	7	3	4	1.7	1.2	2.5
TIPPAH	9	8	1	2.8	3.1	1.5
TISHOMINGO	3	3	0	1.2	1.2	-
TUNICA	7	2	5	3.5	5.1	3.1
UNION	8	7	1	2.3	2.4	1.8
WALTHALL	5	0	5	2.2	-	4.4
WARREN	18	6	12	2.2	1.6	2.7
WASHINGTON	26	4	22	2.6	1.8	2.9
WAYNE	5	0	5	1.7	-	3.2
WEBSTER	4	2	2	2.8	2.1	4.4
WILKINSON	4	0	4	2.7	-	3.4
WINSTON	8	1	7	2.9	0.8	4.3
YALOBUSHA	2	0	2	1.0	-	2.2
YAZOO	14	2	12	3.2	1.6	3.8

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	<u>7,374</u>	<u>3,379</u>	<u>3,995</u>	<u>17.4</u>	<u>14.6</u>	<u>20.8</u>
ADAMS	84	19	65	21.2	13.4	25.5
ALCORN	66	51	15	15.1	13.7	22.4
AMITE	23	5	18	15.2	7.1	22.2
ATTALA	40	22	18	15.0	15.9	14.1
BENTON	12	4	8	9.9	5.9	15.1
BOLIVAR	126	29	97	20.6	20.4	20.6
CALHOUN	34	22	12	17.5	16.0	21.0
CARROLL	10	5	5	10.1	8.6	12.2
CHICKASAW	58	19	39	18.5	12.9	23.5
CHOCTAW	13	5	8	12.9	7.6	22.8
CLAIBORNE	24	2	22	16.9	22.2	16.5
CLARKE	54	32	22	21.3	22.2	20.2
CLAY	50	9	41	17.5	9.6	21.5
COAHOMA	104	15	89	19.5	16.7	20.0
COPIAH	94	33	61	21.9	18.6	24.1
COVINGTON	44	24	20	15.4	14.5	16.7
DESOTO	167	142	25	9.1	9.3	7.9
FORREST	194	73	121	18.1	12.4	25.0
FRANKLIN	13	8	5	11.4	12.7	9.8
GEORGE	58	52	6	17.3	17.5	15.8
GREENE	17	13	4	11.9	10.7	18.2
GRENADA	52	20	32	16.7	12.1	21.9
HANCOCK	64	52	12	11.7	10.6	22.2
HARRISON	498	311	187	17.1	15.3	21.3
HINDS	905	183	722	22.9	18.5	24.3
HOLMES	67	2	65	17.9	4.9	19.5
HUMPHREYS	40	5	35	20.1	14.7	21.2
ISSAQUENA	3	1	2	15.8	16.7	15.4
ITAWAMBA	71	67	4	23.7	23.9	20.0
JACKSON	248	172	76	13.7	13.0	15.4
JASPER	50	11	39	17.9	9.4	24.1
JEFFERSON	25	0	25	18.4	-	18.8
JEFF DAVIS	37	10	27	21.4	18.2	22.9
JONES	139	80	59	14.3	13.1	16.4
KEMPER	26	6	20	19.5	14.6	21.7
LAFAYETTE	67	37	30	14.5	13.4	16.3
LAMAR	129	104	25	19.1	18.8	20.5
LAUDERDALE	211	81	130	17.9	13.8	22.0
LAWRENCE	36	19	17	18.2	15.2	23.3
LEAKE	72	35	37	19.4	18.1	20.8
LEE	242	152	90	20.4	18.6	24.3
LEFLORE	118	15	103	19.2	12.6	20.8

TABLE 7 - PAGE 2
PREMATURE LIVE BIRTHS - MISSISSIPPI - 2003

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	80	46	34	17.5	15.2	21.8
LOWNDES	157	51	106	18.1	11.4	25.1
MADISON	208	84	124	17.2	13.7	20.8
MARION	69	36	33	19.4	15.6	26.4
MARSHALL	64	28	36	13.4	11.9	14.8
MONROE	78	43	35	16.0	13.3	21.5
MONTGOMERY	27	11	16	17.1	16.4	17.6
NESHOBA	76	35	41	14.3	12.1	17.0
NEWTON	55	28	27	16.3	15.4	17.4
NOXUBEE	37	4	33	18.9	10.5	20.9
OKTIBBEHA	50	18	32	9.6	7.4	11.6
PANOLA	77	32	45	14.4	14.3	14.5
PEARL RIVER	91	64	27	13.7	11.6	23.7
PERRY	43	32	11	24.8	22.5	35.5
PIKE	95	30	65	15.6	12.0	18.1
PONTOTOC	65	51	14	18.2	16.6	28.0
PRENTISS	50	46	4	16.4	17.4	10.2
QUITMAN	28	3	25	21.0	10.0	24.3
RANKIN	375	289	86	19.6	18.7	23.3
SCOTT	99	50	49	21.0	18.5	24.2
SHARKEY	16	2	14	18.0	9.1	20.9
SIMPSON	85	44	41	21.8	19.3	25.3
SMITH	41	29	12	18.1	18.1	18.2
STONE	31	16	15	16.1	10.8	34.1
SUNFLOWER	97	16	81	20.8	19.8	21.0
TALLAHATCHIE	39	7	32	17.6	13.2	19.0
TATE	51	27	24	12.4	10.8	15.1
TIPPAH	52	40	12	16.0	15.4	18.5
TISHOMINGO	42	42	0	17.2	17.6	-
TUNICA	34	6	28	17.1	15.4	17.5
UNION	50	40	10	14.5	13.8	18.2
WALTHALL	31	12	19	13.4	10.2	16.7
WARREN	146	68	78	18.0	18.4	17.7
WASHINGTON	196	29	167	19.9	12.7	22.1
WAYNE	49	14	35	16.5	9.8	22.7
WEBSTER	20	10	10	14.2	10.4	22.2
WILKINSON	24	1	23	16.1	3.2	19.5
WINSTON	34	9	25	12.2	7.7	15.5
YALOBUSHA	36	16	20	18.3	15.2	21.7
YAZOO	91	23	68	20.6	18.2	21.6

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE * FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2003

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>423</u>	<u>118</u>	<u>305</u>	<u>417</u>	<u>121</u>	<u>296</u>	<u>9.8</u>	<u>5.2</u>	<u>15.4</u>
ADAMS	14	1	13	7	1	6	17.6	7.0	23.5
ALCORN	3	3	0	2	2	0	4.6	5.4	-
AMITE	0	0	0	3	0	3	19.9	-	37.0
ATTALA	1	0	1	4	1	3	15.0	7.2	23.4
BENTON	0	0	0	0	0	0	-	-	-
BOLIVAR	3	0	3	6	0	6	9.8	-	12.8
CALHOUN	1	0	1	4	0	4	20.6	-	70.2
CARROLL	0	0	0	2	0	2	20.2	-	48.8
CHICKASAW	0	0	0	3	3	0	9.6	20.4	-
CHOCTAW	0	0	0	1	0	1	9.9	-	28.6
CLAIBORNE	0	0	0	6	0	6	42.2	-	45.1
CLARKE	0	0	0	4	0	4	15.8	-	36.7
CLAY	2	0	2	0	0	0	-	-	-
COAHOMA	10	0	10	6	0	6	11.2	-	13.5
COPIAH	0	0	0	4	0	4	9.3	-	15.8
COVINGTON	1	0	1	0	0	0	-	-	-
DESOTO	11	4	7	10	8	2	5.4	5.3	6.3
FORREST	20	8	12	11	4	7	10.2	6.8	14.5
FRANKLIN	0	0	0	1	0	1	8.8	-	19.6
GEORGE	2	2	0	5	5	0	14.9	16.8	-
GREENE	0	0	0	1	1	0	7.0	8.3	-
GRENADA	7	1	6	1	0	1	3.2	-	6.8
HANCOCK	3	1	2	2	1	1	3.7	2.0	18.5
HARRISON	20	11	9	19	8	11	6.5	3.9	12.6
HINDS	123	22	101	57	8	49	14.4	8.1	16.5
HOLMES	0	0	0	4	0	4	10.7	-	12.0
HUMPHREYS	0	0	0	2	0	2	10.0	-	12.1
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	2	2	0	6.7	7.1	-
JACKSON	10	5	5	15	5	10	8.3	3.8	20.2
JASPER	0	0	0	3	0	3	10.8	-	18.5
JEFFERSON	0	0	0	3	0	3	22.0	-	22.6
JEFF DAVIS	0	0	0	2	0	2	11.6	-	16.9
JONES	11	1	10	10	2	8	10.3	3.3	22.3
KEMPER	0	0	0	0	0	0	-	-	-
LAFAYETTE	3	0	3	5	2	3	10.8	7.2	16.3
LAMAR	6	5	1	4	4	0	5.9	7.2	-
LAUDERDALE	28	5	23	11	2	9	9.3	3.4	15.2
LAWRENCE	0	0	0	3	0	3	15.2	-	41.1
LEAKE	0	0	0	7	2	5	18.9	10.4	28.1
LEE	22	10	12	8	1	7	6.7	1.2	18.9
LEFLORE	9	2	7	9	2	7	14.6	16.8	14.1

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 2003

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	6	4	2	5	4	1	10.9	13.2	6.4
LOWNDES	4	1	3	6	2	4	6.9	4.5	9.5
MADISON	3	0	3	16	5	11	13.2	8.2	18.4
MARION	0	0	0	4	1	3	11.2	4.3	24.0
MARSHALL	1	0	1	4	1	3	8.4	4.2	12.3
MONROE	6	4	2	4	0	4	8.2	-	24.5
MONTGOMERY	0	0	0	2	1	1	12.6	14.9	11.0
NESHOBA	0	0	0	5	1	4	9.4	3.4	16.6
NEWTON	0	0	0	5	0	5	14.8	-	32.2
NOXUBEE	0	0	0	3	0	3	15.3	-	19.0
OKTIBBEHA	11	1	10	6	1	5	11.6	4.1	18.1
PANOLA	5	2	3	4	1	3	7.5	4.5	9.6
PEARL RIVER	1	0	1	2	1	1	3.0	1.8	8.8
PERRY	0	0	0	0	0	0	-	-	-
PIKE	6	3	3	6	3	3	9.9	12.0	8.4
PONTOTOC	0	0	0	2	1	1	5.6	3.2	20.0
PRENTISS	0	0	0	2	1	1	6.6	3.8	25.6
QUITMAN	0	0	0	2	0	2	15.0	-	19.4
RANKIN	25	15	10	16	14	2	8.3	9.0	5.4
SCOTT	1	0	1	6	3	3	12.7	11.1	14.8
SHARKEY	1	0	1	2	1	1	22.5	45.4	14.9
SIMPSON	0	0	0	3	0	3	7.7	-	18.5
SMITH	0	0	0	1	0	1	4.4	-	15.2
STONE	0	0	0	0	0	0	-	-	-
SUNFLOWER	3	0	3	4	0	4	8.6	-	10.4
TALLAHATCHIE	0	0	0	4	0	4	18.1	-	23.8
TATE	0	0	0	3	3	0	7.3	12.0	-
TIPPAH	0	0	0	2	2	0	6.2	7.7	-
TISHOMINGO	0	0	0	2	2	0	8.2	8.4	-
TUNICA	0	0	0	1	0	1	5.0	-	6.2
UNION	4	4	0	3	3	0	8.7	10.4	-
WALTHALL	0	0	0	1	1	0	4.3	8.5	-
WARREN	17	1	16	11	1	10	13.6	2.7	22.7
WASHINGTON	15	1	14	16	1	15	16.2	4.4	19.8
WAYNE	1	1	0	0	0	0	-	-	-
WEBSTER	0	0	0	0	0	0	-	-	-
WILKINSON	1	0	1	1	0	1	6.7	-	8.5
WINSTON	0	0	0	4	2	2	14.4	17.1	12.4
YALOBUSHA	0	0	0	2	1	1	10.2	9.5	10.9
YAZOO	2	0	2	10	0	10	22.7	-	31.7
OUT OF STATE	14	9	5	20	6	14	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2003

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>27,907</u>	<u>18,681</u>	<u>9,226</u>	<u>28,333</u>	<u>19,013</u>	<u>9,320</u>	<u>9.8</u>	<u>10.8</u>	<u>8.3</u>
ADAMS	459	240	219	415	217	198	12.5	14.7	10.7
ALCORN	380	343	37	390	346	44	11.2	11.3	10.2
AMITE	78	54	24	162	101	61	11.9	13.1	10.4
ATTALA	219	149	70	269	178	91	13.7	15.4	11.3
BENTON	36	27	9	85	61	24	10.9	12.4	8.4
BOLIVAR	341	123	218	388	149	239	9.9	11.6	9.1
CALHOUN	120	94	26	180	141	39	12.1	13.6	8.7
CARROLL	45	32	13	115	71	44	11.0	10.5	12.0
CHICKASAW	101	71	30	182	124	58	9.5	11.3	7.0
CHOCTAW	47	35	12	75	48	27	7.8	7.3	8.8
CLAIBORNE	70	25	45	104	24	80	9.0	14.3	8.1
CLARKE	108	70	38	184	120	64	10.4	10.4	10.3
CLAY	188	108	80	231	121	110	10.7	13.4	8.7
COAHOMA	333	105	228	340	113	227	11.5	14.4	10.5
COPIAH	176	102	74	274	158	116	9.5	11.3	7.8
COVINGTON	181	134	47	226	171	55	11.2	13.4	7.4
DESOTO	805	652	153	867	740	127	7.0	7.2	6.0
FORREST	1,153	833	320	729	534	195	9.8	11.3	7.2
FRANKLIN	55	37	18	84	53	31	10.1	10.0	10.2
GEORGE	191	172	19	219	199	20	10.7	10.8	9.8
GREENE	76	68	8	134	117	17	10.2	12.1	4.8
GRENADA	308	181	127	310	179	131	13.6	13.7	13.5
HANCOCK	323	299	24	423	396	27	9.4	9.6	6.6
HARRISON	1,982	1,617	365	1,758	1,417	341	9.3	10.3	6.5
HINDS	3,747	1,964	1,783	2,091	976	1,115	8.4	11.2	6.9
HOLMES	173	60	113	251	77	174	11.8	19.3	10.0
HUMPHREYS	80	31	49	126	43	83	11.8	15.1	10.5
ISSAQUENA	6	4	2	13	7	6	6.4	9.8	4.6
ITAWAMBA	173	167	6	298	286	12	13.0	13.4	7.2
JACKSON	1,125	926	199	1,195	989	206	8.9	9.9	6.1
JASPER	90	47	43	160	67	93	8.8	7.9	9.4
JEFFERSON	47	5	42	93	12	81	9.8	10.0	9.7
JEFF DAVIS	115	60	55	164	79	85	12.2	14.4	10.7
JONES	671	509	162	733	579	154	11.2	12.4	8.4
KEMPER	62	28	34	115	51	64	11.0	12.7	10.0
LAFAYETTE	491	353	138	294	221	73	7.3	7.6	6.5
LAMAR	354	306	48	304	281	23	7.2	7.9	3.7
LAUDERDALE	1,379	862	517	951	611	340	12.2	13.4	10.6
LAWRENCE	89	62	27	134	88	46	9.9	9.6	10.4
LEAKE	199	133	66	269	167	102	12.3	13.6	10.7
LEE	1,370	1,084	286	681	550	131	8.8	9.7	6.2
LEFLORE	497	200	297	389	170	219	10.7	15.9	8.5

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2003

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	336	248	88	383	281	102	11.4	12.2	9.8
LOWNDES	648	408	240	547	356	191	9.0	10.6	7.0
MADISON	748	502	246	990	658	332	12.4	13.6	10.5
MARION	272	188	84	351	245	106	14.0	14.6	12.7
MARSHALL	213	113	100	365	195	170	10.3	11.3	9.3
MONROE	295	230	65	381	281	100	10.1	10.8	8.4
MONTGOMERY	117	72	45	135	81	54	11.3	12.6	9.8
NESHOBA	209	146	63	308	220	88	10.6	11.7	8.5
NEWTON	175	123	52	241	167	74	10.9	11.5	9.8
NOXUBEE	77	27	50	127	43	84	10.3	12.1	9.6
OKTIBBEHA	230	120	110	286	154	132	6.7	6.2	7.5
PANOLA	238	154	84	333	210	123	9.4	11.7	7.1
PEARL RIVER	357	319	38	483	422	61	9.5	9.7	8.4
PERRY	76	60	16	113	90	23	9.2	9.5	8.0
PIKE	455	269	186	456	264	192	11.7	13.5	9.9
PONTOTOC	150	129	21	255	220	35	9.2	9.4	8.3
PRENTISS	176	163	13	244	222	22	9.5	10.1	6.0
QUITMAN	77	26	51	107	34	73	11.0	11.8	10.6
RANKIN	606	479	127	803	662	141	6.4	6.6	5.7
SCOTT	176	116	60	252	151	101	8.8	8.9	8.7
SHARKEY	48	23	25	69	29	40	11.1	15.6	9.2
SIMPSON	247	181	66	312	226	86	11.3	12.7	8.8
SMITH	70	54	16	161	114	47	10.2	9.4	12.7
STONE	82	73	9	155	130	25	10.9	11.6	8.3
SUNFLOWER	230	109	121	341	140	201	10.2	15.4	8.3
TALLAHATCHIE	84	43	41	152	75	77	10.6	13.3	8.8
TATE	185	139	46	266	204	62	10.3	11.5	7.7
TIPPAH	195	173	22	263	230	33	12.6	13.4	8.8
TISHOMINGO	168	165	3	240	235	5	12.6	12.9	6.5
TUNICA	70	34	36	94	36	58	9.5	13.9	7.9
UNION	239	216	23	270	246	24	10.3	11.2	5.8
WALTHALL	121	80	41	156	99	57	10.3	11.9	8.3
WARREN	577	321	256	532	303	229	10.8	11.6	10.0
WASHINGTON	672	267	405	634	257	377	10.5	13.2	9.2
WAYNE	175	117	58	195	130	65	9.2	9.9	8.1
WEBSTER	119	105	14	152	136	16	15.0	17.0	7.3
WILKINSON	124	69	55	119	52	67	11.6	16.6	9.4
WINSTON	147	83	64	200	114	86	10.0	10.4	9.6
YALOBUSHA	81	67	14	172	128	44	12.9	15.9	8.3
YAZOO	199	98	101	285	141	144	10.1	11.2	9.2
OUT OF STATE	1,346	990	356	920	658	262			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2003

TOWN**	NUMBER		
	TOTAL	WHITE	NON- WHITE
BILOXI	433	369	64
BRANDON	220	196	24
BROOKHAVEN	200	140	60
CANTON	116	38	78
CLARKSDALE	265	94	171
CLEVELAND	158	80	78
CLINTON	176	117	59
COLUMBUS	350	224	126
CORINTH	231	192	39
GAUTIER	143	125	18
GREENVILLE	474	176	298
GREENWOOD	224	90	134
GRENADA	230	121	109
GULFPORT	727	503	224
HATTIESBURG	480	299	181
INDIANOLA	138	62	76
JACKSON	1,539	667	872
LAUREL	270	167	103
LONG BEACH	156	143	13
MCCOMB	231	139	92
MERIDIAN	549	313	236
MOSS POINT	214	114	100
NATCHEZ	287	153	134
OCEAN SPRINGS	252	220	32
PASCAGOULA	242	200	42
PEARL	151	131	20
PICAYUNE	149	108	41
RIDGELAND	588	447	141
SOUTHAVEN	277	254	23
STARKVILLE	174	92	82
TUPELO	338	262	76
VICKSBURG	402	196	206
YAZOO CITY	156	63	93

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,333</u>	<u>19,013</u>	<u>9,320</u>
<u>001-055</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>870</u>	<u>459</u>	<u>411</u>
<u>001-008</u>	<u>Intestinal infectious diseases</u>	<u>22</u>	<u>18</u>	<u>4</u>
<u>002-007</u>	<u>Other intestinal infectious diseases</u>	<u>21</u>	<u>17</u>	<u>4</u>
003	Paratyphoid fevers and other salmonella infections	1	1	0
007	Intestinal infections due to other specified organisms	20	16	4
007	Diarrhea and gastroenteritis of presumed infectious origin	1	1	0
<u>009-010</u>	<u>Tuberculosis</u>	<u>4</u>	<u>4</u>	<u>0</u>
009	Respiratory tuberculosis	4	4	0
<u>011-019</u>	<u>Zoonotic and other bacterial diseases</u>	<u>549</u>	<u>320</u>	<u>229</u>
017	Meningococcal infection	1	1	0
018	Septicemia	537	313	224
019	Other zoonotic and bacterial diseases	11	6	5
<u>020-024</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
012	Neurosyphilis	1	0	1
<u>028-044</u>	<u>Viral diseases</u>	<u>259</u>	<u>94</u>	<u>165</u>
030	Arthropod-borne viral encephalitis	2	2	0
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	1	1	0
033	Herpesviral (herpes simplex) infections	1	1	0
038	Viral hepatitis	56	48	8
<u>039-043</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>188</u>	<u>33</u>	<u>155</u>
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	72	10	62
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	9	3	6
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	12	3	9
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	58	12	46
043	Unspecified human immunodeficiency virus (HIV) disease	37	5	32
044	All other and unspecified viral diseases	11	9	2
<u>045-055</u>	<u>Other and unspecified infectious and parasitic diseases and their sequelae</u>	<u>35</u>	<u>23</u>	<u>12</u>
045	Mycoses	15	9	6
052	Other and unspecified helminthiases	1	1	0
054	Sequelae of poliomyelitis	2	2	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	17	11	6
<u>056-115</u>	<u>NEOPLASMS</u>	<u>6,018</u>	<u>4,070</u>	<u>1,948</u>
<u>056-108</u>	<u>Malignant neoplasms</u>	<u>5,924</u>	<u>4,006</u>	<u>1,918</u>
<u>056-059</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>111</u>	<u>73</u>	<u>38</u>
056	Malignant neoplasms of lip	1	1	0
057	Malignant neoplasms of tongue	26	20	6
058	Malignant neoplasms of pharynx	63	38	25
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	21	14	7

Table 10A - Page 2
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
<u>060-070</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,390</u>	<u>866</u>	<u>524</u>
060	Malignant neoplasms of esophagus	131	74	57
061	Malignant neoplasms of stomach	116	58	58
062	Malignant neoplasms of small intestine	6	6	0
063	Malignant neoplasms of colon	510	316	194
064	Malignant neoplasms of rectosigmoid junction and rectum	71	47	24
065	Malignant neoplasms of anus and anal canal	3	3	0
066	Malignant neoplasms of liver	179	121	58
067	Intrahepatic bile duct carcinoma	12	7	5
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	21	15	6
069	Malignant neoplasms of pancreas	332	215	117
070	Malignant neoplasms of other and ill-defined digestive organs	9	4	5
<u>071-075</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,941</u>	<u>1,430</u>	<u>511</u>
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	8	5	3
072	Malignant neoplasms of larynx	44	33	11
073	Malignant neoplasms of trachea, bronchus and lung	1,886	1,389	497
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	1	1	0
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	2	2	0
076	Malignant neoplasms of bone and articular cartilage	25	18	7
<u>077-078</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>82</u>	<u>71</u>	<u>11</u>
077	Malignant melanoma of skin	57	54	3
078	Other malignant neoplasms of skin	25	17	8
<u>079-081</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>48</u>	<u>37</u>	<u>11</u>
079	Mesothelioma	19	17	2
081	Malignant neoplasms of other mesothelial and soft tissue	29	20	9
082	Malignant neoplasm of breast	426	260	166
<u>083-088</u>	<u>Malignant neoplasms of female genital organs</u>	<u>245</u>	<u>135</u>	<u>110</u>
083	Malignant neoplasms of vulva and vagina	9	7	2
084	Malignant neoplasms of cervix uteri	57	18	39
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	64	33	31
086	Malignant neoplasms of ovary	113	76	37
087	Malignant neoplasms of other and unspecified female genital organs	1	1	0
088	Malignant neoplasms of placenta	1	0	1
<u>089-091</u>	<u>Malignant neoplasms of male genital organs</u>	<u>372</u>	<u>183</u>	<u>189</u>
089	Malignant neoplasms of prostate	363	178	185
090	Malignant neoplasms of testis	7	3	4
091	Malignant neoplasms of penis and other and unspecified male genital organs	2	2	0
<u>092-094</u>	<u>Malignant neoplasms of urinary tract</u>	<u>219</u>	<u>165</u>	<u>54</u>
092	Malignant neoplasms of kidney and renal pelvis	135	101	34
093	Malignant neoplasms of bladder	81	62	19
094	Malignant neoplasms of other and unspecified sites within the urinary tract	3	2	1
095	Malignant neoplasm of eye and adnexa	1	1	0
<u>096-097</u>	<u>Malignant neoplasms of meninges, brain and other parts of central nervous system</u>	<u>141</u>	<u>108</u>	<u>33</u>
096	Malignant neoplasms of brain	141	108	33

Table 10A - Page 3
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
098	Malignant neoplasms of thyroid and other endocrine glands	13	10	3
099	Other malignant neoplasms of other and unspecified sites	371	261	110
<u>100-108</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>539</u>	<u>388</u>	<u>151</u>
100	Hodgkin's disease	23	17	6
101	Non-Hodgkin's lymphoma	189	142	47
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	1	1	0
103	Malignant immunoproliferative diseases	2	2	0
104	Multiple myeloma and malignant plasma cell neoplasms	108	66	42
<u>105-108</u>	<u>Leukemia</u>	<u>216</u>	<u>160</u>	<u>56</u>
105	Lymphoid leukemia	50	35	15
106	Myeloid leukemia	90	69	21
107	Monocytic leukemia	2	2	0
108	Other and unspecified leukemia	74	54	20
<u>111-113</u>	<u>Benign neoplasms</u>	<u>16</u>	<u>7</u>	<u>9</u>
112	Benign neoplasms of eye, brain and other parts of central nervous system	8	5	3
113	Benign neoplasms of other and unspecified sites	8	2	6
114	Neoplasms of uncertain or unknown behavior of specified sites	69	49	20
115	Neoplasm of uncertain or unknown behavior of unspecified sites	9	8	1
<u>116-122</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>125</u>	<u>64</u>	<u>61</u>
<u>116-119</u>	<u>Anemias</u>	<u>57</u>	<u>25</u>	<u>32</u>
116	Nutritional anemias	6	4	2
117	Hemolytic anemias	14	3	11
118	Aplastic anemias	8	5	3
119	Acute posthemorrhagic and other anemias	29	13	16
120	Coagulation defects, purpura and other hemorrhagic conditions	27	16	11
121	Other diseases of blood and blood-forming organs	20	15	5
122	Certain disorders involving the immune mechanism	21	8	13
<u>123-135</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>943</u>	<u>500</u>	<u>443</u>
<u>123-128</u>	<u>Endocrine diseases</u>	<u>700</u>	<u>369</u>	<u>331</u>
123	Disorders of thyroid gland	12	7	5
124	Diabetes mellitus	671	355	316
125	Disorders of pituitary gland	4	2	2
126	Disorders of adrenal glands	3	2	1
128	Other endocrine diseases	10	3	7
<u>129-131</u>	<u>Malnutrition and other nutritional deficiencies</u>	<u>41</u>	<u>26</u>	<u>15</u>
<u>129-130</u>	<u>Malnutrition</u>	<u>40</u>	<u>25</u>	<u>15</u>
129	Nutritional marasmus	1	1	0

Table 10A - Page 4
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
130	Other and unspecified malnutrition	39	24	15
131	Other nutritional deficiencies	1	1	0
132	Obesity and other hyperalimentation	48	16	32
<u>133-135</u>	<u>Metabolic disorders</u>	<u>154</u>	<u>89</u>	<u>65</u>
133	Cystic fibrosis	6	6	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	115	63	52
135	Other metabolic disorders	33	20	13
<u>136-144</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>473</u>	<u>350</u>	<u>123</u>
136	Organic dementia	334	272	62
137	Other and unspecified organic mental disorders	37	20	17
<u>138-139</u>	<u>Mental and behavioral disorders due to psychoactive substance abuse</u>	<u>77</u>	<u>42</u>	<u>35</u>
138	Mental and behavioral disorders due to use of alcohol	56	28	28
139	Mental and behavioral disorders due to other psychoactive substance use	21	14	7
140	Schizophrenia, schizotypal and delusional disorders	5	2	3
141	Mood (affective) disorders	6	6	0
143	Mental retardation	11	7	4
144	Other and unspecified mental and behavioral disorders	3	1	2
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,021</u>	<u>779</u>	<u>242</u>
145	Meningitis	11	3	8
146	Other inflammatory diseases of central nervous system	12	10	2
147	Parkinson's disease	125	111	14
148	Alzheimer's disease	575	453	122
149	Multiple sclerosis	11	8	3
150	Epilepsy	17	12	5
151	Transient cerebral ischemic attacks and related syndromes	6	4	2
152	Infantile cerebral palsy	26	14	12
153	All other diseases of nervous system	238	164	74
<u>154</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,088</u>	<u>7,473</u>	<u>3,615</u>
<u>156-189</u>	<u>Major cardiovascular diseases</u>	<u>11,039</u>	<u>7,441</u>	<u>3,598</u>
<u>157-160</u>	<u>Chronic rheumatic heart diseases</u>	<u>16</u>	<u>11</u>	<u>5</u>
157	Rheumatic mitral valve diseases	11	6	5
159	Disorders of both mitral and aortic valves	2	2	0
160	Other chronic rheumatic heart diseases	3	3	0
<u>161-164</u>	<u>Hypertensive diseases</u>	<u>995</u>	<u>474</u>	<u>521</u>
161	Essential (primary) hypertension	254	131	123
162	Hypertensive heart disease	559	280	279
163	Hypertensive renal disease	115	46	69
164	Hypertensive heart and renal disease	67	17	50

Table 10A - Page 5
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
<u>165-168</u>	<u>Ischemic heart diseases</u>	<u>4,822</u>	<u>3,469</u>	<u>1,353</u>
165	Acute myocardial infarction	2,226	1,560	666
166	Other acute ischemic heart diseases	22	10	12
167	Atherosclerotic cardiovascular disease, so described	647	496	151
168	All other forms of chronic ischemic heart disease	1,927	1,403	524
<u>169-170</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>216</u>	<u>122</u>	<u>94</u>
169	Pulmonary embolism	138	80	58
170	Other pulmonary heart disease and diseases of pulmonary circulation	78	42	36
<u>171-181</u>	<u>Other forms of heart disease</u>	<u>2,982</u>	<u>2,033</u>	<u>949</u>
171	Acute and subacute endocarditis	12	11	1
172	Diseases of pericardium and acute myocarditis	12	5	7
173	Nonrheumatic mitral valve disorders	21	18	3
174	Nonrheumatic aortic valve disorders	74	61	13
175	All other diseases of endocardium	30	21	9
176	Cardiomyopathy	287	191	96
177	Conduction disorders and cardiac dysrhythmias	930	582	348
178	Congestive heart failure	1,270	911	359
179	Other and unspecified heart failure	99	63	36
180	Myocarditis, unspecified and myocardial degeneration	5	2	3
181	All other and ill-defined forms of heart disease	242	168	74
<u>182-186</u>	<u>Cerebrovascular diseases</u>	<u>1,723</u>	<u>1,110</u>	<u>613</u>
182	Subarachnoid hemorrhage	85	55	30
183	Intracerebral and other intracranial hemorrhage	286	180	106
184	Cerebral infarction	105	70	35
185	Stroke, not specified as hemorrhage or infarction	1,052	676	376
186	Other cerebrovascular diseases and their sequelae	195	129	66
<u>187-189</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>285</u>	<u>222</u>	<u>63</u>
187	Atherosclerosis	55	44	11
188	Aortic aneurysm and dissection	147	116	31
189	Other diseases of arteries, arterioles and capillaries	83	62	21
<u>190-191</u>	<u>Other disorders of circulatory system</u>	<u>49</u>	<u>32</u>	<u>17</u>
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	38	26	12
191	All other and unspecified disorders of circulatory system	11	6	5
<u>192-214</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,718</u>	<u>2,157</u>	<u>561</u>
<u>192-194</u>	<u>Acute upper respiratory infections</u>	<u>3</u>	<u>1</u>	<u>2</u>
192	Acute pharyngitis and tonsillitis	1	0	1
194	Other and unspecified acute upper respiratory infections	2	1	1
<u>195-214</u>	<u>Other diseases of the respiratory system</u>	<u>2,715</u>	<u>2,156</u>	<u>559</u>
195	Influenza	12	9	3
<u>196-198</u>	<u>Pneumonia</u>	<u>742</u>	<u>544</u>	<u>198</u>
196	Viral pneumonia, not elsewhere classified	9	7	2
197	Bacterial pneumonia	39	28	11
198	Pneumonia due to other or unspecified organisms	694	509	185
<u>199-200</u>	<u>Other acute lower respiratory infections</u>	<u>5</u>	<u>4</u>	<u>1</u>
199	Acute bronchitis and bronchiolitis	5	4	1
201	Other diseases of upper respiratory tract	4	3	1
<u>202-207</u>	<u>Chronic lower respiratory diseases</u>	<u>1,385</u>	<u>1,182</u>	<u>203</u>

Table 10A - Page 6
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
202	Bronchitis, not specified as acute or chronic	14	12	2
203	Chronic bronchitis	5	4	1
204	Emphysema	116	96	20
205	Other chronic obstructive pulmonary disease	1,208	1,052	156
206	Asthma	34	12	22
207	Bronchiectasis	8	6	2
<u>208-211</u>	<u>Lung diseases due to external agents</u>	<u>232</u>	<u>170</u>	<u>62</u>
208	Pneumoconioses and chemical effects	17	16	1
209	Pneumonitis due to food and vomit	215	154	61
212	Suppurative and necrotic conditions of lower respiratory tract	13	10	3
213	Pleural effusion and plaque	21	14	7
214	All other diseases of respiratory system	301	220	81
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>874</u>	<u>626</u>	<u>248</u>
<u>216-237</u>	<u>Diseases of other parts of digestive system</u>	<u>874</u>	<u>626</u>	<u>248</u>
216	Diseases of esophagus	21	18	3
<u>217-220</u>	<u>Peptic ulcer</u>	<u>31</u>	<u>20</u>	<u>11</u>
217	Gastric ulcer	8	5	3
218	Duodenal ulcer	12	8	4
219	Peptic ulcer, site unspecified	11	7	4
221	Gastritis and duodenitis	6	4	2
222	Dyspepsia and other diseases of stomach and duodenum	6	6	0
223	Diseases of appendix	6	5	1
224	Hernia	11	5	6
225	Crohn's disease and ulcerative colitis	10	9	1
226	Vascular disorders and obstruction of intestine without hernia	160	103	57
227	Diverticular disease of intestine	36	34	2
228	Other diseases of intestines and peritoneum	41	33	8
229	Diseases of peritoneum	17	8	9
<u>230-233</u>	<u>Diseases of liver</u>	<u>332</u>	<u>248</u>	<u>84</u>
230	Alcoholic liver disease	66	43	23
231	Chronic hepatitis, not elsewhere classified	3	2	1
232	Fibrosis and cirrhosis of liver	151	122	29
233	Other diseases of liver	112	81	31
234	Cholelithiasis and other disorders of gallbladder	30	22	8
<u>235-236</u>	<u>Disorders of biliary tract and pancreas</u>	<u>53</u>	<u>34</u>	<u>19</u>
235	Pancreatitis	42	26	16
236	Other disorders of biliary tract and pancreas	11	8	3
237	All other diseases of digestive system	114	77	37
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>76</u>	<u>28</u>	<u>48</u>
238	Infections of skin and subcutaneous tissue	19	12	7
239	Other and unspecified diseases of skin and subcutaneous tissue	57	16	41
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>100</u>	<u>61</u>	<u>39</u>

Table 10A - Page 7
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
240	Rheumatoid arthritis and related inflammatory polyarthropathies	14	12	2
241	Systemic lupus erythematosus	16	9	7
242	Other arthropathies and related disorders	45	23	22
243	Dorsopathies	7	5	2
244	Soft tissue disorders	8	4	4
<u>245-246</u>	<u>Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue</u>	<u>10</u>	<u>8</u>	<u>2</u>
245	Osteoporosis	3	3	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	7	5	2
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>891</u>	<u>502</u>	<u>389</u>
<u>247-255</u>	<u>Diseases of urinary system</u>	<u>879</u>	<u>496</u>	<u>383</u>
<u>247-249</u>	<u>Glomerular diseases</u>	<u>4</u>	<u>2</u>	<u>2</u>
249	Other and unspecified glomerular diseases	4	2	2
250	Renal tubulo-interstitial diseases	7	5	2
251	Renal failure	671	359	312
254	Urinary tract infection, site not specified	167	115	52
255	Other diseases of urinary system	30	15	15
<u>256-257</u>	<u>Diseases of male genital organs</u>	<u>5</u>	<u>4</u>	<u>1</u>
256	Hyperplasia of prostate	1	1	0
257	Other diseases of male genital organs	4	3	1
<u>259-260</u>	<u>Disorders of female genital organs</u>	<u>7</u>	<u>2</u>	<u>5</u>
259	Inflammatory diseases of female pelvic organs	4	1	3
260	Noninflammatory disorders of female genital tract	3	1	2
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>7</u>	<u>3</u>	<u>4</u>
<u>266-269</u>	<u>Other direct obstetric deaths</u>	<u>3</u>	<u>2</u>	<u>1</u>
266	Eclampsia and pre-eclampsia	1	0	1
<u>268-269</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>2</u>	<u>0</u>
268	Obstetric embolism	2	2	0
270	All other direct obstetric causes	1	1	0
272	Other deaths related to pregnancy, childbirth and the puerperium	2	0	2
273	Indirect obstetric deaths	1	0	1
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>204</u>	<u>65</u>	<u>139</u>
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	22	13	9
275	Disorders related to short gestation and low birth weight, not elsewhere classified	84	20	64
277	Intrauterine hypoxia and birth asphyxia	10	4	6
278	Respiratory distress of newborn	14	5	9
279	Other respiratory conditions originating in the perinatal period	17	5	12

Table 10A - Page 8
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
280	Infections specific to the perinatal period	21	7	14
281	Other and unspecified conditions originating in the perinatal period	36	11	25
<u>282-290</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES</u>	<u>114</u>	<u>53</u>	<u>61</u>
282	Anencephaly and similar malformations	4	2	2
283	Spina bifida	1	0	1
284	All other congenital malformations of nervous system	9	3	6
285	Congenital malformations of heart	32	15	17
286	Other congenital malformations of circulatory system	10	6	4
287	Congenital malformations of respiratory system	9	5	4
288	Other congenital malformations and deformations	30	12	18
289	Down's syndrome	11	6	5
290	All other chromosomal abnormalities, not elsewhere classified	8	4	4
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED</u>	<u>431</u>	<u>258</u>	<u>173</u>
291	Senility	20	14	6
<u>292-293</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>147</u>	<u>66</u>	<u>81</u>
292	Sudden infant death syndrome	95	34	61
293	Other ill-defined and unknown causes of mortality	52	32	20
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	264	178	86
<u>295-358</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,379</u>	<u>1,565</u>	<u>814</u>
<u>295-330</u>	<u>Accidents</u>	<u>1,647</u>	<u>1,147</u>	<u>500</u>
295	Railway accidents	1	1	0
<u>296-306</u>	<u>Motor vehicle accidents</u>	<u>890</u>	<u>595</u>	<u>295</u>
296	Pedestrian involved in collision with motor vehicle	45	23	22
297	Pedal cyclist involved in collision with motor vehicle	7	4	3
298	Motorcyclist involved in any accident except collision with railway train	42	31	11
300	Other motor vehicle accident involving collision with railway train	9	6	3
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	195	136	59
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	290	194	96
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	8	3	5
304	Occupant of motor vehicle involved in noncollision accident	178	112	66
305	Occupant of special-use motor vehicle involved in any accident	20	19	1
306	Other and unspecified motor vehicle accidents	96	67	29

Table 10A - Page 9
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
308	Other and unspecified land transport accidents	2	0	2
309	Water transport accidents	21	10	11
310	Air and space transport accidents	6	6	0
311	Other and unspecified transport accidents and their sequelae	8	4	4
<u>312-314</u>	<u>Falls</u>	<u>165</u>	<u>146</u>	<u>19</u>
312	Fall on same level	70	60	10
313	Fall from one level to another	21	19	2
314	Unspecified fall	74	67	7
315	Accidental discharge of firearms	22	12	10
316	Accidental explosion	4	0	4
317	Accidental drowning and submersion	52	31	21
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	87	55	32
319	Other accidental and unspecified threats to breathing	14	9	5
320	Accidental exposure to electric current	10	8	2
322	Accidental exposure to smoke, fire and flames	79	42	37
323	Accidental contact with heat and hot substances	3	2	1
<u>327-329</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>172</u>	<u>152</u>	<u>20</u>
327	Accidental poisoning by and exposure to drugs and other biological substances	164	146	18
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	5	4	1
329	Accidental poisoning by and exposure to other gases and vapors	3	2	1
330	All other and unspecified accidents and their sequelae	111	74	37
<u>331-337</u>	<u>Intentional self-harm (suicide)</u>	<u>336</u>	<u>283</u>	<u>53</u>
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	23	21	2
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	2	2	0
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	4	4	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	52	41	11
335	Intentional self-harm (suicide) by discharge of firearms	247	210	37
336	Intentional self-harm (suicide) by jumping from a high place	3	3	0
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	5	2	3
<u>338-346</u>	<u>Assault (homicide)</u>	<u>304</u>	<u>83</u>	<u>221</u>
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	2	2	0
339	Assault (homicide) by hanging, strangulation and suffocation	8	4	4
340	Assault (homicide) by discharge of firearms	201	53	148
341	Assault (homicide) by sharp object	40	7	33
342	Assault (homicide) by blunt object	6	1	5
343	Assault (homicide) by bodily force	1	0	1
345	Neglect, abandonment and other maltreatment syndromes	1	0	1
346	Assault (homicide) by all other and unspecified means and their sequelae	45	16	29
<u>347-352</u>	<u>Event of undetermined intent</u>	<u>25</u>	<u>19</u>	<u>6</u>

Table 10A - Page 10
Deaths - Mississippi - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON- WHITE
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	16	12	4
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	1	1	0
350	Discharge of firearms, undetermined intent	4	4	0
352	All other and unspecified events of undetermined intent and their sequelae	4	2	2
<u>353-354</u>	<u>Legal intervention</u>	<u>3</u>	<u>1</u>	<u>2</u>
354	Other legal intervention and their sequelae	3	1	2
355	Operations of war and their sequelae	1	1	0
<u>356-358</u>	<u>Complications of medical and surgical care</u>	<u>63</u>	<u>31</u>	<u>32</u>
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	6	5	1
357	Misadventures to patients during medical and surgical care and their sequelae	4	1	3
358	Other complications of medical and surgical care and their sequelae	53	25	28
358	Other complications of medical and surgical care and their sequelae	53	25	28

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>A00-Y89</u>	<u>ALL CAUSES</u>	<u>28,333</u>	<u>19,013</u>	<u>9,320</u>
<u>A00-B99</u>	<u>CERTAIN INFECTIOUS AND PARASITIC DISEASES</u>	<u>870</u>	<u>459</u>	<u>411</u>
<u>A00-A09</u>	<u>Intestinal infectious diseases</u>	<u>22</u>	<u>18</u>	<u>4</u>
A02	Other salmonella infections	1	1	0
A04	Other bacterial intestinal infections	16	13	3
A08	Viral and other specified intestinal infections	4	3	1
A09	Diarrhea and gastroenteritis of presumed infectious origin	1	1	0
<u>A16-A19</u>	<u>Tuberculosis</u>	<u>4</u>	<u>4</u>	<u>0</u>
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	4	4	0
<u>A30-A49</u>	<u>Other bacterial diseases</u>	<u>549</u>	<u>320</u>	<u>229</u>
A31	Infection due to other mycobacteria	2	2	0
A39	Meningococcal infection	1	1	0
A40	Streptococcal septicemia	7	5	2
A41	Other septicemia	530	308	222
A42	Actinomycosis	1	1	0
A43	Nocardiosis	1	0	1
A48	Other bacterial diseases, not elsewhere classified	1	1	0
A49	Bacterial infection of unspecified site	6	2	4
<u>A50-A64</u>	<u>Infections with a predominantly sexual mode of transmission</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>A50-A53</u>	<u>Syphilis</u>	<u>1</u>	<u>0</u>	<u>1</u>
A52	Late syphilis	1	0	1
<u>A80-A89</u>	<u>Viral infections of the central nervous system</u>	<u>6</u>	<u>5</u>	<u>1</u>
A81	Atypical virus infections of central nervous system	3	2	1
A83	Mosquito-borne viral encephalitis	2	2	0
A86	Unspecified viral encephalitis	1	1	0
<u>A90-A99</u>	<u>Arthropod-borne viral fevers and viral hemorrhagic fevers</u>	<u>1</u>	<u>1</u>	<u>0</u>
A92	Other mosquito-borne viral fevers	1	1	0
<u>B00-B09</u>	<u>Viral infections characterized by skin and mucous membrane lesions</u>	<u>1</u>	<u>1</u>	<u>0</u>
B00	Herpes-viral [herpes simplex] infections	1	1	0
<u>B15-B19</u>	<u>Viral hepatitis</u>	<u>56</u>	<u>48</u>	<u>8</u>
B15	Acute hepatitis A	1	1	0
B16	Acute hepatitis B	8	5	3
B17	Other acute viral hepatitis	39	35	4
B18	Chronic viral hepatitis	8	7	1
<u>B20-B24</u>	<u>Human immunodeficiency virus [HIV] disease</u>	<u>188</u>	<u>33</u>	<u>155</u>
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	72	10	62
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	9	3	6
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	12	3	9
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	58	12	46
B24	Unspecified human immunodeficiency virus [HIV] disease	37	5	32

Table 10B - Page 2
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>B25-B34</u>	<u>Other viral diseases</u>	<u>7</u>	<u>6</u>	<u>1</u>
B33	Other viral diseases, not elsewhere classified	1	1	0
B34	Viral infection of unspecified site	6	5	1
<u>B35-B49</u>	<u>Mycoses</u>	<u>15</u>	<u>9</u>	<u>6</u>
B37	Candidiasis	4	0	4
B40	Blastomycosis	1	1	0
B44	Aspergillosis	1	1	0
B45	Cryptococcosis	4	3	1
B46	Zygomycosis	1	1	0
B49	Unspecified mycosis	4	3	1
<u>B65-B83</u>	<u>Helminthiasis</u>	<u>1</u>	<u>1</u>	<u>0</u>
B81	Other intestinal helminthiasis, not elsewhere classified	1	1	0
<u>B90-B94</u>	<u>Sequela of infectious and parasitic diseases</u>	<u>16</u>	<u>12</u>	<u>4</u>
B91	Sequelae of poliomyelitis	2	2	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	14	10	4
B99	Other and unspecified infectious diseases	3	1	2
<u>C00-D48</u>	<u>NEOPLASMS</u>	<u>6,018</u>	<u>4,070</u>	<u>1,948</u>
<u>C00-C97</u>	<u>Malignant neoplasms</u>	<u>5,924</u>	<u>4,006</u>	<u>1,918</u>
<u>C00-C14</u>	<u>Malignant neoplasms of lip, oral cavity and pharynx</u>	<u>111</u>	<u>73</u>	<u>38</u>
C00	Malignant neoplasm of lip	1	1	0
C01	Malignant neoplasm of base of tongue	3	3	0
C02	Malignant neoplasm of other and unspecified parts of tongue	23	17	6
C04	Malignant neoplasm of floor of mouth	1	0	1
C05	Malignant neoplasm of palate	4	1	3
C06	Malignant neoplasm of other and unspecified parts of mouth	7	5	2
C07	Malignant neoplasm of parotid gland	7	7	0
C09	Malignant neoplasm of tonsil	2	1	1
C10	Malignant neoplasm of oropharynx	3	2	1
C11	Malignant neoplasm of nasopharynx	4	4	0
C12	Malignant neoplasm of pyriform sinus	1	1	0
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	55	31	24
<u>C15-C26</u>	<u>Malignant neoplasms of digestive organs</u>	<u>1,390</u>	<u>866</u>	<u>524</u>
C15	Malignant neoplasm of esophagus	131	74	57
C16	Malignant neoplasm of stomach	116	58	58
C17	Malignant neoplasm of small intestine	6	6	0
C18	Malignant neoplasm of colon	510	316	194
C19	Malignant neoplasm of rectosigmoid junction	16	11	5
C20	Malignant neoplasm of rectum	55	36	19
C21	Malignant neoplasm of anus and anal canal	3	3	0
C22	Malignant neoplasm of liver and intrahepatic bile ducts	191	128	63
C23	Malignant neoplasm of gallbladder	8	6	2
C24	Malignant neoplasm of other and unspecified parts of biliary tract	13	9	4
C25	Malignant neoplasm of pancreas	332	215	117

Table 10B - Page 3
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
C26	Malignant neoplasm of other and ill-defined digestive organs	9	4	5
<u>C30-C39</u>	<u>Malignant neoplasms of respiratory and intrathoracic organs</u>	<u>1,941</u>	<u>1,430</u>	<u>511</u>
C31	Malignant neoplasm of accessory sinuses	8	5	3
C32	Malignant neoplasm of larynx	44	33	11
C33	Malignant neoplasm of trachea	1	1	0
C34	Malignant neoplasm of bronchus and lung	1,885	1,388	497
C38	Malignant neoplasm of heart, mediastinum, and pleura	1	1	0
C39	Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs	2	2	0
<u>C40-C41</u>	<u>Malignant neoplasms of bone and articular cartilage</u>	<u>25</u>	<u>18</u>	<u>7</u>
C40	Malignant neoplasm of bone and articular cartilage of limbs	1	1	0
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	24	17	7
<u>C43-C44</u>	<u>Melanoma and other malignant neoplasms of skin</u>	<u>82</u>	<u>71</u>	<u>11</u>
C43	Malignant melanoma of skin	57	54	3
C44	Other malignant neoplasms of skin	25	17	8
<u>C45-C49</u>	<u>Malignant neoplasms of mesothelial and soft tissue</u>	<u>48</u>	<u>37</u>	<u>11</u>
C45	Mesothelioma	19	17	2
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system	3	2	1
C48	Malignant neoplasm of retroperitoneum and peritoneum	3	2	1
C49	Malignant neoplasm of other connective and soft tissue	23	16	7
C50	Malignant neoplasm of breast	426	260	166
<u>C51-C58</u>	<u>Malignant neoplasms of female genital organs</u>	<u>245</u>	<u>135</u>	<u>110</u>
C51	Malignant neoplasm of vulva	3	2	1
C52	Malignant neoplasm of vagina	6	5	1
C53	Malignant neoplasm of cervix uteri	57	18	39
C54	Malignant neoplasm of corpus uteri	27	15	12
C55	Malignant neoplasm of uterus, part unspecified	37	18	19
C56	Malignant neoplasm of ovary	113	76	37
C57	Malignant neoplasm of other and unspecified female genital organs	1	1	0
C58	Malignant neoplasm of placenta	1	0	1
<u>C60-C63</u>	<u>Malignant neoplasms of male genital organs</u>	<u>372</u>	<u>183</u>	<u>189</u>
C60	Malignant neoplasm of penis	2	2	0
C61	Malignant neoplasm of prostate	363	178	185
C62	Malignant neoplasm of testis	7	3	4
<u>C64-C68</u>	<u>Malignant neoplasms of urinary tract</u>	<u>219</u>	<u>165</u>	<u>54</u>
C64	Malignant neoplasm of kidney, except renal pelvis	135	101	34
C67	Malignant neoplasm of bladder	81	62	19
C68	Malignant neoplasm of other and unspecified urinary organs	3	2	1
<u>C69-C72</u>	<u>Malignant neoplasms of eye, brain and other parts of central nervous system</u>	<u>142</u>	<u>109</u>	<u>33</u>
C69	Malignant neoplasm of eye and adnexa	1	1	0
C71	Malignant neoplasm of brain	141	108	33
<u>C73-C75</u>	<u>Malignant neoplasms of thyroid and other endocrine glands</u>	<u>13</u>	<u>10</u>	<u>3</u>
C73	Malignant neoplasm of thyroid gland	6	6	0
C74	Malignant neoplasm of adrenal gland	6	3	3

Table 10B - Page 4
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
C75	Malignant neoplasm of other endocrine glands and related structures	1	1	0
<u>C76-C80</u>	<u>Malignant neoplasms of ill-defined, secondary and unspecified sites</u>	<u>332</u>	<u>237</u>	<u>95</u>
C76	Malignant neoplasm of other and ill-defined sites	23	17	6
C77	Secondary and unspecified malignant neoplasm of lymph nodes	1	1	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	34	20	14
C79	Secondary malignant neoplasm of other sites	35	24	11
C80	Malignant neoplasm without specification of site	239	175	64
<u>C81-C96</u>	<u>Malignant neoplasms of lymphoid, hematopoietic and related tissue</u>	<u>539</u>	<u>388</u>	<u>151</u>
C81	Hodgkin's disease	23	17	6
C82	Follicular [nodular] non-Hodgkin's lymphoma	2	2	0
C83	Diffuse non-Hodgkin's lymphoma	18	16	2
C84	Peripheral and cutaneous T-cell lymphomas	13	4	9
C85	Other and unspecified types of non-Hodgkin's lymphoma	156	120	36
C88	Malignant immunoproliferative diseases	2	2	0
C90	Multiple myeloma and malignant plasma cell neoplasms	108	66	42
C91	Lymphoid leukemia	50	35	15
C92	Myeloid leukemia	90	69	21
C93	Monocytic leukemia	2	2	0
C94	Other leukemias of specified cell type	1	1	0
C95	Leukemia of unspecified cell type	73	53	20
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	1	1	0
C97	Malignant neoplasms of independent (primary) multiple sites	39	24	15
<u>D10-D36</u>	<u>Benign neoplasms</u>	<u>16</u>	<u>7</u>	<u>9</u>
D13	Benign neoplasm of other and ill-defined parts of digestive system	1	0	1
D15	Benign neoplasm of other and unspecified intrathoracic organs	2	0	2
D16	Benign neoplasm of bone and articular cartilage	1	0	1
D18	Hemangioma and lymphangioma, any site	1	1	0
D32	Benign neoplasm of meninges	4	1	3
D33	Benign neoplasm of brain and other parts of central nervous system	4	4	0
D34	Benign neoplasm of thyroid gland	1	1	0
D35	Benign neoplasm of other and unspecified endocrine glands	2	0	2
<u>D37-D48</u>	<u>Neoplasms of uncertain or unknown behavior</u>	<u>78</u>	<u>57</u>	<u>21</u>
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	3	2	1
D38	Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs	2	2	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	25	16	9
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	2	0	2

Table 10B - Page 5
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
D45	Polycythemia vera	3	2	1
D46	Myelodysplastic syndromes	24	20	4
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	10	7	3
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	9	8	1
<u>D50-D89</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM</u>	<u>125</u>	<u>64</u>	<u>61</u>
<u>D50-D53</u>	<u>Nutritional anemias</u>	<u>6</u>	<u>4</u>	<u>2</u>
D50	Iron deficiency anemia	2	1	1
D51	Vitamin B-12 deficiency anemia	2	2	0
D53	Other nutritional anemias	2	1	1
<u>D55-D59</u>	<u>Hemolytic anemias</u>	<u>14</u>	<u>3</u>	<u>11</u>
D57	Sickle-cell disorders	11	0	11
D59	Acquired hemolytic anemia	3	3	0
<u>D60-D64</u>	<u>Aplastic and other anemias</u>	<u>37</u>	<u>18</u>	<u>19</u>
D61	Other aplastic anemias	8	5	3
D62	Acute posthemorrhagic anemia	1	0	1
D64	Other anemias	28	13	15
<u>D65-D69</u>	<u>Coagulation defects, purpura and other hemorrhagic conditions</u>	<u>27</u>	<u>16</u>	<u>11</u>
D65	Disseminated intravascular coagulation [defibrination syndrome]	6	2	4
D68	Other coagulation defects	8	4	4
D69	Purpura and other hemorrhagic conditions	13	10	3
<u>D70-D77</u>	<u>Other diseases of blood and blood-forming organs</u>	<u>20</u>	<u>15</u>	<u>5</u>
D70	Agranulocytosis	8	6	2
D72	Other disorders of white blood cells	4	3	1
D73	Diseases of spleen	4	3	1
D75	Other diseases of blood and blood-forming organs	3	2	1
D76	Certain diseases involving lymphoreticular tissue and reticulohistiocytic system	1	1	0
<u>D80-D89</u>	<u>Certain disorders involving the immune mechanism</u>	<u>21</u>	<u>8</u>	<u>13</u>
D81	Combined immunodeficiencies	1	1	0
D84	Other immunodeficiencies	4	2	2
D86	Sarcoidosis	15	4	11
D89	Other disorders involving the immune mechanism, not elsewhere classified	1	1	0
<u>E00-E88</u>	<u>ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES</u>	<u>943</u>	<u>500</u>	<u>443</u>
<u>E00-E07</u>	<u>Disorders of thyroid gland</u>	<u>12</u>	<u>7</u>	<u>5</u>
E03	Other hypothyroidism	9	7	2
E05	Thyrotoxicosis [hyperthyroidism]	3	0	3
<u>E10-E14</u>	<u>Diabetes mellitus</u>	<u>671</u>	<u>355</u>	<u>316</u>

Table 10B - Page 6
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
E10	Insulin-dependent diabetes mellitus	67	37	30
E11	Noninsulin-dependent diabetes mellitus	60	31	29
E14	Unspecified diabetes mellitus	544	287	257
<u>E15-E16</u>	<u>Other disorders of glucose regulation and pancreatic internal secretion</u>	<u>5</u>	<u>1</u>	<u>4</u>
E16	Other disorders of pancreatic internal secretion	5	1	4
<u>E20-E35</u>	<u>Disorders of other endocrine glands</u>	<u>12</u>	<u>6</u>	<u>6</u>
E21	Hyperparathyroidism and other disorders of parathyroid gland	3	0	3
E23	Hypofunction and other disorders of the pituitary gland	4	2	2
E27	Other disorders of adrenal gland	3	2	1
E34	Other endocrine disorders	2	2	0
<u>E40-E46</u>	<u>Malnutrition</u>	<u>40</u>	<u>25</u>	<u>15</u>
E41	Nutritional marasmus	1	1	0
E43	Unspecified severe protein-energy malnutrition	6	5	1
E45	Retarded development following protein-energy malnutrition	1	1	0
E46	Unspecified protein-energy malnutrition	32	18	14
<u>E50-E64</u>	<u>Other nutritional deficiencies</u>	<u>1</u>	<u>1</u>	<u>0</u>
E51	Thiamin deficiency	1	1	0
<u>E65-E68</u>	<u>Obesity and other hyperalimentation</u>	<u>48</u>	<u>16</u>	<u>32</u>
E66	Obesity	48	16	32
<u>E70-E88</u>	<u>Metabolic disorders</u>	<u>154</u>	<u>89</u>	<u>65</u>
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	2	1	1
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	2	1	1
E78	Disorders of lipoprotein metabolism and other lipidemias	10	7	3
E80	Disorders of porphyrin and bilirubin metabolism	1	1	0
E83	Disorders of mineral metabolism	2	0	2
E84	Cystic fibrosis	6	6	0
E85	Amyloidosis	6	4	2
E86	Volume depletion	64	39	25
E87	Other disorders of fluid, electrolyte, and acid-base balance	51	24	27
E88	Other metabolic disorders	10	6	4
<u>F00-F99</u>	<u>MENTAL AND BEHAVIORAL DISORDERS</u>	<u>473</u>	<u>350</u>	<u>123</u>
<u>F00-F09</u>	<u>Organic, including symptomatic, mental disorders</u>	<u>371</u>	<u>292</u>	<u>79</u>
F03	Unspecified dementia	334	272	62
F05	Delirium, not induced by alcohol and other psychoactive substances	2	1	1
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	34	18	16
F09	Unspecified organic or symptomatic mental disorder	1	1	0
<u>F10-F19</u>	<u>Mental and behavioral disorders due to psychoactive substance use</u>	<u>77</u>	<u>42</u>	<u>35</u>
F10	Mental and behavioral disorders due to use of alcohol	56	28	28
F14	Mental and behavioral disorders due to use of cocaine	5	1	4
F17	Mental and behavioral disorders due to use of tobacco	5	3	2

Table 10B - Page 7
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	11	10	1
<u>F20-F29</u>	<u>Schizophrenia, schizotypal and delusional disorders</u>	<u>5</u>	<u>2</u>	<u>3</u>
F20	Schizophrenia	5	2	3
<u>F30-F39</u>	<u>Mood [affective] disorders</u>	<u>6</u>	<u>6</u>	<u>0</u>
F31	Bipolar affective disorder	1	1	0
F32	Depressive episode	5	5	0
<u>F50-F59</u>	<u>Behavioral syndromes associated with physiological disturbances and physical factors</u>	<u>3</u>	<u>1</u>	<u>2</u>
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	3	1	2
<u>F70-F79</u>	<u>Mental retardation</u>	<u>11</u>	<u>7</u>	<u>4</u>
F72	Severe mental retardation	1	1	0
F73	Profound mental retardation	1	1	0
F79	Unspecified mental retardation	9	5	4
<u>G00-G98</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1,021</u>	<u>779</u>	<u>242</u>
<u>G00-G09</u>	<u>Inflammatory diseases of the central nervous system</u>	<u>23</u>	<u>13</u>	<u>10</u>
G00	Bacterial meningitis, not elsewhere classified	3	0	3
G03	Meningitis due to other and unspecified causes	8	3	5
G04	Encephalitis, myelitis, and encephalomyelitis	5	4	1
G06	Intracranial and intraspinal abscess and granuloma	5	5	0
G08	Intracranial and intraspinal phlebitis and thrombophlebitis	1	0	1
G09	Sequelae of inflammatory diseases of central nervous system	1	1	0
<u>G10-G13</u>	<u>Systemic atrophies primarily affecting the central nervous system</u>	<u>61</u>	<u>55</u>	<u>6</u>
G10	Huntington's disease	9	9	0
G11	Hereditary ataxia	2	2	0
G12	Spinal muscular atrophy and related syndromes	50	44	6
<u>G20-G26</u>	<u>Extrapyramidal and movement disorders</u>	<u>127</u>	<u>113</u>	<u>14</u>
G20	Parkinson's disease	125	111	14
G23	Other degenerative diseases of basal ganglia	1	1	0
G24	Dystonia	1	1	0
<u>G30-G32</u>	<u>Other degenerative diseases of the nervous system</u>	<u>583</u>	<u>459</u>	<u>124</u>
G30	Alzheimer's disease	575	453	122
G31	Other degenerative diseases of nervous system, not elsewhere classified	8	6	2
<u>G35-G37</u>	<u>Demyelinating diseases of the central nervous system</u>	<u>12</u>	<u>9</u>	<u>3</u>
G35	Multiple sclerosis	11	8	3
G37	Other demyelinating diseases of central nervous system	1	1	0
<u>G40-G47</u>	<u>Episodic and paroxysmal disorders</u>	<u>32</u>	<u>22</u>	<u>10</u>
G40	Epilepsy	15	11	4
G41	Status epilepticus	2	1	1
G45	Transient cerebral ischemic attacks and related syndromes	6	4	2
G47	Sleep disorders	9	6	3
<u>G50-G59</u>	<u>Nerve, nerve root and plexus disorders</u>	<u>1</u>	<u>0</u>	<u>1</u>
G52	Disorders of other cranial nerves	1	0	1

Table 10B - Page 8
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>G60-G64</u>	<u>Polyneuropathies and other disorders of the peripheral nervous system</u>	<u>8</u>	<u>5</u>	<u>3</u>
G61	Inflammatory polyneuropathy	3	1	2
G62	Other polyneuropathies	5	4	1
<u>G70-G73</u>	<u>Diseases of myoneural junction and muscle</u>	<u>25</u>	<u>18</u>	<u>7</u>
G70	Myasthenia gravis and other myoneural disorders	4	2	2
G71	Primary disorders of muscles	17	14	3
G72	Other myopathies	4	2	2
<u>G80-G83</u>	<u>Cerebral palsy and other paralytic syndromes</u>	<u>39</u>	<u>25</u>	<u>14</u>
G80	Infantile cerebral palsy	26	14	12
G82	Paraplegia and tetraplegia	13	11	2
<u>G90-G99</u>	<u>Other disorders of the nervous system</u>	<u>110</u>	<u>60</u>	<u>50</u>
G90	Disorders of autonomic nervous system	2	2	0
G91	Hydrocephalus	8	4	4
G93	Other disorders of brain	97	52	45
G95	Other diseases of spinal cord	1	1	0
G96	Other disorders of central nervous system	2	1	1
<u>H00-H59</u>	<u>DISEASES OF THE EYE AND ADNEXA</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>H60-H95</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>H80-H83</u>	<u>Diseases of inner ear</u>	<u>1</u>	<u>0</u>	<u>1</u>
H83	Other diseases of inner ear	1	0	1
<u>I00-I99</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,088</u>	<u>7,473</u>	<u>3,615</u>
<u>I05-I09</u>	<u>Chronic rheumatic heart diseases</u>	<u>16</u>	<u>11</u>	<u>5</u>
I05	Rheumatic mitral valve diseases	11	6	5
I07	Rheumatic tricuspid valve diseases	1	1	0
I08	Multiple valve diseases	2	2	0
I09	Other rheumatic heart diseases	2	2	0
<u>I10-I13</u>	<u>Hypertensive diseases</u>	<u>995</u>	<u>474</u>	<u>521</u>
I10	Essential (primary) hypertension	254	131	123
I11	Hypertensive heart disease	559	280	279
I12	Hypertensive renal disease	115	46	69
I13	Hypertensive heart and renal disease	67	17	50
<u>I20-I25</u>	<u>Ischemic heart diseases</u>	<u>4,822</u>	<u>3,469</u>	<u>1,353</u>
I20	Angina pectoris	3	3	0
I21	Acute myocardial infarction	2,226	1,560	666
I24	Other acute ischemic heart diseases	22	10	12
I25	Chronic ischemic heart disease	2,571	1,896	675
<u>I26-I28</u>	<u>Pulmonary heart disease and diseases of pulmonary circulation</u>	<u>216</u>	<u>122</u>	<u>94</u>
I26	Pulmonary embolism	138	80	58
I27	Other pulmonary heart diseases	77	41	36
I28	Other diseases of pulmonary vessels	1	1	0

Table 10B - Page 9
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>I30-I51</u>	<u>Other forms of heart disease</u>	<u>2,982</u>	<u>2,033</u>	<u>949</u>
I31	Other diseases of pericardium	7	4	3
I33	Acute and subacute endocarditis	12	11	1
I34	Nonrheumatic mitral valve disorders	21	18	3
I35	Nonrheumatic aortic valve disorders	74	61	13
I38	Endocarditis, valve unspecified	30	21	9
I40	Acute myocarditis	5	1	4
I42	Cardiomyopathy	287	191	96
I44	Atrioventricular and left bundle-branch block	8	5	3
I45	Other conduction disorders	2	1	1
I46	Cardiac arrest	741	441	300
I47	Paroxysmal tachycardia	7	4	3
I48	Atrial fibrillation and flutter	81	64	17
I49	Other cardiac arrhythmias	91	67	24
I50	Heart failure	1,369	974	395
I51	Complications and ill-defined descriptions of heart disease	247	170	77
<u>I60-I69</u>	<u>Cerebrovascular diseases</u>	<u>1,723</u>	<u>1,110</u>	<u>613</u>
I60	Subarachnoid hemorrhage	85	55	30
I61	Intracerebral hemorrhage	185	115	70
I62	Other nontraumatic intracranial hemorrhage	101	65	36
I63	Cerebral infarction	105	70	35
I64	Stroke, not specified as hemorrhage or infarction	1,052	676	376
I67	Other cerebrovascular diseases	74	56	18
I69	Sequelae of cerebrovascular disease	121	73	48
<u>I70-I78</u>	<u>Diseases of arteries, arterioles and capillaries</u>	<u>285</u>	<u>222</u>	<u>63</u>
I70	Atherosclerosis	55	44	11
I71	Aortic aneurysm and dissection	147	116	31
I72	Other aneurysm	4	4	0
I73	Other peripheral vascular diseases	57	40	17
I74	Arterial embolism and thrombosis	8	7	1
I77	Other disorders of arteries and arterioles	12	10	2
I78	Diseases of capillaries	2	1	1
<u>I80-I89</u>	<u>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</u>	<u>40</u>	<u>28</u>	<u>12</u>
I80	Phlebitis and thrombophlebitis	33	22	11
I81	Portal vein thrombosis	2	2	0
I82	Other venous embolism and thrombosis	3	2	1
I85	Esophageal varices	1	1	0
I87	Other disorders of veins	1	1	0
<u>I95-I99</u>	<u>Other and unspecified disorders of the circulatory system</u>	<u>9</u>	<u>4</u>	<u>5</u>
I95	Hypotension	4	1	3
I99	Other and unspecified disorders of circulatory system	5	3	2
<u>J00-J98</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>2,718</u>	<u>2,157</u>	<u>561</u>
<u>J00-J06</u>	<u>Acute upper respiratory infections</u>	<u>3</u>	<u>1</u>	<u>2</u>
J02	Acute pharyngitis	1	0	1
J06	Acute upper respiratory infections of multiple and unspecified sites	2	1	1

Table 10B - Page 10
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>J10-J18</u>	<u>Influenza and pneumonia</u>	<u>754</u>	<u>553</u>	<u>201</u>
J10	Influenza due to identified influenza virus	2	2	0
J11	Influenza, virus not identified	10	7	3
J12	Viral pneumonia, not elsewhere classified	9	7	2
J13	Pneumonia due to Streptococcus pneumoniae	7	7	0
J15	Bacterial pneumonia, not elsewhere classified	32	21	11
J18	Pneumonia, organism unspecified	694	509	185
<u>J20-J22</u>	<u>Other acute lower respiratory infections</u>	<u>5</u>	<u>4</u>	<u>1</u>
J20	Acute bronchitis	4	4	0
J21	Acute bronchiolitis	1	0	1
<u>J30-J39</u>	<u>Other diseases of upper respiratory tract</u>	<u>4</u>	<u>3</u>	<u>1</u>
J32	Chronic sinusitis	1	0	1
J38	Diseases of vocal cords and larynx, not elsewhere classified	2	2	0
J39	Other diseases of upper respiratory tract	1	1	0
<u>J40-J47</u>	<u>Chronic lower respiratory diseases</u>	<u>1,385</u>	<u>1,182</u>	<u>203</u>
J40	Bronchitis, not specified as acute or chronic	14	12	2
J42	Unspecified chronic bronchitis	5	4	1
J43	Emphysema	116	96	20
J44	Other chronic obstructive pulmonary disease	1,208	1,052	156
J45	Asthma	33	12	21
J46	Status asthmaticus	1	0	1
J47	Bronchiectasis	8	6	2
<u>J60-J70</u>	<u>Lung diseases due to external agents</u>	<u>232</u>	<u>170</u>	<u>62</u>
J61	Pneumoconiosis due to asbestos and other mineral fibers	16	15	1
J62	Pneumoconiosis due to dust containing silica	1	1	0
J69	Pneumonitis due to solids and liquids	215	154	61
<u>J80-J84</u>	<u>Other respiratory diseases principally affecting the interstitium</u>	<u>177</u>	<u>136</u>	<u>41</u>
J80	Adult respiratory distress syndrome	27	24	3
J81	Pulmonary edema	10	7	3
J82	Pulmonary eosinophilia, not elsewhere classified	2	0	2
J84	Other interstitial pulmonary diseases	138	105	33
<u>J85-J86</u>	<u>Suppurative and necrotic conditions of lower respiratory tract</u>	<u>13</u>	<u>10</u>	<u>3</u>
J85	Abscess of lung and mediastinum	7	4	3
J86	Pyothorax	6	6	0
<u>J90-J94</u>	<u>Other diseases of pleura</u>	<u>27</u>	<u>17</u>	<u>10</u>
J90	Pleural effusion, not elsewhere classified	21	14	7
J93	Pneumothorax	5	2	3
J94	Other pleural conditions	1	1	0
<u>J95-J99</u>	<u>Other diseases of the respiratory system</u>	<u>118</u>	<u>81</u>	<u>37</u>
J96	Respiratory failure, not elsewhere classified	67	49	18
J98	Other respiratory disorders	51	32	19
<u>K00-K92</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>874</u>	<u>626</u>	<u>248</u>
<u>K20-K31</u>	<u>Diseases of esophagus, stomach and duodenum</u>	<u>64</u>	<u>48</u>	<u>16</u>
K20	Esophagitis	2	2	0

Table 10B - Page 11
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
K21	Gastroesophageal reflux disease	6	6	0
K22	Other diseases of esophagus	13	10	3
K25	Gastric ulcer	8	5	3
K26	Duodenal ulcer	12	8	4
K27	Peptic ulcer, site unspecified	11	7	4
K29	Gastritis and duodenitis	6	4	2
K31	Other diseases of stomach and duodenum	6	6	0
<u>K35-K38</u>	<u>Diseases of appendix</u>	<u>6</u>	<u>5</u>	<u>1</u>
K35	Acute appendicitis	6	5	1
<u>K40-K46</u>	<u>Hernia</u>	<u>11</u>	<u>5</u>	<u>6</u>
K40	Inguinal hernia	3	1	2
K44	Diaphragmatic hernia	4	3	1
K46	Unspecified abdominal hernia	4	1	3
<u>K50-K52</u>	<u>Noninfective enteritis and colitis</u>	<u>17</u>	<u>13</u>	<u>4</u>
K50	Crohn's disease [regional enteritis]	7	6	1
K51	Ulcerative colitis	3	3	0
K52	Other noninfective gastroenteritis and colitis	7	4	3
<u>K55-K63</u>	<u>Other diseases of intestines</u>	<u>230</u>	<u>166</u>	<u>64</u>
K55	Vascular disorders of intestine	83	58	25
K56	Paralytic ileus and intestinal obstruction without hernia	77	45	32
K57	Diverticular disease of intestine	36	34	2
K59	Other functional intestinal disorders	4	3	1
K61	Abscess of anal and rectal regions	1	1	0
K63	Other diseases of intestine	29	25	4
<u>K65-K67</u>	<u>Diseases of peritoneum</u>	<u>17</u>	<u>8</u>	<u>9</u>
K65	Peritonitis	15	6	9
K66	Other disorders of peritoneum	2	2	0
<u>K70-K76</u>	<u>Diseases of liver</u>	<u>332</u>	<u>248</u>	<u>84</u>
K70	Alcoholic liver disease	66	43	23
K71	Toxic liver disease	1	1	0
K72	Hepatic failure, not elsewhere classified	44	28	16
K73	Chronic hepatitis, not elsewhere classified	3	2	1
K74	Fibrosis and cirrhosis of liver	151	122	29
K75	Other inflammatory liver diseases	13	7	6
K76	Other diseases of liver	54	45	9
<u>K80-K87</u>	<u>Disorders of gallbladder, biliary tract and pancreas</u>	<u>83</u>	<u>56</u>	<u>27</u>
K80	Cholelithiasis	8	5	3
K81	Cholecystitis	18	14	4
K82	Other diseases of gallbladder	4	3	1
K83	Other diseases of biliary tract	6	6	0
K85	Acute pancreatitis	39	24	15
K86	Other diseases of pancreas	8	4	4
<u>K90-K93</u>	<u>Other diseases of the digestive system</u>	<u>114</u>	<u>77</u>	<u>37</u>
K90	Intestinal malabsorption	3	2	1
K92	Other diseases of the digestive system	111	75	36
<u>L00-L98</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>76</u>	<u>28</u>	<u>48</u>
<u>L00-L08</u>	<u>Infections of the skin and subcutaneous tissue</u>	<u>19</u>	<u>12</u>	<u>7</u>

Table 10B - Page 12
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
L02	Cutaneous abscess, furuncle, and carbuncle	2	1	1
L03	Cellulitis	15	10	5
L08	Other local infections of skin and subcutaneous tissue	2	1	1
<u>L10-L14</u>	<u>Bullous disorders</u>	<u>1</u>	<u>1</u>	<u>0</u>
L12	Pemphigoid	1	1	0
<u>L20-L30</u>	<u>Dermatitis and eczema</u>	<u>1</u>	<u>1</u>	<u>0</u>
L26	Exfoliative dermatitis	1	1	0
<u>L50-L54</u>	<u>Urticaria and erythema</u>	<u>4</u>	<u>1</u>	<u>3</u>
L51	Erythema multiforme	3	0	3
L53	Other erythematous conditions	1	1	0
<u>L80-L99</u>	<u>Other disorders of the skin and subcutaneous tissue</u>	<u>51</u>	<u>13</u>	<u>38</u>
L89	Decubitus ulcer	41	10	31
L92	Granulomatous disorders of skin and subcutaneous tissue	1	0	1
L93	Lupus erythematosus	6	2	4
L97	Ulcer of lower limb, not elsewhere classified	1	1	0
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	2	0	2
<u>M00-M99</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>100</u>	<u>61</u>	<u>39</u>
<u>M00-M25</u>	<u>Arthropathies</u>	<u>28</u>	<u>20</u>	<u>8</u>
<u>M00-M03</u>	<u>Infectious arthropathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
M00	Pyogenic arthritis	2	1	1
<u>M05-M14</u>	<u>Inflammatory polyarthropathies</u>	<u>18</u>	<u>13</u>	<u>5</u>
M05	Seropositive rheumatoid arthritis	2	2	0
M06	Other rheumatoid arthritis	12	10	2
M10	Gout	1	1	0
M13	Other arthritis	3	0	3
<u>M15-M19</u>	<u>Arthrosis</u>	<u>8</u>	<u>6</u>	<u>2</u>
M15	Polyarthrosis	1	1	0
M19	Other arthrosis	7	5	2
<u>M30-M36</u>	<u>Systemic connective tissue disorders</u>	<u>47</u>	<u>24</u>	<u>23</u>
M31	Other necrotizing vasculopathies	7	3	4
M32	Systemic lupus erythematosus	16	9	7
M33	Dermatopolymyositis	1	0	1
M34	Systemic sclerosis	18	9	9
M35	Other systemic involvement of connective tissue	5	3	2
<u>M40-M54</u>	<u>Dorsopathies</u>	<u>7</u>	<u>5</u>	<u>2</u>
<u>M40-M43</u>	<u>Deforming dorsopathies</u>	<u>2</u>	<u>2</u>	<u>0</u>
M40	Kyphosis and lordosis	1	1	0
M41	Scoliosis	1	1	0
<u>M45-M49</u>	<u>Spondylopathies</u>	<u>4</u>	<u>3</u>	<u>1</u>
M46	Other inflammatory spondylopathies	2	1	1
M47	Spondylosis	2	2	0
<u>M50-M54</u>	<u>Other dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
M54	Dorsalgia	1	0	1
<u>M60-M79</u>	<u>Soft tissue disorders</u>	<u>8</u>	<u>4</u>	<u>4</u>

Table 10B - Page 13
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>M60-M63</u>	<u>Disorders of muscles</u>	<u>6</u>	<u>4</u>	<u>2</u>
M62	Other disorders of muscle	6	4	2
<u>M70-M79</u>	<u>Other soft tissue disorders</u>	<u>2</u>	<u>0</u>	<u>2</u>
M72	Fibroblastic disorders	2	0	2
<u>M80-M94</u>	<u>Osteopathies and chondropathies</u>	<u>10</u>	<u>8</u>	<u>2</u>
<u>M80-M85</u>	<u>Disorders of bone density and structure</u>	<u>4</u>	<u>4</u>	<u>0</u>
M80	Osteoporosis with pathological fracture	2	2	0
M81	Osteoporosis without pathological fracture	1	1	0
M84	Disorders of continuity of bone	1	1	0
<u>M86-M90</u>	<u>Other osteopathies</u>	<u>5</u>	<u>3</u>	<u>2</u>
M86	Osteomyelitis	5	3	2
<u>M91-M94</u>	<u>Chondropathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
M94	Other disorders of cartilage	1	1	0
<u>N00-N98</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>891</u>	<u>502</u>	<u>389</u>
<u>N00-N07</u>	<u>Glomerular diseases</u>	<u>4</u>	<u>2</u>	<u>2</u>
N03	Chronic nephritic syndrome	4	2	2
<u>N10-N16</u>	<u>Renal tubulo-interstitial diseases</u>	<u>7</u>	<u>5</u>	<u>2</u>
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	4	3	1
N13	Obstructive and reflux uropathy	2	1	1
N15	Other renal tubulo-interstitial diseases	1	1	0
<u>N17-N19</u>	<u>Renal failure</u>	<u>671</u>	<u>359</u>	<u>312</u>
N17	Acute renal failure	91	59	32
N18	Chronic renal failure	285	140	145
N19	Unspecified renal failure	295	160	135
<u>N25-N29</u>	<u>Other disorders of kidney and ureter</u>	<u>24</u>	<u>10</u>	<u>14</u>
N28	Other disorders of kidney and ureter, not elsewhere classified	24	10	14
<u>N30-N39</u>	<u>Other diseases of urinary system</u>	<u>173</u>	<u>120</u>	<u>53</u>
N30	Cystitis	1	1	0
N32	Other disorders of bladder	3	3	0
N35	Urethral stricture	1	0	1
N36	Other disorders of urethra	1	1	0
N39	Other disorders of urinary system	167	115	52
<u>N40-N50</u>	<u>Diseases of male genital organs</u>	<u>5</u>	<u>4</u>	<u>1</u>
N40	Hyperplasia of prostate	1	1	0
N42	Other disorders of prostate	2	1	1
N48	Other disorders of penis	1	1	0
N49	Inflammatory disorders of male genital organs, not elsewhere classified	1	1	0
<u>N70-N77</u>	<u>Inflammatory diseases of female pelvic organs</u>	<u>4</u>	<u>1</u>	<u>3</u>
N70	Salpingitis and oophoritis	2	0	2
N71	Inflammatory disease of uterus, except cervix	1	1	0
N73	Other female pelvic inflammatory diseases	1	0	1
<u>N80-N98</u>	<u>Noninflammatory disorders of female genital tract</u>	<u>3</u>	<u>1</u>	<u>2</u>
N83	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	0	1

Table 10B - Page 14
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
N85	Other noninflammatory disorders of uterus, except cervix	1	0	1
N93	Other abnormal uterine and vaginal bleeding	1	1	0
<u>O00-O99</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>7</u>	<u>3</u>	<u>4</u>
<u>O10-O92</u>	<u>Other direct obstetric deaths</u>	<u>4</u>	<u>3</u>	<u>1</u>
<u>O10-O16</u>	<u>Edema, proteinuria and hypertensive disorders</u> <u>in pregnancy, childbirth and the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
O14	Gestational [pregnancy-induced] hypertension with significant proteinuria	1	0	1
<u>O20-O29</u>	<u>Other maternal disorders predominantly related to pregnancy</u>	<u>1</u>	<u>1</u>	<u>0</u>
O26	Maternal care for other conditions predominantly related to pregnancy	1	1	0
<u>O85-O92</u>	<u>Complications predominantly related to the puerperium</u>	<u>2</u>	<u>2</u>	<u>0</u>
O88	Obstetric embolism	2	2	0
<u>O95-O99</u>	<u>Other obstetric conditions, not elsewhere classified</u>	<u>3</u>	<u>0</u>	<u>3</u>
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	2	0	2
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>P00-P96</u>	<u>CERTAIN CONDITIONS ORIGINATING</u> <u>IN THE PERINATAL PERIOD</u>	<u>204</u>	<u>65</u>	<u>139</u>
<u>P00-P04</u>	<u>Fetus and newborn affected by maternal factors</u> <u>and by complications of pregnancy, labor and delivery</u>	<u>22</u>	<u>13</u>	<u>9</u>
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	1	1	0
P01	Newborn affected by maternal complications of pregnancy	12	7	5
P02	Newborn affected by complications of placenta, cord, and membranes	7	4	3
P03	Newborn affected by other complications of labor and delivery	2	1	1
<u>P05-P08</u>	<u>Disorders related to length of gestation and fetal growth</u>	<u>84</u>	<u>20</u>	<u>64</u>
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	84	20	64
<u>P20-P29</u>	<u>Respiratory and cardiovascular disorders specific</u> <u>to the perinatal period</u>	<u>54</u>	<u>18</u>	<u>36</u>
P20	Intrauterine hypoxia	2	0	2
P21	Birth asphyxia	8	4	4
P22	Respiratory distress of newborn	14	5	9
P23	Congenital pneumonia	3	0	3
P26	Pulmonary hemorrhage originating in the perinatal period	5	0	5
P27	Chronic respiratory disease originating in the perinatal period	3	2	1
P28	Other respiratory conditions originating in the perinatal period	6	3	3
P29	Cardiovascular disorders originating in the perinatal period	13	4	9

Table 10B - Page 15
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>P35-P39</u>	<u>Infections specific to the perinatal period</u>	<u>21</u>	<u>7</u>	<u>14</u>
P36	Bacterial sepsis of newborn	20	7	13
P37	Other congenital infectious and parasitic diseases	1	0	1
<u>P50-P61</u>	<u>Hemorrhagic and hematological disorders of fetus and newborn</u>	<u>6</u>	<u>2</u>	<u>4</u>
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	5	2	3
P60	Disseminated intravascular coagulation of newborn	1	0	1
<u>P70-P74</u>	<u>Transitory endocrine and metabolic disorders</u>			
	<u>specific to fetus and newborn</u>	<u>2</u>	<u>0</u>	<u>2</u>
P74	Other transitory neonatal electrolyte and metabolic disturbances	2	0	2
<u>P75-P78</u>	<u>Digestive system disorders of fetus and newborn</u>	<u>8</u>	<u>2</u>	<u>6</u>
P77	Necrotizing enterocolitis of newborn	8	2	6
<u>P80-P83</u>	<u>Conditions involving the integument and temperature</u>			
	<u>regulation of fetus and newborn</u>	<u>2</u>	<u>2</u>	<u>0</u>
P83	Other conditions of integument specific to newborn	2	2	0
<u>P90-P96</u>	<u>Other disorders originating in the perinatal period</u>	<u>5</u>	<u>1</u>	<u>4</u>
P96	Other conditions originating in the perinatal period	5	1	4
<u>Q00-Q99</u>	<u>CONGENITAL MALFORMATIONS, DEFORMATIONS</u>			
	<u>AND CHROMOSOMAL ABNORMALITIES</u>	<u>114</u>	<u>53</u>	<u>61</u>
<u>Q00-Q07</u>	<u>Congenital malformations of the nervous system</u>	<u>14</u>	<u>5</u>	<u>9</u>
Q00	Anencephaly and similar malformations	4	2	2
Q02	Microcephaly	1	1	0
Q03	Congenital hydrocephalus	2	0	2
Q04	Other congenital malformations of brain	6	2	4
Q05	Spina bifida	1	0	1
<u>Q20-Q28</u>	<u>Congenital malformations of the circulatory system</u>	<u>42</u>	<u>21</u>	<u>21</u>
Q20	Congenital malformations of cardiac chambers and connections	2	0	2
Q21	Congenital malformations of cardiac septa	5	2	3
Q22	Congenital malformations of pulmonary and tricuspid valves	4	1	3
Q23	Congenital malformations of aortic and mitral valves	5	3	2
Q24	Other congenital malformations of heart	16	9	7
Q25	Congenital malformations of great arteries	3	2	1
Q26	Congenital malformations of great veins	1	1	0
Q27	Other congenital malformations of peripheral vascular system	3	2	1
Q28	Other congenital malformations of circulatory system	3	1	2
<u>Q30-Q34</u>	<u>Congenital malformations of the respiratory system</u>	<u>9</u>	<u>5</u>	<u>4</u>
Q33	Congenital malformations of lung	9	5	4
<u>Q38-Q45</u>	<u>Other congenital malformations of the digestive system</u>	<u>3</u>	<u>2</u>	<u>1</u>
Q40	Other congenital malformations of upper alimentary tract	1	1	0
Q43	Other congenital malformations of intestine	1	0	1
Q44	Congenital malformations of gallbladder, bile ducts, and liver	1	1	0
<u>Q60-Q64</u>	<u>Congenital malformations of the urinary system</u>	<u>8</u>	<u>5</u>	<u>3</u>
Q60	Renal agenesis and other reduction defects of kidney	2	1	1
Q61	Cystic kidney disease	6	4	2
<u>Q65-Q79</u>	<u>Congenital malformations and deformations of</u>			
	<u>the musculoskeletal system</u>	<u>6</u>	<u>1</u>	<u>5</u>

Table 10B - Page 16
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
Q75	Other congenital malformations of skull and face bones	1	0	1
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	1	0	1
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	4	1	3
<u>Q80-Q89</u>	<u>Other congenital malformations</u>	<u>13</u>	<u>4</u>	<u>9</u>
Q85	Phakomatoses, not elsewhere classified	1	0	1
Q87	Other specified congenital malformation syndromes affecting multiple systems	1	0	1
Q89	Other congenital malformations, not elsewhere classified	11	4	7
<u>Q90-Q99</u>	<u>Chromosomal abnormalities, not elsewhere classified</u>	<u>19</u>	<u>10</u>	<u>9</u>
Q90	Down's syndrome	11	6	5
Q91	Edwards' syndrome and Patau's syndrome	7	3	4
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	1	1	0
<u>R00-R99</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED</u>	<u>431</u>	<u>258</u>	<u>173</u>
<u>R00-R09</u>	<u>Symptoms and signs involving the circulatory and respiratory systems</u>	<u>131</u>	<u>96</u>	<u>35</u>
R02	Gangrene, not elsewhere classified	3	1	2
R04	Hemorrhage from respiratory passages	1	1	0
R06	Abnormalities of breathing	3	2	1
R09	Other symptoms and signs involving the circulatory and respiratory systems	124	92	32
<u>R10-R19</u>	<u>Symptoms and signs involving the digestive system and abdomen</u>	<u>3</u>	<u>3</u>	<u>0</u>
R19	Other symptoms and signs involving the digestive system and abdomen	3	3	0
<u>R25-R29</u>	<u>Symptoms and signs involving the nervous and musculoskeletal systems</u>	<u>1</u>	<u>1</u>	<u>0</u>
R27	Other lack of coordination	1	1	0
<u>R40-R46</u>	<u>Symptoms and signs involving cognition, perception, emotional state and behavior</u>	<u>1</u>	<u>0</u>	<u>1</u>
R40	Somnolence, stupor, and coma	1	0	1
<u>R47-R49</u>	<u>Symptoms and signs involving speech and voice</u>	<u>1</u>	<u>1</u>	<u>0</u>
R47	Speech disturbances, not elsewhere classified	1	1	0
<u>R50-R69</u>	<u>General symptoms and signs</u>	<u>143</u>	<u>88</u>	<u>55</u>
R53	Malaise and fatigue	44	26	18
R54	Senility	20	14	6
R55	Syncope and collapse	1	0	1
R56	Convulsions, not elsewhere classified	21	6	15
R57	Shock, not elsewhere classified	7	3	4
R58	Hemorrhage, not elsewhere classified	6	3	3
R60	Edema, not elsewhere classified	1	0	1
R62	Lack of expected normal physiological development	36	29	7

Table 10B - Page 17
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
R63	Symptoms and signs concerning food and fluid intake	2	2	0
R64	Cachexia	5	5	0
<u>R70-R79</u>	<u>Abnormal findings on examination of blood, without diagnosis</u>	<u>2</u>	<u>1</u>	<u>1</u>
R75	Laboratory evidence of human immunodeficiency virus [HIV]	2	1	1
<u>R90-R94</u>	<u>Abnormal findings on diagnostic imaging and in function studies, without diagnosis</u>	<u>2</u>	<u>2</u>	<u>0</u>
R91	Abnormal findings on diagnostic imaging of lung	2	2	0
<u>R95-R99</u>	<u>Ill-defined and unknown causes of mortality</u>	<u>147</u>	<u>66</u>	<u>81</u>
R95	Sudden infant death syndrome	95	34	61
R96	Other sudden death, cause unknown	3	2	1
R99	Other ill-defined and unspecified causes of mortality	49	30	19
<u>V01-Y89</u>	<u>EXTERNAL CAUSES OF MORTALITY</u>	<u>2,379</u>	<u>1,565</u>	<u>814</u>
<u>V01-V09</u>	<u>Pedestrian injured in transport accident</u>	<u>50</u>	<u>27</u>	<u>23</u>
V03	Pedestrian injured in collision with car, pickup truck, or van	40	19	21
V04	Pedestrian injured in collision with heavy transport vehicle or bus	5	4	1
V05	Pedestrian injured in collision with railway train or railway vehicle	1	1	0
V09	Pedestrian injured in other and unspecified transport accidents	4	3	1
<u>V10-V19</u>	<u>Pedal cyclist injured in transport accident</u>	<u>7</u>	<u>4</u>	<u>3</u>
V13	Pedal cyclist injured in collision with car, pickup truck, or van	6	3	3
V14	Pedal cyclist injured in collision with heavy transport vehicle or bus	1	1	0
<u>V20-V29</u>	<u>Motorcycle rider injured in transport accident</u>	<u>41</u>	<u>30</u>	<u>11</u>
V20	Motorcycle rider injured in collision with pedestrian or animal	1	1	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	17	9	8
V24	Motorcycle rider injured in collision with heavy transport vehicle or bus	4	4	0
V27	Motorcycle rider injured in collision with fixed or stationary object	7	6	1
V28	Motorcycle rider injured in noncollision transport accident	6	5	1
V29	Motorcycle rider injured in other and unspecified transport accidents	6	5	1
<u>V30-V39</u>	<u>Occupant of three-wheeled motor vehicle injured in transport accident</u>	<u>1</u>	<u>1</u>	<u>0</u>
V38	Occupant of three-wheeled motor vehicle injured in noncollision transport accident	1	1	0
<u>V40-V49</u>	<u>Car occupant injured in transport accident</u>	<u>522</u>	<u>336</u>	<u>186</u>
V40	Car occupant injured in collision with pedestrian or animal	2	1	1
V42	Car occupant injured in collision with two- or three-wheeled motor vehicle	1	0	1

Table 10B - Page 18
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
V43	Car occupant injured in collision with car, pickup truck, or van	159	109	50
V44	Car occupant injured in collision with heavy transport vehicle or bus	58	39	19
V45	Car occupant injured in collision with railway train or railway vehicle	8	5	3
V46	Car occupant injured in collision with other nonmotor vehicle	1	0	1
V47	Car occupant injured in collision with fixed or stationary object	144	93	51
V48	Car occupant injured in noncollision transport accident	130	79	51
V49	Car occupant injured in other and unspecified transport accidents	19	10	9
<u>V50-V59</u>	<u>Occupant of pick-up truck or van injured in transport accident</u>	<u>142</u>	<u>107</u>	<u>35</u>
V50	Occupant of pickup truck or van injured in collision with pedestrian or animal	1	1	0
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	31	24	7
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	15	8	7
V55	Occupant of pickup truck or van injured in collision with railway train or railway vehicle	1	1	0
V56	Occupant of pickup truck or van injured in collision with other nonmotor vehicle	1	0	1
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	42	38	4
V58	Occupant of pickup truck or van injured in noncollision transport accident	44	31	13
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	7	4	3
<u>V60-V69</u>	<u>Occupant of heavy transport vehicle injured in transport accident</u>	<u>15</u>	<u>8</u>	<u>7</u>
V60	Occupant of heavy transport vehicle injured in collision with pedestrian or animal	1	1	0
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	1	0	1
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	4	2	2
V67	Occupant of heavy transport vehicle injured in collision with fixed or stationary object	3	2	1
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	3	2	1
V69	Occupant of heavy transport vehicle injured in other and unspecified transport accidents	3	1	2
<u>V70-V79</u>	<u>Bus occupant injured in transport accident</u>	<u>1</u>	<u>0</u>	<u>1</u>
V78	Bus occupant injured in noncollision transport accident	1	0	1
<u>V80-V89</u>	<u>Other land transport accidents</u>	<u>114</u>	<u>83</u>	<u>31</u>

Table 10B - Page 19
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	3	1	2
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	8	8	0
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	12	11	1
V87	Traffic accident of specified type but victim's mode of transport unknown	18	10	8
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	73	53	20
<u>V90-V94</u>	<u>Water transport accidents</u>	<u>21</u>	<u>10</u>	<u>11</u>
V90	Accident to watercraft causing drowning and submersion	7	2	5
V91	Accident to watercraft causing other injury	3	3	0
V92	Water-transport-related drowning and submersion without accident to watercraft	10	4	6
V93	Accident onboard watercraft without accident to watercraft, not causing drowning and submersion	1	1	0
<u>V95-V97</u>	<u>Air and space transport accidents</u>	<u>6</u>	<u>6</u>	<u>0</u>
V95	Accident to powered aircraft causing injury to occupant	5	5	0
V97	Other specified air transport accidents	1	1	0
<u>W00-W19</u>	<u>Falls</u>	<u>165</u>	<u>146</u>	<u>19</u>
W01	Fall on same level from slipping, tripping, and stumbling	11	10	1
W05	Fall involving wheelchair	5	5	0
W06	Fall involving bed	4	3	1
W07	Fall involving chair	7	7	0
W08	Fall involving other furniture	1	1	0
W10	Fall on and from stairs and steps	5	5	0
W12	Fall on and from scaffolding	2	1	1
W13	Fall from, out of, or through building or structure	6	6	0
W14	Fall from tree	1	1	0
W15	Fall from cliff	1	1	0
W16	Diving or jumping into water causing injury other than drowning or submersion	1	1	0
W17	Other fall from one level to another	5	4	1
W18	Other fall on same level	42	34	8
W19	Unspecified fall	74	67	7
<u>W20-W49</u>	<u>Exposure to inanimate mechanical forces</u>	<u>49</u>	<u>28</u>	<u>21</u>
W20	Struck by thrown, projected, or falling object	12	7	5
W22	Striking against or struck by other objects	2	2	0
W23	Caught, crushed, jammed, or pinched in or between objects	2	2	0
W24	Contact with lifting and transmission devices, not elsewhere classified	1	0	1
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	2	2	0
W31	Contact with other and unspecified machinery	2	2	0
W32	Handgun discharge	3	2	1
W33	Rifle, shotgun, and larger firearm discharge	7	5	2

Table 10B - Page 20
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
W34	Discharge from other and unspecified firearms	12	5	7
W37	Explosion and rupture of pressurized tire, pipe, or hose	1	0	1
W40	Explosion of other materials	4	0	4
<u>W50-W64</u>	<u>Exposure to animate mechanical forces</u>	<u>1</u>	<u>1</u>	<u>0</u>
W55	Bitten or struck by other mammals	1	1	0
<u>W65-W74</u>	<u>Accidental drowning and submersion</u>	<u>52</u>	<u>31</u>	<u>21</u>
W65	Drowning and submersion while in bathtub	5	4	1
W66	Drowning and submersion following fall into bathtub	2	1	1
W67	Drowning and submersion while in swimming pool	5	2	3
W68	Drowning and submersion following fall into swimming pool	4	4	0
W69	Drowning and submersion while in natural water	19	12	7
W70	Drowning and submersion following fall into natural water	7	4	3
W73	Other specified drowning and submersion	4	1	3
W74	Unspecified drowning and submersion	6	3	3
<u>W75-W84</u>	<u>Other accidental threats to breathing</u>	<u>101</u>	<u>64</u>	<u>37</u>
W75	Accidental suffocation and strangulation in bed	6	4	2
W76	Other accidental hanging and strangulation	1	0	1
W77	Threat to breathing due to cave-in, falling earth, and other substances	1	1	0
W78	Inhalation of gastric contents	6	1	5
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	12	10	2
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	69	44	25
W83	Other specified threats to breathing	1	1	0
W84	Unspecified threat to breathing	5	3	2
<u>W85-W99</u>	<u>Exposure to electric current, radiation and extreme ambient air temperature and pressure</u>	<u>11</u>	<u>8</u>	<u>3</u>
W85	Exposure to electric transmission lines	3	3	0
W86	Exposure to other specified electric current	3	2	1
W87	Exposure to unspecified electric current	4	3	1
W92	Exposure to excessive heat of man-made origin	1	0	1
<u>X00-X09</u>	<u>Exposure to smoke, fire and flames</u>	<u>79</u>	<u>42</u>	<u>37</u>
X00	Exposure to uncontrolled fire in building or structure	68	35	33
X01	Exposure to uncontrolled fire, not in building or structure	4	4	0
X03	Exposure to controlled fire, not in building or structure	3	1	2
X06	Exposure to ignition or melting of other clothing and apparel	1	1	0
X08	Exposure to other specified smoke, fire, and flames	1	0	1
X09	Exposure to unspecified smoke, fire, and flames	2	1	1
<u>X10-X19</u>	<u>Contact with heat and hot substances</u>	<u>3</u>	<u>2</u>	<u>1</u>
X10	Contact with hot drinks, food, fats, and cooking oils	2	2	0
X16	Contact with hot heating appliances, radiators, and pipes	1	0	1
<u>X20-X29</u>	<u>Contact with venomous animals and plants</u>	<u>5</u>	<u>4</u>	<u>1</u>
X23	Contact with hornets, wasps, and bees	2	2	0
X25	Contact with other specified venomous arthropods	3	2	1
<u>X30-X39</u>	<u>Exposure to forces of nature</u>	<u>20</u>	<u>9</u>	<u>11</u>
X30	Exposure to excessive natural heat	7	4	3

Table 10B - Page 21
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
X31	Exposure to excessive natural cold	11	4	7
X39	Exposure to other and unspecified forces of nature	2	1	1
<u>X40-X49</u>	<u>Accidental poisoning by and exposure to noxious substances</u>	<u>172</u>	<u>152</u>	<u>20</u>
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	6	5	1
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	34	23	11
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	123	117	6
X45	Accidental poisoning by and exposure to alcohol	2	1	1
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X47	Accidental poisoning by and exposure to other gases and vapors	3	2	1
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	2	2	0
<u>X58-X59</u>	<u>Accidental exposure to other and unspecified factors</u>	<u>49</u>	<u>35</u>	<u>14</u>
X58	Exposure to other specified factors	1	0	1
X59	Exposure to unspecified factor	48	35	13
<u>X60-X84</u>	<u>Intentional self-harm</u>	<u>336</u>	<u>283</u>	<u>53</u>
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	1	1	0
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	21	19	2
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	4	4	0
X69	Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances	2	2	0
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	52	41	11
X71	Intentional self harm (suicide) by drowning and submersion	2	1	1
X72	Intentional self harm (suicide) by handgun discharge	96	83	13
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	50	43	7
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	101	84	17
X76	Intentional self harm (suicide) by smoke, fire, and flames	2	0	2
X80	Intentional self harm (suicide) by jumping from a high place	3	3	0
X81	Intentional self harm (suicide) by jumping or lying before moving object	1	1	0

Table 10B - Page 22
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
<u>X85-Y09</u>	<u>Assault</u>	<u>300</u>	<u>83</u>	<u>217</u>
X85	Assault (homicide) by drugs, medicaments, and biological substances	1	1	0
X86	Assault (homicide) by corrosive substance	1	1	0
X91	Assault (homicide) by hanging, strangulation, and suffocation	8	4	4
X93	Assault (homicide) by handgun discharge	58	14	44
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	24	8	16
X95	Assault (homicide) by other and unspecified firearm discharge	119	31	88
X97	Assault (homicide) by smoke, fire, and flames	9	2	7
X99	Assault (homicide) by sharp object	40	7	33
Y00	Assault (homicide) by blunt object	6	1	5
Y03	Assault (homicide) by crashing of motor vehicle	1	1	0
Y04	Assault (homicide) by bodily force	1	0	1
Y07	Other maltreatment syndromes	1	0	1
Y08	Assault (homicide) by other specified means	7	1	6
Y09	Assault (homicide) by unspecified means	24	12	12
<u>Y10-Y34</u>	<u>Event of undetermined intent</u>	<u>25</u>	<u>19</u>	<u>6</u>
Y11	Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent	3	1	2
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	2	2	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	11	9	2
Y15	Poisoning by and exposure to alcohol, undetermined intent	1	1	0
Y21	Drowning and submersion, undetermined intent	1	0	1
Y24	Other and unspecified firearm discharge, undetermined intent	4	4	0
Y33	Other specified events, undetermined intent	3	2	1
<u>Y35-Y36</u>	<u>Legal intervention and operations of war</u>	<u>3</u>	<u>1</u>	<u>2</u>
Y35	Legal intervention	3	1	2
<u>Y40-Y59</u>	<u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>	<u>5</u>	<u>4</u>	<u>1</u>
Y44	Agents primarily affecting blood constituents	1	1	0
Y47	Sedatives, hypnotics, and antianxiety drugs	2	2	0
Y57	Other and unspecified drugs and medicaments	1	1	0
Y59	Other and unspecified vaccines and biological substances	1	0	1
<u>Y60-Y69</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>4</u>	<u>1</u>	<u>3</u>
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	4	1	3
<u>Y83-Y84</u>	<u>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure</u>	<u>51</u>	<u>23</u>	<u>28</u>

Table 10B - Page 23
Deaths - Mississippi - 2003

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON- WHITE
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	41	18	23
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	10	5	5
<u>Y85-Y89</u>	<u>Sequelae of external causes of mortality</u>	<u>28</u>	<u>17</u>	<u>11</u>
Y85	Sequelae of transport accidents	8	4	4
Y86	Sequelae of other accidents	12	9	3
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	4	0	4
Y88	Sequelae with surgical and medical care as external cause	3	3	0
Y89	Sequelae of other external causes	1	1	0
Y89	Sequelae of other external causes	1	1	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64				
		NUMBER	RATE#																	
<u>001-358</u>	<u>ALL CAUSES</u>	<u>28,333</u>	<u>9.8</u>	W	<u>19,013</u>	M	<u>9,389</u>	<u>79</u>	<u>21</u>	<u>13</u>	<u>20</u>	<u>171</u>	<u>205</u>	<u>401</u>	<u>847</u>	<u>1,387</u>	<u>6,245</u>	<u>0</u>		
						F	<u>9,624</u>	<u>79</u>	<u>17</u>	<u>9</u>	<u>15</u>	<u>89</u>	<u>97</u>	<u>276</u>	<u>429</u>	<u>849</u>	<u>7,762</u>	<u>2</u>		
				NW	<u>9,320</u>	M	<u>4,748</u>	<u>175</u>	<u>27</u>	<u>9</u>	<u>17</u>	<u>155</u>	<u>225</u>	<u>333</u>	<u>661</u>	<u>740</u>	<u>2,405</u>	<u>1</u>		
						F	<u>4,572</u>	<u>120</u>	<u>23</u>	<u>13</u>	<u>13</u>	<u>64</u>	<u>128</u>	<u>250</u>	<u>463</u>	<u>528</u>	<u>2,968</u>	<u>2</u>		
<u>001-055</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>870</u>	<u>30.2</u>	W	<u>459</u>	M	<u>221</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>7</u>	<u>24</u>	<u>36</u>	<u>32</u>	<u>119</u>	<u>0</u>		
						F	<u>238</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>14</u>	<u>22</u>	<u>27</u>	<u>168</u>	<u>0</u>		
				NW	<u>411</u>	M	<u>221</u>	<u>10</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>34</u>	<u>50</u>	<u>32</u>	<u>24</u>	<u>65</u>	<u>0</u>		
						F	<u>190</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>6</u>	<u>10</u>	<u>18</u>	<u>27</u>	<u>22</u>	<u>103</u>	<u>0</u>		
<u>009,010</u>	<u>TUBERCULOSIS</u>	<u>4</u>	<u>0.1</u>	W	<u>4</u>	M	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>		
						F	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>		
				NW	<u>0</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>039-043</u>	<u>HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE</u>	<u>188</u>	<u>6.5</u>	W	<u>33</u>	M	<u>25</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>10</u>	<u>8</u>	<u>3</u>	<u>0</u>	<u>0</u>		
						F	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>		
				NW	<u>155</u>	M	<u>107</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>27</u>	<u>46</u>	<u>17</u>	<u>10</u>	<u>6</u>	<u>0</u>		
						F	<u>48</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>10</u>	<u>15</u>	<u>13</u>	<u>1</u>	<u>4</u>	<u>0</u>		
<u>056-108</u>	<u>MALIGNANT NEOPLASMS</u>	<u>5,924</u>	<u>205.6</u>	W	<u>4,006</u>	M	<u>2,198</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>5</u>	<u>13</u>	<u>48</u>	<u>188</u>	<u>461</u>	<u>1,478</u>	<u>0</u>		
						F	<u>1,808</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>8</u>	<u>12</u>	<u>76</u>	<u>139</u>	<u>333</u>	<u>1,236</u>	<u>0</u>		
				NW	<u>1,918</u>	M	<u>1,038</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>6</u>	<u>38</u>	<u>141</u>	<u>239</u>	<u>607</u>	<u>0</u>		
						F	<u>880</u>	<u>0</u>	<u>1</u>	<u>5</u>	<u>1</u>	<u>3</u>	<u>12</u>	<u>63</u>	<u>130</u>	<u>151</u>	<u>514</u>	<u>0</u>		
<u>109-115</u>	<u>IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE</u>	<u>94</u>	<u>3.3</u>	W	<u>64</u>	M	<u>33</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>25</u>	<u>0</u>		
						F	<u>31</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>22</u>	<u>0</u>		
				NW	<u>30</u>	M	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>5</u>	<u>0</u>		
						F	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>2</u>	<u>1</u>	<u>9</u>	<u>0</u>		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64				
		NUMBER	RATE#																	
116-122	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	125	4.3	W	64	M	24	1	0	0	0	0	0	1	2	0	20	0		
						F	40	1	1	0	1	0	0	1	3	2	31	0		
				NW	61	M	31	0	1	0	0	2	3	2	3	9	11	0		
						F	30	0	0	0	0	1	1	4	8	2	14	0		
116-119	ANEMIAS	57	2.0	W	25	M	8	0	0	0	0	0	0	0	0	0	8	0		
						F	17	1	0	0	1	0	0	0	1	0	14	0		
				NW	32	M	20	0	1	0	0	2	2	1	3	4	7	0		
						F	12	0	0	0	0	1	1	0	2	0	8	0		
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	943	32.7	W	500	M	228	1	1	1	1	2	6	14	19	41	142	0		
						F	272	0	0	0	0	1	4	6	13	28	220	0		
				NW	443	M	178	0	0	0	2	0	5	10	25	36	100	0		
						F	265	1	0	0	1	4	11	14	29	38	166	1		
124	DIABETES MELLITUS	671	23.3	W	355	M	176	0	0	0	1	0	3	11	14	37	110	0		
						F	179	0	0	0	0	0	3	4	6	22	144	0		
				NW	316	M	135	0	0	0	1	0	3	6	17	34	74	0		
						F	181	0	0	0	1	0	6	4	17	28	124	1		
129-131	MALNUTRITION AND OTHER NUTRITIONAL DEFICIENCIES	41	1.4	W	26	M	10	0	0	0	0	0	0	0	1	0	9	0		
						F	16	0	0	0	0	0	0	0	2	1	13	0		
				NW	15	M	8	0	0	0	0	0	0	0	0	0	8	0		
						F	7	0	0	0	0	0	1	0	0	0	6	0		
136-144	MENTAL AND BEHAVIORAL DISORDERS	473	16.4	W	350	M	122	0	0	0	0	2	2	7	7	15	89	0		
						F	228	0	0	0	0	0	1	2	5	4	216	0		
				NW	123	M	62	0	0	0	0	0	4	5	14	6	33	0		
						F	61	0	0	0	0	1	0	3	6	2	49	0		
138	MENTAL AND BEHAVIORAL DISORDERS DUE TO USE OF ALCOHOL	56	1.9	W	28	M	23	0	0	0	0	1	0	2	5	9	6	0		
						F	5	0	0	0	0	0	0	1	2	1	1	0		
				NW	28	M	23	0	0	0	0	0	3	4	10	3	3	0		
						F	5	0	0	0	0	0	0	1	3	0	1	0		

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64				
		NUMBER	RATE#																	
<u>145-153</u>	<u>DISEASES OF THE NERVOUS SYSTEM</u>	<u>1021</u>	<u>35.4</u>	W	<u>779</u>	M	<u>313</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>1</u>	<u>9</u>	<u>22</u>	<u>36</u>	<u>237</u>	<u>0</u>		
						F	<u>466</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>4</u>	<u>15</u>	<u>22</u>	<u>414</u>	<u>0</u>		
				NW	<u>242</u>	M	<u>97</u>	<u>3</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u>4</u>	<u>10</u>	<u>8</u>	<u>7</u>	<u>55</u>	<u>0</u>		
						F	<u>145</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>8</u>	<u>14</u>	<u>109</u>	<u>0</u>		
145	MENINGITIS	11	0.4	W	3	M	2	0	0	0	0	0	0	0	1	1	0	0		
						F	1	1	0	0	0	0	0	0	0	0	0	0		
				NW	8	M	1	0	0	0	0	0	0	0	1	0	0	0		
						F	7	3	0	0	0	0	0	0	0	3	1	0		
147	PARKINSONS DISEASE	125	4.3	W	111	M	53	0	0	0	0	0	0	0	0	0	53	0		
						F	58	0	0	0	0	0	0	0	1	0	57	0		
				NW	14	M	10	0	0	0	0	0	0	0	0	1	9	0		
						F	4	0	0	0	0	0	0	0	1	0	3	0		
148	ALZHEIMERS DISEASE	575	20.0	W	453	M	137	0	0	0	0	0	0	0	0	2	135	0		
						F	316	0	0	0	0	0	0	0	0	2	314	0		
				NW	122	M	37	0	0	0	0	0	0	0	0	0	37	0		
						F	85	0	0	0	0	0	0	0	0	0	85	0		
150	EPILEPSY	17	0.6	W	12	M	9	0	0	0	1	0	1	1	2	2	2	0		
						F	3	0	0	0	0	1	0	1	0	0	1	0		
				NW	5	M	3	0	0	0	0	1	0	1	0	1	0	0		
						F	2	0	0	0	0	0	0	0	1	1	0	0		
<u>155</u>	<u>DISEASES OF THE EAR AND MASTOID PROCESS</u>	<u>1</u>	<u>*</u>	W	<u>0</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
				NW	<u>1</u>	M	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>156-191</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,088</u>	<u>384.8</u>	W	<u>7,473</u>	M	<u>3,454</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>3</u>	<u>19</u>	<u>96</u>	<u>273</u>	<u>497</u>	<u>2,560</u>	<u>0</u>		
						F	<u>4,019</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>54</u>	<u>97</u>	<u>252</u>	<u>3,604</u>	<u>1</u>		
				NW	<u>3,615</u>	M	<u>1,704</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>17</u>	<u>25</u>	<u>89</u>	<u>261</u>	<u>272</u>	<u>1,034</u>	<u>0</u>		
						F	<u>1,911</u>	<u>6</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>35</u>	<u>68</u>	<u>155</u>	<u>220</u>	<u>1,418</u>	<u>1</u>		

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64				
156-189	MAJOR CARDIO- VASCULAR DISEASES	11,039	383.1	W	7,441	M	3,439	1	1	2	2	3	19	96	271	494	2,550	0		
						F	4,002	1	0	0	1	2	6	53	96	249	3,593	1		
				NW	3,598	M	1,698	5	1	0	0	17	25	89	259	271	1,031	0		
						F	1,900	6	0	0	2	6	35	68	155	218	1,409	1		
156-160, 162, 164-181	HEART DISEASES	8,662	300.6	W	5,932	M	2,814	1	1	2	1	2	14	85	231	411	2,066	0		
						F	3,118	0	0	0	1	2	3	40	76	186	2,809	1		
				NW	2,730	M	1,290	4	1	0	0	14	20	70	207	205	769	0		
						F	1,440	5	0	0	1	4	27	55	119	164	1,065	0		
161,163	HYPERTENSION	369	12.8	W	177	M	77	0	0	0	0	0	1	2	9	10	55	0		
						F	100	0	0	0	0	0	0	1	3	11	85	0		
				NW	192	M	95	0	0	0	0	0	3	1	14	16	61	0		
						F	97	0	0	0	0	0	0	1	6	14	75	1		
182-186	CEREBROVASCULAR DISEASES	1,723	59.8	W	1,110	M	440	0	0	0	1	1	3	6	26	57	346	0		
						F	670	1	0	0	0	0	3	11	15	49	591	0		
				NW	613	M	287	1	0	0	0	3	2	17	35	49	180	0		
						F	326	0	0	0	1	0	8	10	28	38	241	0		
187	ATHEROSCLEROSIS	55	1.9	W	44	M	13	0	0	0	0	0	0	0	0	0	13	0		
						F	31	0	0	0	0	0	0	0	0	0	31	0		
				NW	11	M	7	0	0	0	0	0	0	0	0	0	7	0		
						F	4	0	0	0	0	0	0	0	0	0	4	0		
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,718	94.3	W	2,157	M	1,054	2	1	0	0	2	6	10	44	97	892	0		
						F	1,103	3	0	0	1	3	2	13	21	82	978	0		
				NW	561	M	283	4	1	1	0	1	7	8	20	34	206	1		
						F	278	5	1	0	0	3	6	12	23	21	207	0		
195	INFLUENZA	12	0.4	W	9	M	3	1	0	0	0	0	0	0	0	0	2	0		
						F	6	0	0	0	0	0	0	1	0	0	5	0		
				NW	3	M	2	0	0	0	0	0	1	0	1	0	0	0		
						F	1	0	0	0	0	0	0	0	0	0	1	0		

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65 AND OVER	UNKNOWN	
		NUMBER	RATE#																
196-198	PNEUMONIA	742	25.8	W	544	M	237	1	1	0	0	1	2	1	15	14	202	0	
						F	307	2	0	0	1	1	0	5	4	8	286	0	
				NW	198	M	94	3	1	0	0	0	2	3	7	10	68	0	
						F	104	0	1	0	0	0	2	4	6	4	87	0	
204	EMPHYSEMA	116	4.0	W	96	M	51	0	0	0	0	0	0	0	4	8	39	0	
						F	45	0	0	0	0	0	0	0	0	6	39	0	
				NW	20	M	14	0	0	0	0	0	0	0	1	2	11	0	
						F	6	0	0	0	0	0	0	0	1	1	4	0	
<u>215-237</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>874</u>	<u>30.3</u>	W	<u>626</u>	M	<u>302</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>18</u>	<u>61</u>	<u>59</u>	<u>159</u>	<u>0</u>	
						F	<u>324</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>7</u>	<u>32</u>	<u>32</u>	<u>248</u>	<u>0</u>	
				NW	<u>248</u>	M	<u>137</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>17</u>	<u>28</u>	<u>23</u>	<u>66</u>	<u>0</u>	
						F	<u>111</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>3</u>	<u>8</u>	<u>12</u>	<u>13</u>	<u>69</u>	<u>0</u>	
217-220	PEPTIC ULCER	31	1.1	W	20	M	8	0	1	0	0	0	0	0	1	1	5	0	
						F	12	0	0	0	0	0	0	0	2	0	10	0	
				NW	11	M	4	0	0	0	0	0	0	0	0	0	4	0	
						F	7	0	0	0	0	0	0	1	0	1	5	0	
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	220	7.6	W	167	M	108	0	0	0	0	0	0	11	33	34	30	0	
						F	59	0	0	0	0	0	0	3	12	14	30	0	
				NW	53	M	41	0	0	0	0	0	1	8	15	10	7	0	
						F	12	0	0	0	0	1	0	2	2	2	5	0	
<u>238-239</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>76</u>	<u>2.6</u>	W	<u>28</u>	M	<u>9</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>8</u>	<u>0</u>	
						F	<u>19</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>17</u>	<u>0</u>	
				NW	<u>48</u>	M	<u>20</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>15</u>	<u>0</u>	
						F	<u>28</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>22</u>	<u>0</u>	
<u>240-246</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>100</u>	<u>3.5</u>	W	<u>61</u>	M	<u>19</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>14</u>	<u>0</u>	
						F	<u>42</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>3</u>	<u>1</u>	<u>34</u>	<u>0</u>	
				NW	<u>39</u>	M	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>2</u>	<u>6</u>	<u>0</u>	
						F	<u>27</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>6</u>	<u>2</u>	<u>11</u>	<u>0</u>	

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	UNKNOWN
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64				
		NUMBER	RATE#																	
<u>247-260</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>891</u>	<u>30.9</u>	W	<u>502</u>	M	<u>229</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>10</u>	<u>21</u>	<u>195</u>	<u>0</u>		
						F	<u>273</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>7</u>	<u>259</u>	<u>0</u>		
				NW	<u>389</u>	M	<u>181</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>9</u>	<u>19</u>	<u>31</u>	<u>114</u>	<u>0</u>		
						F	<u>208</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>16</u>	<u>19</u>	<u>162</u>	<u>0</u>		
<u>247-249</u>	<u>NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS</u>	<u>675</u>	<u>23.4</u>	W	<u>361</u>	M	<u>179</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>10</u>	<u>14</u>	<u>152</u>	<u>0</u>		
						F	<u>182</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>6</u>	<u>171</u>	<u>0</u>		
				NW	<u>314</u>	M	<u>152</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>7</u>	<u>18</u>	<u>27</u>	<u>92</u>	<u>0</u>		
						F	<u>162</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>15</u>	<u>14</u>	<u>124</u>	<u>0</u>		
<u>261-273</u>	<u>PREGNANCY, CHILDBIRTH AND THE PUERPERIUM</u>	<u>7</u>	<u>16.5</u>	W	<u>3</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
				NW	<u>4</u>	M	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>274-281</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>204</u>	<u>4.8</u>	W	<u>65</u>	M	<u>34</u>	<u>33</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>31</u>	<u>31</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
				NW	<u>139</u>	M	<u>82</u>	<u>82</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
						F	<u>57</u>	<u>56</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>		
<u>282-290</u>	<u>CONGENITAL MALFOR- MATIONS, DEFORMA- TIONS, AND CHROMO- SOMAL ABNORMALITIES</u>	<u>114</u>	<u>4.0</u>	W	<u>53</u>	M	<u>28</u>	<u>16</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>0</u>		
						F	<u>25</u>	<u>14</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>0</u>		
				NW	<u>61</u>	M	<u>36</u>	<u>19</u>	<u>3</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>0</u>		
						F	<u>25</u>	<u>15</u>	<u>4</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>0</u>	<u>0</u>		
<u>291-294</u>	<u>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NEC</u>	<u>431</u>	<u>15.0</u>	W	<u>258</u>	M	<u>100</u>	<u>20</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>8</u>	<u>8</u>	<u>56</u>	<u>0</u>		
						F	<u>158</u>	<u>16</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>133</u>	<u>0</u>		
				NW	<u>173</u>	M	<u>82</u>	<u>40</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>5</u>	<u>4</u>	<u>5</u>	<u>21</u>	<u>0</u>		
						F	<u>91</u>	<u>23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>6</u>	<u>7</u>	<u>1</u>	<u>52</u>	<u>0</u>		
<u>295-358</u>	<u>ALL EXTERNAL CAUSES</u>	<u>2379</u>	<u>82.6</u>	W	<u>1565</u>	M	<u>1021</u>	<u>3</u>	<u>12</u>	<u>5</u>	<u>11</u>	<u>147</u>	<u>144</u>	<u>169</u>	<u>170</u>	<u>111</u>	<u>249</u>	<u>0</u>		
						F	<u>544</u>	<u>6</u>	<u>10</u>	<u>5</u>	<u>8</u>	<u>66</u>	<u>61</u>	<u>86</u>	<u>71</u>	<u>50</u>	<u>180</u>	<u>1</u>		
				NW	<u>814</u>	M	<u>571</u>	<u>8</u>	<u>13</u>	<u>6</u>	<u>8</u>	<u>119</u>	<u>121</u>	<u>88</u>	<u>99</u>	<u>43</u>	<u>66</u>	<u>0</u>		
						F	<u>243</u>	<u>3</u>	<u>13</u>	<u>6</u>	<u>7</u>	<u>28</u>	<u>42</u>	<u>31</u>	<u>33</u>	<u>17</u>	<u>63</u>	<u>0</u>		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2003

GROUP NUMBER*	CAUSE OF DEATH	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE											
								UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65 AND OVER	UNKNOWN	
		NUMBER	RATE#																
296-306	MOTOR VEHICLE ACCIDENTS	890	30.9	W	595	M	370	2	4	2	8	83	55	57	70	35	54	0	
						F	225	0	3	5	7	50	31	34	29	23	43	0	
				NW	295	M	202	2	4	4	2	49	36	41	32	15	17	0	
						F	93	1	6	2	4	14	19	18	10	8	11	0	
295, 307-330	ALL OTHER ACCIDENTS	757	26.3	W	552	M	351	1	6	3	2	29	40	60	46	38	126	0	
						F	201	4	7	0	1	5	15	25	21	13	110	0	
				NW	205	M	143	5	6	1	5	16	14	17	29	16	34	0	
						F	62	1	2	3	1	2	4	3	8	3	35	0	
331-337	SUICIDE	336	11.7	W	283	M	215	0	0	0	0	24	36	36	36	32	51	0	
						F	68	0	0	0	0	7	12	17	15	8	9	0	
				NW	53	M	43	0	0	0	1	7	21	4	6	2	2	0	
						F	10	0	0	0	0	2	3	1	2	2	0	0	
338-346	HOMICIDE	304	10.6	W	83	M	60	0	2	0	1	8	11	13	15	2	8	0	
						F	23	2	0	0	0	3	2	5	2	2	6	1	
				NW	221	M	167	1	3	1	0	46	47	25	27	9	8	0	
						F	54	1	3	1	2	10	14	8	10	1	4	0	
353,354	LEGAL INTERVENTION	3	0.1	W	1	M	0	0	0	0	0	0	0	0	0	0	0	0	
						F	1	0	0	0	0	0	0	0	1	0	0	0	
				NW	2	M	2	0	0	0	0	1	0	0	0	1	0	0	
						F	0	0	0	0	0	0	0	0	0	0	0	0	

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2003

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>453</u>	<u>158</u>	<u>295</u>	<u>246</u>	<u>78</u>	<u>168</u>	<u>207</u>	<u>80</u>	<u>127</u>
ADAMS	1	0	1	1	0	1	0	0	0
ALCORN	2	0	2	2	0	2	0	0	0
AMITE	2	0	2	1	0	1	1	0	1
ATTALA	5	0	5	3	0	3	2	0	2
BENTON	1	0	1	1	0	1	0	0	0
BOLIVAR	10	1	9	4	0	4	6	1	5
CALHOUN	2	2	0	2	2	0	0	0	0
CARROLL	0	0	0	0	0	0	0	0	0
CHICKASAW	2	2	0	0	0	0	2	2	0
CHOCTAW	1	0	1	1	0	1	0	0	0
CLAIBORNE	3	0	3	2	0	2	1	0	1
CLARKE	2	2	0	2	2	0	0	0	0
CLAY	3	1	2	1	0	1	2	1	1
COAHOMA	13	1	12	7	1	6	6	0	6
COPIAH	6	1	5	4	1	3	2	0	2
COVINGTON	5	3	2	2	0	2	3	3	0
DESOTO	14	8	6	8	5	3	6	3	3
FORREST	10	2	8	6	1	5	4	1	3
FRANKLIN	1	0	1	1	0	1	0	0	0
GEORGE	3	3	0	0	0	0	3	3	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	6	2	4	3	0	3	3	2	1
HANCOCK	5	4	1	1	0	1	4	4	0
HARRISON	22	17	5	9	7	2	13	10	3
HINDS	50	6	44	29	3	26	21	3	18
HOLMES	3	0	3	1	0	1	2	0	2
HUMPHREYS	3	0	3	0	0	0	3	0	3
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	3	2	1	2	2	0	1	0	1
JACKSON	19	12	7	7	5	2	12	7	5
JASPER	2	0	2	2	0	2	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0
JEFF DAVIS	1	0	1	0	0	0	1	0	1
JONES	6	1	5	4	0	4	2	1	1
KEMPER	2	0	2	1	0	1	1	0	1
LAFAYETTE	7	3	4	4	1	3	3	2	1
LAMAR	5	5	0	4	4	0	1	1	0
LAUDERDALE	16	3	13	12	3	9	4	0	4
LAWRENCE	3	2	1	3	2	1	0	0	0
LEAKE	7	4	3	4	1	3	3	3	0
LEE	13	8	5	5	2	3	8	6	2
LEFLORE	11	1	10	5	1	4	6	0	6

TABLE 12A - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2003

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9	1	8	6	1	5	3	0	3
LOWNDES	15	5	10	11	4	7	4	1	3
MADISON	14	5	9	8	4	4	6	1	5
MARION	3	0	3	2	0	2	1	0	1
MARSHALL	7	3	4	4	3	1	3	0	3
MONROE	3	2	1	2	1	1	1	1	0
MONTGOMERY	1	1	0	1	1	0	0	0	0
NESHOBA	6	0	6	4	0	4	2	0	2
NEWTON	4	3	1	3	2	1	1	1	0
NOXUBEE	4	0	4	2	0	2	2	0	2
OKTIBBEHA	2	0	2	1	0	1	1	0	1
PANOLA	8	0	8	5	0	5	3	0	3
PEARL RIVER	3	1	2	0	0	0	3	1	2
PERRY	0	0	0	0	0	0	0	0	0
PIKE	4	3	1	2	1	1	2	2	0
PONTOTOC	1	0	1	0	0	0	1	0	1
PRENTISS	2	2	0	0	0	0	2	2	0
QUITMAN	1	0	1	0	0	0	1	0	1
RANKIN	16	12	4	9	6	3	7	6	1
SCOTT	7	1	6	2	0	2	5	1	4
SHARKEY	1	0	1	1	0	1	0	0	0
SIMPSON	9	3	6	5	1	4	4	2	2
SMITH	3	2	1	2	1	1	1	1	0
STONE	1	0	1	1	0	1	0	0	0
SUNFLOWER	13	2	11	7	2	5	6	0	6
TALLAHATCHIE	3	0	3	3	0	3	0	0	0
TATE	3	3	0	2	2	0	1	1	0
TIPPAH	3	3	0	1	1	0	2	2	0
TISHOMINGO	2	2	0	2	2	0	0	0	0
TUNICA	2	0	2	0	0	0	2	0	2
UNION	3	3	0	1	1	0	2	2	0
WALTHALL	3	0	3	1	0	1	2	0	2
WARREN	4	1	3	3	0	3	1	1	0
WASHINGTON	8	1	7	4	1	3	4	0	4
WAYNE	2	1	1	0	0	0	2	1	1
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	0	0	0	0	0	0	0	0	0
WINSTON	4	0	4	2	0	2	2	0	2
YALOBUSHA	2	1	1	1	0	1	1	1	0
YAZOO	7	1	6	4	1	3	3	0	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1999-2003 (5-YEAR AVERAGE)

COUNTY	INFANT **			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>10.5</u>	<u>6.8</u>	<u>14.8</u>	<u>6.4</u>	<u>4.0</u>	<u>9.2</u>	<u>4.1</u>	<u>2.8</u>	<u>5.5</u>
ADAMS	10.1	9.3	10.5	6.2	4.0	7.2	4.0	5.3	3.3
ALCORN	8.8	6.8	19.3	6.2	4.2	16.6	2.6	2.6	2.8
AMITE	7.4	2.4	12.4	3.7	2.4	5.0	3.7	-	7.4
ATTALA	12.5	1.5	23.2	8.1	1.5	14.5	4.4	-	8.7
BENTON	13.1	14.7	11.0	4.9	5.9	3.7	8.2	8.8	7.4
BOLIVAR	12.5	7.8	14.0	7.5	5.2	8.2	5.0	2.6	5.8
CALHOUN	8.9	10.7	5.6	6.9	7.7	5.6	2.0	3.1	-
CARROLL	11.2	9.2	14.2	7.5	6.2	9.4	3.7	3.1	4.7
CHICKASAW	9.5	9.2	9.9	5.1	2.6	7.4	4.4	6.5	2.5
CHOCTAW	9.1	2.9	19.6	7.3	-	19.6	1.8	2.9	-
CLAIBORNE	14.4	14.3	14.4	9.6	14.3	9.1	4.8	-	5.2
CLARKE	5.8	6.0	5.5	4.2	6.0	1.8	1.7	-	3.7
CLAY	15.6	9.6	18.4	11.8	5.8	14.7	3.7	3.8	3.7
COAHOMA	17.7	6.6	19.8	11.7	4.4	13.1	6.0	2.2	6.7
COPIAH	17.3	8.0	23.8	11.7	5.7	15.8	5.6	2.3	7.9
COVINGTON	14.2	11.1	17.8	6.7	2.5	11.9	7.4	8.6	6.0
DESOTO	8.5	6.5	19.1	5.9	4.4	14.0	2.6	2.1	5.2
FORREST	8.9	5.7	12.8	5.2	3.4	7.4	3.7	2.4	5.4
FRANKLIN	10.5	3.1	20.1	5.2	-	12.0	5.2	3.1	8.0
GEORGE	12.7	13.0	10.8	9.2	9.1	10.8	3.5	3.9	-
GREENE	5.2	4.8	6.5	2.6	3.2	-	2.6	1.6	6.5
GRENADA	12.2	6.5	18.5	10.2	3.9	17.1	2.0	2.6	1.4
HANCOCK	7.4	6.9	11.4	1.8	1.2	7.6	5.5	5.7	3.8
HARRISON	9.0	7.4	12.7	5.1	4.3	6.9	3.9	3.1	5.8
HINDS	13.2	7.6	15.1	8.0	5.2	9.0	5.1	2.4	6.1
HOLMES	11.9	-	13.4	6.2	-	7.0	5.7	-	6.4
HUMPHREYS	15.5	-	18.4	11.6	-	13.8	3.9	-	4.6
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	8.7	6.3	36.0	7.3	5.5	27.0	1.4	0.8	9.0
JACKSON	7.8	5.8	12.5	4.4	3.4	7.0	3.3	2.4	5.5
JASPER	8.4	3.8	11.4	4.6	-	7.6	3.8	3.8	3.8
JEFFERSON	5.8	-	6.1	4.3	-	4.6	1.4	-	1.5
JEFF DAVIS	14.5	9.5	17.2	8.9	9.5	8.6	5.6	-	8.6
JONES	9.0	7.7	11.2	4.2	3.2	5.9	4.8	4.5	5.4
KEMPER	16.2	5.2	20.7	11.8	5.2	14.5	4.4	-	6.2
LAFAYETTE	11.0	9.0	13.9	8.8	6.8	11.8	2.2	2.2	2.1
LAMAR	9.3	9.3	9.3	7.0	6.6	9.3	2.2	2.7	-
LAUDERDALE	11.8	5.4	18.3	7.5	3.4	11.8	4.3	2.0	6.6
LAWRENCE	8.7	7.2	11.2	6.6	5.4	8.4	2.2	1.8	2.8
LEAKE	14.1	15.3	12.8	6.8	6.5	7.0	7.3	8.7	5.8
LEE	10.2	7.0	16.8	5.8	2.7	12.2	4.4	4.4	4.6
LEFLORE	16.2	6.4	18.8	10.2	3.2	12.1	5.9	3.2	6.7

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1999-2003 AVERAGE

COUNTY	INFANT **			NEONATAL **			POSTNEONATAL **		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	7.8	4.6	14.0	5.7	4.0	8.9	2.2	0.7	5.1
LOWNDES	11.0	7.0	15.0	8.0	4.8	11.1	3.0	2.2	3.8
MADISON	10.2	5.0	15.8	6.6	3.8	9.6	3.6	1.2	6.2
MARION	5.9	4.5	8.0	4.3	3.6	5.4	1.6	0.9	2.7
MARSHALL	13.8	11.1	16.1	9.2	7.7	10.5	4.6	3.4	5.6
MONROE	10.9	7.6	16.5	6.4	4.4	9.9	4.4	3.2	6.6
MONTGOMERY	14.1	5.9	20.2	10.2	3.0	15.7	3.8	3.0	4.5
NESHOBA	9.4	3.9	15.4	5.7	1.6	10.3	3.7	2.4	5.1
NEWTON	8.5	6.6	10.7	3.6	4.4	2.7	4.8	2.2	8.0
NOXUBEE	17.6	4.1	21.6	6.5	-	8.4	11.1	4.1	13.2
OKTIBBEHA	7.3	3.9	10.4	5.9	3.9	7.6	1.5	-	2.8
PANOLA	10.5	4.4	14.5	6.6	1.8	9.8	3.8	2.7	4.6
PEARL RIVER	6.3	4.3	16.1	3.6	2.2	10.7	2.7	2.2	5.4
PERRY	4.5	1.5	14.0	4.5	1.5	14.0	-	-	-
PIKE	7.8	4.0	10.3	4.4	1.6	6.2	3.4	2.4	4.1
PONTOTOC	4.2	3.1	10.5	1.6	1.2	3.5	2.7	1.9	7.0
PRENTISS	9.4	11.2	-	6.2	7.5	-	3.1	3.7	-
QUITMAN	11.2	6.8	12.2	2.5	6.8	1.5	8.7	-	10.7
RANKIN	7.8	5.9	15.6	4.9	3.2	12.0	2.9	2.7	3.6
SCOTT	15.6	13.5	18.2	7.1	5.6	9.1	8.4	7.9	9.1
SHARKEY	5.7	-	7.1	1.9	-	2.4	3.8	-	4.8
SIMPSON	13.2	9.7	17.9	7.1	2.6	13.1	6.1	7.0	4.8
SMITH	10.9	5.8	21.9	7.9	2.9	18.8	3.0	2.9	3.1
STONE	7.9	6.6	11.6	5.0	2.7	11.6	3.0	4.0	-
SUNFLOWER	17.2	8.2	19.3	10.2	6.2	11.1	7.0	2.1	8.2
TALLAHATCHIE	7.7	-	10.5	5.8	-	7.9	1.9	-	2.6
TATE	10.8	7.4	16.5	6.2	3.3	11.0	4.6	4.1	5.5
TIPPAH	8.6	9.2	6.1	5.5	5.4	6.1	3.1	3.8	-
TISHOMINGO	7.8	8.0	-	6.0	6.2	-	1.7	1.8	-
TUNICA	20.5	13.7	21.8	9.7	13.7	9.0	10.8	-	12.8
UNION	8.0	7.8	8.8	3.7	3.3	5.9	4.3	4.6	2.9
WALTHALL	11.8	6.0	16.4	7.2	6.0	8.2	4.5	-	8.2
WARREN	8.9	4.7	12.1	5.1	3.5	6.3	3.8	1.2	5.8
WASHINGTON	11.5	5.7	13.3	6.6	4.9	7.1	4.9	0.8	6.2
WAYNE	7.7	5.2	10.2	4.5	2.6	6.4	3.2	2.6	3.8
WEBSTER	9.7	5.7	20.2	4.2	3.8	5.0	5.5	1.9	15.2
WILKINSON	5.8	-	7.3	1.4	-	1.8	4.3	-	5.5
WINSTON	10.9	5.0	15.3	8.7	5.0	11.5	2.2	-	3.8
YALOBUSHA	8.5	8.3	8.8	4.3	4.1	4.4	4.3	4.1	4.4
YAZOO	13.7	5.6	17.6	8.7	2.8	11.5	5.0	2.8	6.1

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2003

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>453</u>	<u>10.7</u>	W	<u>158</u>	<u>78</u>	<u>49</u>	<u>18</u>	<u>6</u>	<u>2</u>	<u>3</u>	<u>80</u>
			NW	<u>295</u>	<u>168</u>	<u>91</u>	<u>38</u>	<u>15</u>	<u>9</u>	<u>15</u>	<u>127</u>
SEPTICEMIA (008)	11	0.3	W	0	0	0	0	0	0	0	0
			NW	11	0	0	0	0	0	0	11
CANDIDIASIS (017)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	2	##	W	2	0	0	0	0	0	0	2
			NW	0	0	0	0	0	0	0	0
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
MENINGITIS (033)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
ANOXIC BRAIN DAMAGE, NOT ELSEWHERE CLASSIFIED (036)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
DISEASES OF THE EAR AND MASTOID PROCESS (038)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	13	0.3	W	2	0	0	0	0	0	0	2
			NW	11	1	0	0	0	0	1	10
ACUTE UPPER RESPIRATORY INFECTIONS (045)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS (051)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS (053)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	1	0	0	0	0	1	2
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT HERNIA (054)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	0	2	1	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 2003

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
NEWBORN AFFECTED BY MATERNAL HYPERTENSIVE DISORDERS (058)	1	##	W NW	1 0	1 0	1 0	0 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	0.3	W NW	7 5	7 5	7 5	0 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	6	0.1	W NW	3 3	3 3	3 3	0 0	0 0	0 0	0 0	0 0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (068)	2	##	W NW	1 1	1 1	0 1	1 0	0 0	0 0	0 0	0 0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	84	2.0	W NW	20 64	19 61	17 45	2 13	0 0	0 1	0 2	1 3
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	10	0.2	W NW	4 6	3 5	0 3	3 1	0 1	0 0	0 0	1 1
RESPIRATORY DISTRESS OF NEWBORN (077)	14	0.3	W NW	5 9	4 8	3 3	1 3	0 0	0 0	0 2	1 1
CONGENITAL PNEUMONIA (078)	3	0.1	W NW	0 3	0 3	0 0	0 0	0 1	0 1	0 1	0 0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	5	0.1	W NW	0 5	0 5	0 0	0 5	0 0	0 0	0 0	0 0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	2	##	W NW	2 0	0 0	0 0	0 0	0 0	0 0	0 0	2 0
ATELECTASIS (083)	3	0.1	W NW	3 0	3 0	3 0	0 0	0 0	0 0	0 0	0 0
BACTERIAL SEPSIS OF NEWBORN (085)	20	0.5	W NW	7 13	7 11	0 1	3 3	3 4	1 2	0 1	0 2
NEONATAL HEMORRHAGE (088)	5	0.1	W NW	2 3	2 3	0 1	2 1	0 0	0 1	0 0	0 0

TABLE 13 - PAGE 3
 INFANT DEATHS - MISSISSIPPI - 2003

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOT- AL	< 1 DAY	1- 6	7- 13	14- 20	21- 27	
HEMATOLOGICAL DISORDERS (091)	1	##	W NW	0 1	0 1	0 0	0 0	0 1	0 0	0 0	0 0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	8	0.2	W NW	2 6	2 6	0 0	0 1	1 2	0 1	1 2	0 0
HYDROPS FETALIS NOT DUE TO HEMOLYTIC DISEASE (094)	2	##	W NW	2 0	2 0	1 0	1 0	0 0	0 0	0 0	0 0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSO- MAL ABNORMALITIES (096-110)	64	1.5	W NW	30 34	16 23	10 14	4 3	1 3	1 1	0 2	14 11
SUDDEN INFANT DEATH SYNDROME (111)	95	2.2	W NW	34 61	2 5	0 0	0 1	0 0	0 2	2 2	32 56
ACCIDENTS (114-124)	16	0.4	W NW	7 9	0 1	0 1	0 0	0 0	0 0	0 0	7 8
ASSAULT (HOMICIDE) (125-128)	4	0.1	W NW	2 2	0 0	0 0	0 0	0 0	0 0	0 0	2 2
ALL OTHER CAUSES	43	1.0	W NW	14 29	6 21	4 13	1 5	1 2	0 0	0 1	8 8

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 2003

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,626</u>	<u>895</u>	<u>34</u>	<u>172</u>	<u>164</u>	<u>74</u>	<u>50</u>	<u>20</u>	<u>217</u>
ADAMS	20	12	1	1	0	1	2	1	2
ALCORN	20	11	0	3	1	2	0	0	3
AMITE	9	6	0	1	0	2	0	0	0
ATTALA	7	4	0	1	0	0	0	1	1
BENTON	5	4	0	0	0	1	0	0	0
BOLIVAR	13	10	0	1	0	0	0	0	2
CALHOUN	8	4	0	1	0	0	0	0	3
CARROLL	3	2	1	0	0	0	0	0	0
CHICKASAW	6	5	0	1	0	0	0	0	0
CHOCTAW	2	2	0	0	0	0	0	0	0
CLAIBORNE	10	10	0	0	0	0	0	0	0
CLARKE	5	4	0	0	0	1	0	0	0
CLAY	10	5	1	2	1	0	0	0	1
COAHOMA	15	8	0	2	0	1	0	0	4
COPIAH	5	5	0	0	0	0	0	0	0
COVINGTON	17	14	0	1	0	0	2	0	0
DESOTO	24	9	1	4	0	1	2	0	7
FORREST	70	42	1	4	14	1	1	0	7
FRANKLIN	3	3	0	0	0	0	0	0	0
GEORGE	5	4	0	0	0	0	0	0	1
GREENE	5	3	0	0	0	1	0	0	1
GRENADA	14	9	0	1	0	1	1	0	2
HANCOCK	35	12	0	12	4	0	2	0	5
HARRISON	93	25	2	29	12	2	9	1	13
HINDS	203	112	2	8	35	8	3	4	31
HOLMES	12	7	1	1	0	1	1	0	1
HUMPHREYS	6	3	0	1	0	0	2	0	0
ISSAQUENA	2	1	0	0	0	1	0	0	0
ITAWAMBA	13	10	1	0	0	1	0	0	1
JACKSON	83	25	4	25	10	4	5	0	10
JASPER	12	8	0	0	0	3	0	1	0
JEFFERSON	3	3	0	0	0	0	0	0	0
JEFF DAVIS	10	9	0	0	0	0	0	0	1
JONES	43	23	0	3	5	1	1	0	10
KEMPER	3	3	0	0	0	0	0	0	0
LAFAYETTE	29	8	0	2	11	2	1	1	4
LAMAR	21	13	0	4	3	0	0	0	1
LAUDERDALE	50	28	0	3	6	2	0	1	10
LAWRENCE	12	8	1	1	0	0	0	0	2
LEAKE	12	9	2	0	0	1	0	0	0
LEE	100	48	0	6	31	0	3	1	11
LEFLORE	16	8	0	0	2	2	0	0	4

TABLE 14 -PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 2003

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS- PORT	POISON- ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	17	12	0	1	0	1	0	1	2
LOWNDES	27	16	1	2	4	1	0	0	3
MADISON	26	16	1	2	2	1	1	1	2
MARION	16	13	0	1	0	1	1	0	0
MARSHALL	22	17	0	2	0	1	1	0	1
MONROE	22	11	3	1	1	0	2	0	4
MONTGOMERY	7	4	0	1	0	0	1	0	1
NESHOBA	15	7	0	3	0	0	0	1	4
NEWTON	10	6	0	1	1	0	1	0	1
NOXUBEE	4	3	0	0	0	0	0	1	0
OKTIBBEHA	14	7	1	1	3	1	0	0	1
PANOLA	24	13	0	2	0	6	1	0	2
PEARL RIVER	18	10	0	7	0	0	1	0	0
PERRY	10	10	0	0	0	0	0	0	0
PIKE	28	15	0	3	2	2	0	0	6
PONTOTOC	8	5	0	3	0	0	0	0	0
PRENTISS	15	6	0	3	1	0	1	0	4
QUITMAN	4	3	0	0	0	1	0	0	0
RANKIN	40	16	3	9	4	1	1	1	5
SCOTT	15	10	0	0	0	2	0	1	2
SHARKEY	4	3	0	0	0	1	0	0	0
SIMPSON	14	8	2	0	1	1	0	0	2
SMITH	3	2	0	0	0	0	0	0	1
STONE	7	4	0	2	1	0	0	0	0
SUNFLOWER	17	14	0	1	0	0	0	0	2
TALLAHATCHIE	5	2	0	0	0	0	0	0	3
TATE	18	14	0	1	1	0	0	1	1
TIPPAH	13	8	0	0	1	0	1	0	3
TISHOMINGO	9	6	0	1	0	0	0	0	2
TUNICA	17	15	1	0	0	0	1	0	0
UNION	8	6	0	0	1	0	1	0	0
WALTHALL	5	5	0	0	0	0	0	0	0
WARREN	27	15	2	3	1	2	0	0	4
WASHINGTON	43	16	0	1	0	10	0	0	16
WAYNE	8	6	0	0	1	1	0	0	0
WEBSTER	2	0	0	0	2	0	0	0	0
WILKINSON	12	7	2	1	0	0	0	0	2
WINSTON	8	5	0	1	1	0	0	0	1
YALOBUSHA	11	7	0	1	0	1	1	0	1
YAZOO	19	13	0	0	1	0	0	2	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2003

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>17,827</u>	<u>12,081</u>	<u>5,746</u>	<u>17,827</u>	<u>12,081</u>	<u>5,746</u>	<u>16,629</u>	<u>11,179</u>	<u>5,450</u>
ADAMS	296	189	107	332	217	115	206	108	98
ALCORN	137	126	11	143	131	12	116	106	10
AMITE	82	60	22	92	69	23	77	51	26
ATTALA	116	64	52	113	61	52	102	56	46
BENTON	25	17	8	34	24	10	23	19	4
BOLIVAR	0	0	0	27	14	13	12	5	7
CALHOUN	82	63	19	87	66	21	82	60	22
CARROLL	50	31	19	58	35	23	54	42	12
CHICKASAW	135	78	57	137	82	55	131	75	56
CHOCTAW	54	37	17	57	42	15	52	37	15
CLAIBORNE	77	8	69	76	16	60	71	8	63
CLARKE	78	54	24	100	77	23	81	57	24
CLAY	133	61	72	146	73	73	126	57	69
COAHOMA	83	35	48	76	30	46	63	23	40
COPIAH	183	93	90	182	92	90	183	94	89
COVINGTON	142	107	35	139	102	37	143	114	29
DESOTO	612	541	71	519	470	49	485	440	45
FORREST	658	478	180	605	439	166	528	369	159
FRANKLIN	41	34	7	59	47	12	45	34	11
GEORGE	157	141	16	158	141	17	133	121	12
GREENE	69	56	13	71	54	17	64	54	10
GRENADA	154	112	42	146	102	44	142	106	36
HANCOCK	280	258	22	281	258	23	254	238	16
HARRISON	1,527	1,175	352	1,615	1,259	356	1,234	929	305
HINDS	1,789	762	1,027	1,746	785	961	1,580	616	964
HOLMES	104	15	89	125	29	96	106	23	83
HUMPHREYS	69	19	50	74	25	49	57	16	41
ISSAQUENA	9	2	7	11	4	7	3	3	0
ITAWAMBA	117	115	2	139	131	8	121	115	6
JACKSON	711	576	135	718	577	141	754	611	143
JASPER	104	53	51	110	59	51	113	54	59
JEFFERSON	51	4	47	59	10	49	42	5	37
JEFF DAVIS	79	35	44	92	42	50	72	32	40
JONES	454	347	107	424	328	96	433	332	101
KEMPER	48	16	32	55	22	33	46	23	23
LAFAYETTE	252	186	66	228	173	55	224	160	64
LAMAR	261	233	28	254	226	28	343	297	46
LAUDERDALE	490	320	170	444	279	165	434	278	156
LAWRENCE	92	69	23	112	89	23	96	71	25
LEAKE	141	78	63	172	101	71	142	77	65
LEE	531	381	150	481	351	130	478	340	138
LEFLORE	167	71	96	169	74	95	159	63	96

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2003

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	254	185	69	252	179	73	243	177	66
LOWNDES	306	198	108	310	194	116	280	171	109
MADISON	412	243	169	445	263	182	469	297	172
MARION	241	174	67	248	175	73	231	172	59
MARSHALL	175	80	95	189	88	101	146	66	80
MONROE	235	175	60	253	189	64	235	169	66
MONTGOMERY	81	43	38	87	49	38	84	46	38
NESHOBA	213	142	71	223	148	75	213	143	70
NEWTON	134	94	40	137	95	42	132	95	37
NOXUBEE	60	17	43	60	19	41	53	12	41
OKTIBBEHA	282	184	98	245	143	102	254	159	95
PANOLA	186	112	74	180	102	78	177	103	74
PEARL RIVER	348	316	32	342	309	33	316	284	32
PERRY	73	59	14	77	64	13	76	63	13
PIKE	347	202	145	334	194	140	311	171	140
PONTOTOC	159	143	16	160	143	17	170	152	18
PRENTISS	123	110	13	109	97	12	111	98	13
QUITMAN	37	16	21	38	22	16	37	17	20
RANKIN	948	829	119	752	636	116	980	850	130
SCOTT	220	142	78	231	153	78	223	148	75
SHARKEY	24	8	16	24	6	18	26	7	19
SIMPSON	188	133	55	196	139	57	200	142	58
SMITH	72	62	10	99	86	13	95	80	15
STONE	148	128	20	134	112	22	127	112	15
SUNFLOWER	95	34	61	99	34	65	90	29	61
TALLAHATCHIE	57	28	29	70	39	31	55	29	26
TATE	148	108	40	164	127	37	133	101	32
TIPPAH	116	103	13	131	117	14	102	93	9
TISHOMINGO	90	88	2	93	91	2	84	82	2
TUNICA	70	20	50	80	34	46	54	12	42
UNION	137	118	19	127	110	17	139	116	23
WALTHALL	109	65	44	114	65	49	105	64	41
WARREN	367	209	158	365	210	155	329	183	146
WASHINGTON	182	86	96	190	89	101	170	78	92
WAYNE	108	74	34	107	74	33	98	71	27
WEBSTER	58	49	9	48	41	7	63	52	11
WILKINSON	54	21	33	54	21	33	45	14	31
WINSTON	101	52	49	115	63	52	106	54	52
YALOBUSHA	87	63	24	108	73	35	104	74	30
YAZOO	142	68	74	171	82	89	153	74	79
OUT OF STATE	*	*	*	*	*	*	1,190	898	292

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI , 2003

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>13,330</u>	<u>9,737</u>	<u>3,325</u>	<u>268</u>					
ADAMS	164	89	63	12	LINCOLN	65	51	13	1
ALCORN	219	201	14	4	LOWNDES	219	135	81	3
AMITE	16	11	5	0	MADISON	294	220	72	2
ATTALA	92	68	24	0	MARION	151	113	36	2
BENTON	45	28	17	0	MARSHALL	176	107	69	0
BOLIVAR	174	77	96	1	MONROE	195	158	37	0
CALHOUN	67	54	13	0	MONTGOMERY	40	21	19	0
CARROLL	36	27	9	0	NESHOBA	127	102	25	0
CHICKASAW	63	44	18	1	NEWTON	101	71	30	0
CHOCTAW	41	33	8	0	NOXUBEE	36	10	26	0
CLAIBORNE	33	8	25	0	OKTIBBEHA	129	86	43	0
CLARKE	89	71	18	0	PANOLA	181	127	54	0
CLAY	38	21	16	1	PEARL RIVER	265	243	22	0
COAHOMA	112	52	59	1	PERRY	73	62	11	0
COPIAH	89	60	28	1	PIKE	219	133	81	5
COVINGTON	96	84	10	2	PONTOTOC	28	27	1	0
DESOTO	750	628	63	59	PRENTISS	166	139	17	10
FORREST	336	240	95	1	QUITMAN	18	7	11	0
FRANKLIN	31	21	10	0	RANKIN	774	716	58	0
GEORGE	28	27	0	1	SCOTT	135	106	29	0
GREENE	43	36	2	5	SHARKEY	19	10	9	0
GRENADA	117	89	28	0	SIMPSON	137	107	30	0
HANCOCK	224	205	9	10	SMITH	88	75	13	0
HARRISON	1,197	882	225	90	STONE	63	58	4	1
HINDS	861	353	499	9	SUNFLOWER	80	34	45	1
HOLMES	60	11	49	0	TALLAHATCHIE	33	28	5	0
HUMPHREYS	0	0	0	0	TATE	103	83	20	0
ISSAQUENA	0	0	0	0	TIPPAH	136	119	13	4
ITAWAMBA	141	138	0	3	TISHOMINGO	121	119	2	0
JACKSON	726	617	109	0	TUNICA	32	12	20	0
JASPER	74	44	30	0	UNION	165	145	17	3
JEFFERSON	20	1	19	0	WALTHALL	79	54	25	0
JEFF DAVIS	59	30	29	0	WARREN	248	177	70	1
JONES	359	293	64	2	WASHINGTON	273	126	146	1
KEMPER	18	10	8	0	WAYNE	114	83	30	1
LAFAYETTE	129	96	33	0	WEBSTER	43	37	6	0
LAMAR	226	201	21	4	WILKINSON	11	6	5	0
LAUDERDALE	377	252	123	2	WINSTON	46	31	15	0
LAWRENCE	64	48	16	0	YALOBUSHA	73	56	17	0
LEAKE	111	85	26	0	YAZOO	84	48	36	0
LEE	520	396	100	24					
LEFLORE	145	64	81	0					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES
MAY BE INCOMPLETE.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2003

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>3,645</u>	<u>914</u>	<u>2,704</u>	<u>27</u>					
ADAMS	69	17	52	0	LINCOLN	38	9	28	1
ALCORN	2	2	0	0	LOWNDES	6	2	4	0
AMITE	11	4	7	0	MADISON	267	70	192	5
ATTALA	35	5	30	0	MARION	21	7	14	0
BENTON	1	0	1	0	MARSHALL	0	0	0	0
BOLIVAR	23	8	15	0	MONROE	3	2	1	0
CALHOUN	1	1	0	0	MONTGOMERY	15	1	14	0
CARROLL	11	4	7	0	NESHOBIA	32	11	18	3
CHICKASAW	4	2	2	0	NEWTON	25	10	15	0
CHOCTAW	3	2	1	0	NOXUBEE	6	0	6	0
CLAIBORNE	34	3	31	0	OKTIBBEHA	29	11	17	1
CLARKE	12	3	9	0	PANOLA	0	0	0	0
CLAY	1	0	1	0	PEARL RIVER	5	5	0	0
COAHOMA	3	0	3	0	PERRY	4	1	3	0
COPIAH	77	13	63	1	PIKE	77	17	60	0
COVINGTON	26	8	18	0	PONTOTOC	0	0	0	0
DESOTO	1	1	0	0	PRENTISS	2	1	1	0
FORREST	183	59	123	1	QUITMAN	1	0	1	0
FRANKLIN	5	2	3	0	RANKIN	298	189	106	3
GEORGE	3	2	1	0	SCOTT	43	13	29	1
GREENE	1	0	1	0	SHARKEY	14	2	12	0
GRENADA	20	8	12	0	SIMPSON	36	15	21	0
HANCOCK	1	1	0	0	SMITH	14	8	6	0
HARRISON	30	18	12	0	STONE	5	2	3	0
HINDS	1,256	160	1,089	7	SUNFLOWER	30	1	29	0
HOLMES	85	3	82	0	TALLAHATCHIE	1	0	1	0
HUMPHREYS	28	2	26	0	TATE	2	0	2	0
ISSAQUENA	0	0	0	0	TIPPAH	0	0	0	0
ITAWAMBA	2	0	2	0	TISHOMINGO	3	3	0	0
JACKSON	5	1	4	0	TUNICA	1	0	1	0
JASPER	22	2	20	0	UNION	2	1	1	0
JEFFERSON	24	2	22	0	WALTHALL	13	4	9	0
JEFF DAVIS	27	5	22	0	WARREN	162	37	124	1
JONES	68	24	44	0	WASHINGTON	77	11	66	0
KEMPER	8	3	5	0	WAYNE	15	7	8	0
LAFAYETTE	10	4	6	0	WEBSTER	8	5	3	0
LAMAR	32	24	7	1	WILKINSON	3	1	2	0
LAUDERDALE	43	12	31	0	WINSTON	23	9	14	0
LAWRENCE	25	13	12	0	YALOBUSHA	3	2	1	0
LEAKE	39	13	26	0	YAZOO	67	16	50	1
LEE	3	2	1	0					
LEFLORE	59	8	50	1					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>7,743</u>	<u>211</u>	<u>7,532</u>	<u>3,070</u>	<u>38</u>	<u>3,032</u>	<u>4,666</u>	<u>173</u>	<u>4,493</u>
ADAMS	90	2	88	23	0	23	67	2	65
ALCORN	75	3	72	58	2	56	17	1	16
AMITE	26	2	24	4	0	4	22	2	20
ATTALA	49	3	46	19	1	18	30	2	28
BENTON	22	0	22	15	0	15	7	0	7
BOLIVAR	150	2	148	22	0	22	128	2	126
CALHOUN	32	0	32	12	0	12	20	0	20
CARROLL	18	0	18	8	0	8	10	0	10
CHICKASAW	72	2	70	26	1	25	46	1	45
CHOCTAW	20	1	19	11	0	11	9	1	8
CLAIBORNE	41	2	39	1	0	1	40	2	38
CLARKE	42	0	42	21	0	21	21	0	21
CLAY	60	2	58	12	0	12	48	2	46
COAHOMA	132	2	130	10	0	10	122	2	120
COPIAH	93	3	90	24	0	24	69	3	66
COVINGTON	63	3	60	24	2	22	39	1	38
DESOTO	194	6	188	147	3	144	47	3	44
FORREST	202	6	196	85	0	85	116	6	110
FRANKLIN	14	0	14	6	0	6	8	0	8
GEORGE	56	0	56	45	0	45	11	0	11
GREENE	24	0	24	16	0	16	8	0	8
GRENADA	55	0	55	20	0	20	35	0	35
HANCOCK	84	0	84	73	0	73	11	0	11
HARRISON	483	10	473	305	4	301	177	6	171
HINDS	810	30	780	73	1	72	737	29	708
HOLMES	94	8	86	4	0	4	90	8	82
HUMPHREYS	57	3	54	8	0	8	49	3	46
ISSAQUENA	7	0	7	0	0	0	7	0	7
ITAWAMBA	44	0	44	42	0	42	2	0	2
JACKSON	309	9	300	198	2	196	109	7	102
JASPER	48	3	45	12	0	12	36	3	33
JEFFERSON	44	1	43	2	0	2	41	1	40
JEFF DAVIS	30	1	29	7	0	7	23	1	22
JONES	142	2	140	70	0	70	72	2	70
KEMPER	19	0	19	3	0	3	16	0	16
LAFAYETTE	60	0	60	23	0	23	37	0	37
LAMAR	83	1	82	63	1	62	19	0	19
LAUDERDALE	186	7	179	52	1	51	134	6	128
LAWRENCE	32	0	32	16	0	16	16	0	16
LEAKE	60	1	59	28	1	27	32	0	32
LEE	215	3	212	116	0	116	99	3	96
LEFLORE	161	5	156	14	0	14	147	5	142

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2003

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	71	2	69	37	1	36	34	1	33
LOWNDES	180	5	175	50	2	48	130	3	127
MADISON	190	6	184	48	0	48	142	6	136
MARION	68	3	65	45	3	42	23	0	23
MARSHALL	94	1	93	35	0	35	59	1	58
MONROE	88	1	87	41	1	40	47	0	47
MONTGOMERY	32	4	28	12	1	11	20	3	17
NESHOBA	104	0	104	47	0	47	57	0	57
NEWTON	58	1	57	21	0	21	37	1	36
NOXUBEE	42	1	41	5	0	5	37	1	36
OKTIBBEHA	85	2	83	25	0	25	60	2	58
PANOLA	117	2	115	38	0	38	79	2	77
PEARL RIVER	104	1	103	81	1	80	23	0	23
PERRY	24	1	23	20	1	19	4	0	4
PIKE	119	2	117	35	0	35	84	2	82
PONTOTOC	53	0	53	44	0	44	9	0	9
PRENTISS	51	0	51	39	0	39	12	0	12
QUITMAN	38	1	37	5	0	5	33	1	32
RANKIN	268	6	262	194	2	192	74	4	70
SCOTT	101	3	98	58	0	58	43	3	40
SHARKEY	11	0	11	0	0	0	11	0	11
SIMPSON	72	4	68	44	1	43	28	3	25
SMITH	39	2	37	24	0	24	15	2	13
STONE	41	2	39	28	0	28	13	2	11
SUNFLOWER	129	5	124	17	0	17	111	5	106
TALLAHATCHIE	52	1	51	5	0	5	47	1	46
TATE	79	1	78	43	0	43	36	1	35
TIPPAH	48	0	48	36	0	36	12	0	12
TISHOMINGO	36	2	34	36	2	34	0	0	0
TUNICA	43	2	41	4	0	4	39	2	37
UNION	65	0	65	44	0	44	21	0	21
WALTHALL	42	3	39	17	1	16	25	2	23
WARREN	148	3	145	52	0	52	96	3	93
WASHINGTON	227	7	220	25	0	25	202	7	195
WAYNE	55	1	54	17	1	16	38	0	38
WEBSTER	38	1	37	22	1	21	16	0	16
WILKINSON	25	1	24	5	1	4	20	0	20
WINSTON	59	1	58	18	0	18	41	1	40
YALOBUSHA	31	0	31	13	0	13	18	0	18
YAZOO	118	10	108	22	0	22	96	10	86

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2003

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
<u>STATE</u>	<u>36.3</u>	<u>2.0</u>	<u>71.1</u>	<u>27.6</u>	<u>0.7</u>	<u>54.3</u>	<u>45.8</u>	<u>3.3</u>	<u>89.6</u>
ADAMS	36.8	1.6	72.7	27.5	-	54.8	41.6	2.4	82.3
ALCORN	35.1	2.6	71.6	32.5	2.1	66.4	48.4	5.3	99.4
AMITE	26.4	4.1	48.3	9.0	-	18.0	40.4	7.4	72.7
ATTALA	35.4	4.1	69.6	30.2	3.0	60.6	39.8	5.1	76.9
BENTON	42.6	-	91.7	55.1	-	111.1	28.6	-	66.7
BOLIVAR	44.5	1.3	82.3	29.4	-	50.8	48.8	1.6	92.3
CALHOUN	32.0	-	65.8	20.2	-	41.1	49.3	-	103.1
CARROLL	25.6	-	49.6	21.8	-	40.8	29.8	-	59.9
CHICKASAW	51.7	2.8	103.8	41.2	3.0	83.3	60.4	2.6	120.3
CHOCTAW	26.2	2.8	46.8	23.4	-	42.5	30.7	6.8	54.4
CLAIBORNE	35.5	4.6	53.9	14.9	-	29.4	36.8	5.0	55.1
CLARKE	33.7	-	71.6	29.6	-	66.2	39.0	-	77.8
CLAY	35.7	2.4	69.0	24.7	-	47.0	40.2	3.3	78.5
COAHOMA	50.7	1.6	96.5	20.7	-	39.2	57.5	1.9	109.9
COPIAH	39.4	2.9	68.6	27.5	-	48.3	46.4	4.4	81.1
COVINGTON	40.0	3.6	79.4	28.4	4.4	57.0	53.3	2.8	102.7
DESOTO	21.5	1.2	44.4	20.5	0.8	42.7	25.1	3.0	51.2
FORREST	36.6	2.5	63.5	28.7	-	49.6	45.3	5.0	80.3
FRANKLIN	22.5	-	43.1	18.8	-	36.1	26.5	-	50.3
GEORGE	38.6	-	82.7	35.2	-	74.8	62.8	-	146.7
GREENE	29.5	-	63.7	26.0	-	57.1	40.4	-	82.5
GRENADA	31.5	-	70.8	23.8	-	52.2	38.6	-	88.8
HANCOCK	27.3	-	56.2	26.7	-	54.9	31.6	-	66.7
HARRISON	36.9	1.5	74.5	35.7	0.9	71.8	38.9	2.5	79.2
HINDS	42.2	3.2	80.0	14.8	0.4	26.5	51.7	4.0	100.7
HOLMES	49.4	8.8	86.8	15.6	-	23.2	54.7	9.7	100.1
HUMPHREYS	62.2	6.5	117.9	51.9	-	102.6	64.2	7.8	121.0
ISSAQUENA	38.0	-	77.8	-	-	-	49.3	-	97.2
ITAWAMBA	25.4	-	50.8	27.1	-	55.8	11.2	-	17.5
JACKSON	31.6	1.7	65.4	29.1	0.6	61.0	36.9	4.4	74.5
JASPER	34.6	4.1	68.5	26.2	-	53.8	38.8	6.1	76.0
JEFFERSON	58.0	2.6	112.9	33.9	-	71.4	58.6	2.9	113.3
JEFF DAVIS	29.1	1.9	56.3	23.6	-	47.0	31.3	2.7	60.1
JONES	31.7	0.9	61.3	25.1	-	47.6	42.6	2.3	85.9
KEMPER	25.5	-	48.2	13.4	-	23.6	30.8	-	59.9
LAFAYETTE	19.2	-	28.1	10.4	-	14.5	39.8	-	66.9
LAMAR	27.6	0.6	57.0	25.8	0.8	52.6	34.0	-	72.8
LAUDERDALE	33.5	2.4	66.6	19.6	0.7	39.2	46.4	4.0	92.3
LAWRENCE	32.2	-	68.2	26.2	-	54.6	41.8	-	90.9
LEAKE	38.3	1.2	82.2	39.6	2.6	83.8	37.2	-	80.8
LEE	39.2	1.0	82.9	32.6	-	70.6	51.1	2.9	104.8
LEFLORE	53.5	3.4	101.8	23.3	-	45.0	61.0	4.2	116.3

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2003

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	30.2	1.6	64.2	25.1	1.3	52.8	38.9	2.1	84.0
LOWNDES	38.9	2.1	77.5	23.8	2.0	44.6	51.3	2.2	107.4
MADISON	30.9	1.9	61.7	15.1	-	32.0	47.8	4.0	91.6
MARION	36.8	3.3	70.0	42.7	5.8	78.8	29.0	-	58.2
MARSHALL	35.8	0.8	71.3	35.4	-	74.0	36.1	1.2	69.7
MONROE	31.9	0.7	66.3	24.4	1.1	50.6	43.4	-	90.0
MONTGOMERY	35.4	8.2	67.6	34.1	5.2	69.6	36.2	10.1	66.4
NESHOBA	47.3	-	98.4	40.7	-	81.4	54.6	-	118.8
NEWTON	34.6	1.2	64.6	22.6	-	42.5	49.3	2.8	92.8
NOXUBEE	41.8	1.8	88.9	27.0	-	61.7	45.2	2.3	94.7
OKTIBBEHA	26.9	1.8	40.9	16.6	-	23.7	36.2	2.9	59.4
PANOLA	42.6	1.5	83.4	35.8	-	69.6	46.8	2.3	92.5
PEARL RIVER	27.5	0.5	53.7	26.0	0.7	50.2	34.1	-	71.0
PERRY	26.4	2.1	53.7	32.4	3.1	65.1	13.7	-	29.4
PIKE	41.4	1.3	84.4	30.1	-	60.3	49.1	2.2	101.6
PONTOTOC	26.9	-	57.6	27.6	-	58.7	24.2	-	52.9
PRENTISS	27.5	-	53.3	25.7	-	50.1	35.8	-	67.8
QUITMAN	47.2	2.4	97.1	32.7	-	71.4	50.6	2.9	102.9
RANKIN	32.2	1.4	63.7	30.4	0.6	61.0	38.4	4.1	72.8
SCOTT	47.2	2.7	94.0	55.0	-	108.6	39.6	5.2	78.6
SHARKEY	20.8	-	42.3	-	-	-	26.4	-	54.2
SIMPSON	36.0	3.8	72.6	41.0	1.8	84.8	30.3	6.1	58.1
SMITH	35.1	3.4	70.1	31.6	-	67.0	42.5	10.9	76.5
STONE	36.7	4.0	63.7	33.4	-	60.0	46.6	14.9	75.9
SUNFLOWER	51.2	4.0	97.4	36.0	-	68.0	54.2	4.9	103.6
TALLAHATCHIE	41.0	1.5	85.8	14.3	-	27.6	51.1	2.0	111.4
TATE	37.4	1.0	71.8	33.7	-	68.4	43.2	2.6	76.6
TIPPAH	33.1	-	64.6	32.1	-	62.3	36.4	-	72.7
TISHOMINGO	30.5	3.1	63.1	31.7	3.2	65.5	-	-	-
TUNICA	51.3	4.6	102.8	40.4	-	78.4	52.8	5.1	106.3
UNION	38.1	-	80.7	31.6	-	66.7	66.7	-	144.8
WALTHALL	37.1	5.0	73.2	36.7	4.2	71.1	37.4	5.6	74.7
WARREN	39.8	1.5	84.4	30.8	-	65.2	47.4	2.7	101.0
WASHINGTON	46.6	2.8	92.2	22.5	-	44.9	53.7	3.6	106.6
WAYNE	34.6	1.2	67.9	20.1	2.4	37.1	51.0	-	104.4
WEBSTER	53.9	2.8	105.1	45.0	4.0	89.0	74.1	-	137.9
WILKINSON	34.7	2.7	67.6	34.2	14.1	53.3	34.8	-	71.4
WINSTON	42.4	1.4	85.5	31.0	-	66.9	50.5	2.5	97.8
YALOBUSHA	33.8	-	72.6	30.8	-	62.5	36.3	-	82.2
YAZOO	55.8	9.1	106.6	33.1	-	63.8	66.2	12.8	128.7

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH ARE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 139 through 159 with identical data for each county as well as for the state.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>415</u>	<u>217</u>	<u>198</u>	<u>12.5</u>	<u>14.7</u>	<u>10.7</u>	<u>390</u>	<u>346</u>	<u>44</u>	<u>11.2</u>	<u>11.3</u>	<u>10.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	2	6	24.1	13.5	32.5	3	2	1	8.6	6.5	23.1
HIV DISEASE (039-043)	2	1	1	6.0	6.8	5.4	1	0	1	2.9	-	23.1
MALIGNANT NEOPLASMS (056-108)	83	38	45	249.8	257.2	243.8	88	78	10	251.9	254.9	230.7
DIABETES MELLITUS (124)	7	1	6	21.1	6.8	32.5	4	3	1	11.4	9.8	23.1
ALZHEIMERS DISEASE (148)	8	6	2	24.1	40.6	10.8	17	17	0	48.7	55.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	155	80	75	466.4	541.4	406.4	165	143	22	472.4	467.4	507.5
HEART DISEASES (156-160,162, 164-181)	108	61	47	325.0	412.8	254.6	119	103	16	340.7	336.6	369.1
HYPERTENSION (161,163)	3	2	1	9.0	13.5	5.4	5	3	2	14.3	9.8	46.1
CEREBROVASCULAR DISEASES (182-186)	42	17	25	126.4	115.0	135.4	37	33	4	105.9	107.9	92.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	7	5	36.1	47.4	27.1	12	11	1	34.4	36.0	23.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	29	24	5	87.3	162.4	27.1	25	25	0	71.6	81.7	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	6.0	13.5	-	2	2	0	5.7	6.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	1	8	27.1	6.8	43.3	10	8	2	28.6	26.1	46.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.5	-	3.9	2	0	2	4.6	-	29.8
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.0	-	5.4	1	1	0	2.9	3.3	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	23	13	10	69.2	88.0	54.2	20	19	1	57.2	62.1	23.1
MOTOR VEHICLE ACCIDENTS# (296-306)	13	9	4	39.1	60.9	21.7	10	10	0	28.6	32.7	-
SUICIDE (331-337)	1	1	0	3.0	6.8	-	6	6	0	17.2	19.6	-
HOMICIDE (338-346)	5	3	2	15.0	20.3	10.8	0	0	0	-	-	-

CAUSE AND GROUP NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>162</u>	<u>101</u>	<u>61</u>	<u>11.9</u>	<u>13.1</u>	<u>10.4</u>	<u>269</u>	<u>178</u>	<u>91</u>	<u>13.7</u>	<u>15.4</u>	<u>11.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	14.7	25.9	-	11	7	4	55.9	60.4	49.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	34	24	10	250.1	311.0	170.1	44	32	12	223.6	276.0	148.5
DIABETES MELLITUS (124)	6	1	5	44.1	13.0	85.1	9	5	4	45.7	43.1	49.5
ALZHEIMERS DISEASE (148)	2	2	0	14.7	25.9	-	6	6	0	30.5	51.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	62	37	25	456.1	479.5	425.3	117	71	46	594.7	612.4	569.4
HEART DISEASES (156-160,162, 164-181)	51	30	21	375.2	388.8	357.3	83	52	31	421.9	448.5	383.7
HYPERTENSION (161,163)	2	2	0	14.7	25.9	-	5	1	4	25.4	8.6	49.5
CEREBROVASCULAR DISEASES (182-186)	9	5	4	66.2	64.8	68.0	29	18	11	147.4	155.2	136.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	22.1	25.9	17.0	8	7	1	40.7	60.4	12.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	6	1	51.5	77.8	17.0	15	14	1	76.2	120.8	12.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	5.1	8.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	29.4	38.9	17.0	5	3	2	25.4	25.9	24.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	6.6	-	12.3	2	0	2	7.5	-	15.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	10.2	8.6	12.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	6.6	-	12.3	1	0	1	3.8	-	7.8
ACCIDENTS (295-330)	12	5	7	88.3	64.8	119.1	9	5	4	45.7	43.1	49.5
MOTOR VEHICLE ACCIDENTS# (296-306)	6	3	3	44.1	38.9	51.0	3	0	3	15.2	-	37.1
SUICIDE (331-337)	1	1	0	7.4	13.0	-	2	1	1	10.2	8.6	12.4
HOMICIDE (338-346)	0	0	0	-	-	-	3	0	3	15.2	-	37.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>85</u>	<u>61</u>	<u>24</u>	<u>10.9</u>	<u>12.4</u>	<u>8.4</u>	<u>388</u>	<u>149</u>	<u>239</u>	<u>9.9</u>	<u>11.6</u>	<u>9.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	12.9	20.3	-	15	5	10	38.2	38.8	38.0
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	20	13	7	257.3	264.5	244.8	82	33	49	209.0	255.9	186.0
DIABETES MELLITUS (124)	1	1	0	12.9	20.3	-	7	3	4	17.8	23.3	15.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	4	2	2	10.2	15.5	7.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	44	32	12	566.0	651.1	419.7	157	57	100	400.2	442.1	379.6
HEART DISEASES (156-160,162, 164-181)	35	26	9	450.2	529.0	314.8	136	48	88	346.6	372.3	334.1
HYPERTENSION (161,163)	0	0	0	-	-	-	3	1	2	7.6	7.8	7.6
CEREBROVASCULAR DISEASES (182-186)	7	4	3	90.0	81.4	104.9	15	6	9	38.2	46.5	34.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	2.5	-	3.8
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	13	9	4	33.1	69.8	15.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1	1	0	12.9	20.3	-	11	5	6	28.0	38.8	22.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	12.9	20.3	-	4	2	2	10.2	15.5	7.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	12.9	-	35.0	14	3	11	35.7	23.3	41.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	4.9	-	6.4
CONGENITAL MALFORMATIONS (282-290)	2	1	1	25.7	20.3	35.0	1	0	1	2.5	-	3.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	4	1	3	6.5	7.0	6.4
ACCIDENTS (295-330)	8	6	2	102.9	122.1	70.0	14	9	5	35.7	69.8	19.0
MOTOR VEHICLE ACCIDENTS# (296-306)	7	5	2	90.0	101.7	70.0	11	8	3	28.0	62.0	11.4
SUICIDE (331-337)	1	1	0	12.9	20.3	-	2	2	0	5.1	15.5	-
HOMICIDE (338-346)	0	0	0	-	-	-	8	0	8	20.4	-	30.4

CAUSE AND GROUP NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>180</u>	<u>141</u>	<u>39</u>	<u>12.1</u>	<u>13.6</u>	<u>8.7</u>	<u>115</u>	<u>71</u>	<u>44</u>	<u>11.0</u>	<u>10.5</u>	<u>12.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	6.7	9.6	-	1	0	1	9.6	-	27.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	9.6	-	27.2
MALIGNANT NEOPLASMS (056-108)	39	30	9	263.0	289.5	201.6	31	19	12	296.3	280.0	326.4
DIABETES MELLITUS (124)	3	3	0	20.2	28.9	-	2	1	1	19.1	14.7	27.2
ALZHEIMERS DISEASE (148)	6	4	2	40.5	38.6	44.8	1	1	0	9.6	14.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	90	69	21	607.0	665.8	470.4	37	23	14	353.7	338.9	380.8
HEART DISEASES (156-160,162, 164-181)	68	53	15	458.6	511.4	336.0	25	15	10	239.0	221.0	272.0
HYPERTENSION (161,163)	1	0	1	6.7	-	22.4	2	0	2	19.1	-	54.4
CEREBROVASCULAR DISEASES (182-186)	19	15	4	128.1	144.7	89.6	9	7	2	86.0	103.2	54.4
ATHEROSCLEROSIS (187)	1	1	0	6.7	9.6	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	0	2	13.5	-	44.8	3	1	2	28.7	14.7	54.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	9	0	60.7	86.8	-	10	8	2	95.6	117.9	54.4
PEPTIC ULCER (217-220)	2	1	1	13.5	9.6	22.4	1	0	1	9.6	-	27.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	3	0	28.7	44.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	20.2	9.6	44.8	1	0	1	9.6	-	27.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	1,010.1	1,724.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.2	7.3	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	6.7	9.6	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	9	1	67.4	86.8	22.4	6	5	1	57.4	73.7	27.2
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	27.0	28.9	22.4	3	3	0	28.7	44.2	-
SUICIDE (331-337)	1	1	0	6.7	9.6	-	0	0	0	-	-	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>182</u>	<u>124</u>	<u>58</u>	<u>9.5</u>	<u>11.3</u>	<u>7.0</u>	<u>75</u>	<u>48</u>	<u>27</u>	<u>7.8</u>	<u>7.3</u>	<u>8.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	3	3	31.2	27.3	36.5	2	0	2	20.7	-	65.3
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	41	26	15	213.5	236.6	182.6	15	11	4	155.3	166.7	130.6
DIABETES MELLITUS (124)	3	0	3	15.6	-	36.5	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	4	3	1	20.8	27.3	12.2	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	75	52	23	390.5	473.2	279.9	29	22	7	300.2	333.4	228.5
HEART DISEASES (156-160,162, 164-181)	63	46	17	328.0	418.6	206.9	26	20	6	269.1	303.1	195.9
HYPERTENSION (161,163)	1	1	0	5.2	9.1	-	1	0	1	10.4	-	32.6
CEREBROVASCULAR DISEASES (182-186)	10	4	6	52.1	36.4	73.0	2	2	0	20.7	30.3	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	3	3	31.2	27.3	36.5	1	1	0	10.4	15.2	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	36.4	63.7	-	6	4	2	62.1	60.6	65.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.2	9.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	15.6	9.1	24.3	2	1	1	20.7	15.2	32.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	9.9	-	28.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	2	0	6.4	13.6	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	9	2	57.3	81.9	24.3	5	3	2	51.8	45.5	65.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	4	0	20.8	36.4	-	5	3	2	51.8	45.5	65.3
SUICIDE (331-337)	2	0	2	10.4	-	24.3	1	1	0	10.4	15.2	-
HOMICIDE (338-346)	2	1	1	10.4	9.1	12.2	2	1	1	20.7	15.2	32.6

CAUSE AND GROUP NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>104</u>	<u>24</u>	<u>80</u>	<u>9.0</u>	<u>14.3</u>	<u>8.1</u>	<u>184</u>	<u>120</u>	<u>64</u>	<u>10.4</u>	<u>10.4</u>	<u>10.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	3	2	1	16.9	17.3	16.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	4	17	182.6	238.2	173.1	29	17	12	163.4	147.1	193.8
DIABETES MELLITUS (124)	1	0	1	8.7	-	10.2	1	0	1	5.6	-	16.2
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	3	1	2	16.9	8.6	32.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	45	14	31	391.2	833.8	315.6	84	59	25	473.3	510.6	403.8
HEART DISEASES (156-160,162, 164-181)	35	11	24	304.3	655.2	244.3	67	49	18	377.6	424.0	290.7
HYPERTENSION (161,163)	0	0	0	-	-	-	5	3	2	28.2	26.0	32.3
CEREBROVASCULAR DISEASES (182-186)	10	3	7	86.9	178.7	71.3	10	7	3	56.4	60.6	48.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	8.7	-	10.2	4	3	1	22.5	26.0	16.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	2	5	60.8	119.1	50.9	8	6	2	45.1	51.9	32.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	5.6	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	5.6	-	16.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	17.4	-	20.4	7	2	5	39.4	17.3	80.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	14.1	-	15.0	2	2	0	7.9	13.9	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	7.0	-	7.5	0	0	0	-	-	-
ACCIDENTS (295-330)	10	2	8	86.9	119.1	81.4	9	9	0	50.7	77.9	-
MOTOR VEHICLE ACCIDENTS# (296-306)	9	2	7	78.2	119.1	71.3	6	6	0	33.8	51.9	-
SUICIDE (331-337)	1	1	0	8.7	59.6	-	1	1	0	5.6	8.6	-
HOMICIDE (338-346)	1	0	1	8.7	-	10.2	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>231</u>	<u>121</u>	<u>110</u>	<u>10.7</u>	<u>13.4</u>	<u>8.7</u>	<u>340</u>	<u>113</u>	<u>227</u>	<u>11.5</u>	<u>14.4</u>	<u>10.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	18.5	22.2	15.8	6	2	4	20.3	25.4	18.4
HIV DISEASE (039-043)	1	0	1	4.6	-	7.9	4	0	4	13.5	-	18.4
MALIGNANT NEOPLASMS (056-108)	50	21	29	231.2	233.0	229.9	72	23	49	243.7	292.5	226.0
DIABETES MELLITUS (124)	3	1	2	13.9	11.1	15.8	18	1	17	60.9	12.7	78.4
ALZHEIMERS DISEASE (148)	2	0	2	9.2	-	15.8	3	1	2	10.2	12.7	9.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	57	37	434.7	632.4	293.4	146	56	90	494.1	712.3	415.0
HEART DISEASES (156-160,162, 164-181)	62	37	25	286.7	410.5	198.2	106	41	65	358.8	521.5	299.8
HYPERTENSION (161,163)	1	0	1	4.6	-	7.9	16	3	13	54.2	38.2	60.0
CEREBROVASCULAR DISEASES (182-186)	28	17	11	129.5	188.6	87.2	20	8	12	67.7	101.8	55.3
ATHEROSCLEROSIS (187)	1	1	0	4.6	11.1	-	2	2	0	6.8	25.4	-
INFLUENZA AND PNEUMONIA (195-198)	6	2	4	27.7	22.2	31.7	2	0	2	6.8	-	9.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	9	2	50.9	99.8	15.8	9	4	5	30.5	50.9	23.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	9.2	22.2	-	1	0	1	3.4	-	4.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	5	9	64.7	55.5	71.4	9	1	8	30.5	12.7	36.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	3.5	-	5.2	5	1	4	9.4	11.1	9.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	6.8	-	9.2
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.5	10.6	-	4	0	4	7.5	-	9.0
ACCIDENTS (295-330)	14	8	6	64.7	88.8	47.6	18	8	10	60.9	101.8	46.1
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	18.5	33.3	7.9	10	6	4	33.8	76.3	18.4
SUICIDE (331-337)	2	2	0	9.2	22.2	-	3	3	0	10.2	38.2	-
HOMICIDE (338-346)	2	0	2	9.2	-	15.8	8	1	7	27.1	12.7	32.3

CAUSE AND GROUP NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>274</u>	<u>158</u>	<u>116</u>	<u>9.5</u>	<u>11.3</u>	<u>7.8</u>	<u>226</u>	<u>171</u>	<u>55</u>	<u>11.2</u>	<u>13.4</u>	<u>7.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	2	4	20.7	14.3	26.8	5	3	2	24.8	23.4	27.1
HIV DISEASE (039-043)	2	0	2	6.9	-	13.4	1	1	0	5.0	7.8	-
MALIGNANT NEOPLASMS (056-108)	59	38	21	204.0	271.6	140.6	44	32	12	218.1	250.2	162.4
DIABETES MELLITUS (124)	9	4	5	31.1	28.6	33.5	3	2	1	14.9	15.6	13.5
ALZHEIMERS DISEASE (148)	2	2	0	6.9	14.3	-	6	6	0	29.7	46.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	105	57	48	363.0	407.4	321.4	79	60	19	391.5	469.1	257.2
HEART DISEASES (156-160,162, 164-181)	82	46	36	283.5	328.8	241.0	62	48	14	307.3	375.3	189.5
HYPERTENSION (161,163)	3	1	2	10.4	7.1	13.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	18	8	10	62.2	57.2	66.9	16	11	5	79.3	86.0	67.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	8	3	38.0	57.2	20.1	8	8	0	39.6	62.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	11	4	51.8	78.6	26.8	19	18	1	94.2	140.7	13.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	10.4	7.1	13.4	2	2	0	9.9	15.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	5	5	34.6	35.7	33.5	5	4	1	24.8	31.3	13.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	4.6	5.6	4.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	5	1	4	17.3	7.1	26.8	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	3	0	10.5	18.2	-
ACCIDENTS (295-330)	7	4	3	24.2	28.6	20.1	17	11	6	84.2	86.0	81.2
MOTOR VEHICLE ACCIDENTS# (296-306)	5	2	3	17.3	14.3	20.1	10	4	6	49.6	31.3	81.2
SUICIDE (331-337)	2	1	1	6.9	7.1	6.7	0	0	0	-	-	-
HOMICIDE (338-346)	3	0	3	10.4	-	20.1	1	1	0	5.0	7.8	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>867</u>	<u>740</u>	<u>127</u>	<u>7.0</u>	<u>7.2</u>	<u>6.0</u>	<u>729</u>	<u>534</u>	<u>195</u>	<u>9.8</u>	<u>11.3</u>	<u>7.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	16	2	14.5	15.5	9.5	23	17	6	30.9	36.0	22.1
HIV DISEASE (039-043)	2	0	2	1.6	-	9.5	6	0	6	8.1	-	22.1
MALIGNANT NEOPLASMS (056-108)	201	175	26	161.6	169.5	123.0	136	101	35	182.8	213.8	129.0
DIABETES MELLITUS (124)	55	45	10	44.2	43.6	47.3	27	18	9	36.3	38.1	33.2
ALZHEIMERS DISEASE (148)	28	25	3	22.5	24.2	14.2	18	17	1	24.2	36.0	3.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	275	232	43	221.1	224.7	203.5	274	194	80	368.3	410.6	294.8
HEART DISEASES (156-160,162, 164-181)	214	179	35	172.0	173.4	165.6	202	145	57	271.6	306.9	210.0
HYPERTENSION (161,163)	22	20	2	17.7	19.4	9.5	17	10	7	22.8	21.2	25.8
CEREBROVASCULAR DISEASES (182-186)	34	28	6	27.3	27.1	28.4	43	31	12	57.8	65.6	44.2
ATHEROSCLEROSIS (187)	2	2	0	1.6	1.9	-	1	1	0	1.3	2.1	-
INFLUENZA AND PNEUMONIA (195-198)	14	13	1	11.2	12.6	4.7	18	13	5	24.2	27.5	18.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	56	51	5	45.0	49.4	23.7	36	32	4	48.4	67.7	14.7
PEPTIC ULCER (217-220)	3	3	0	2.4	2.9	-	1	1	0	1.3	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	11	11	0	8.8	10.6	-	7	6	1	9.4	12.7	3.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	12	2	11.2	11.6	9.5	18	14	4	24.2	29.6	14.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	7	4	3	3.8	2.6	9.4	5	0	5	4.6	-	10.3
CONGENITAL MALFORMATIONS (282-290)	2	2	0	1.6	1.9	-	3	2	1	4.0	4.2	3.7
SUDDEN INFANT DEATH SYNDROME# (292)	4	1	3	2.2	0.6	9.4	3	1	2	2.8	1.7	4.1
ACCIDENTS (295-330)	43	34	9	34.6	32.9	42.6	35	30	5	47.0	63.5	18.4
MOTOR VEHICLE ACCIDENTS# (296-306)	23	18	5	18.5	17.4	23.7	18	17	1	24.2	36.0	3.7
SUICIDE (331-337)	19	19	0	15.3	18.4	-	3	3	0	4.0	6.4	-
HOMICIDE (338-346)	9	4	5	7.2	3.9	23.7	2	1	1	2.7	2.1	3.7

CAUSE AND GROUP NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>84</u>	<u>53</u>	<u>31</u>	<u>10.1</u>	<u>10.0</u>	<u>10.2</u>	<u>219</u>	<u>199</u>	<u>20</u>	<u>10.7</u>	<u>10.8</u>	<u>9.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	12.0	18.9	-	1	0	1	4.9	-	48.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	14	10	4	167.9	189.0	131.2	52	46	6	254.8	250.5	293.7
DIABETES MELLITUS (124)	2	0	2	24.0	-	65.6	16	16	0	78.4	87.1	-
ALZHEIMERS DISEASE (148)	1	1	0	12.0	18.9	-	8	7	1	39.2	38.1	48.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	40	23	17	479.6	434.7	557.6	77	70	7	377.3	381.2	342.6
HEART DISEASES (156-160,162, 164-181)	37	20	17	443.6	378.0	557.6	58	52	6	284.2	283.2	293.7
HYPERTENSION (161,163)	0	0	0	-	-	-	3	3	0	14.7	16.3	-
CEREBROVASCULAR DISEASES (182-186)	3	3	0	36.0	56.7	-	13	12	1	63.7	65.3	48.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	9.8	10.9	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	36.0	56.7	-	4	4	0	19.6	21.8	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	36.0	56.7	-	10	10	0	49.0	54.4	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	4.9	5.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	24.0	18.9	32.8	3	3	0	14.7	16.3	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	12.0	-	32.8	1	1	0	4.9	5.4	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	6.0	6.7	-
ACCIDENTS (295-330)	3	2	1	36.0	37.8	32.8	14	12	2	68.6	65.3	97.9
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	24.0	18.9	32.8	8	7	1	39.2	38.1	48.9
SUICIDE (331-337)	1	0	1	12.0	-	32.8	3	3	0	14.7	16.3	-
HOMICIDE (338-346)	3	0	3	36.0	-	98.4	1	1	0	4.9	5.4	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>134</u>	<u>117</u>	<u>17</u>	<u>10.2</u>	<u>12.1</u>	<u>4.8</u>	<u>310</u>	<u>179</u>	<u>131</u>	<u>13.6</u>	<u>13.7</u>	<u>13.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	15.2	20.7	-	7	2	5	30.7	15.3	51.4
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	4.4	-	10.3
MALIGNANT NEOPLASMS (056-108)	30	26	4	227.8	268.9	114.2	58	29	29	254.3	221.7	298.1
DIABETES MELLITUS (124)	4	2	2	30.4	20.7	57.1	3	2	1	13.2	15.3	10.3
ALZHEIMERS DISEASE (148)	5	5	0	38.0	51.7	-	1	1	0	4.4	7.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	54	6	455.6	558.5	171.4	149	91	58	653.2	695.7	596.2
HEART DISEASES (156-160,162, 164-181)	52	46	6	394.9	475.8	171.4	115	74	41	504.2	565.7	421.4
HYPERTENSION (161,163)	0	0	0	-	-	-	5	2	3	21.9	15.3	30.8
CEREBROVASCULAR DISEASES (182-186)	6	6	0	45.6	62.1	-	24	11	13	105.2	84.1	133.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.2	20.7	-	10	9	1	43.8	68.8	10.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	11	3	106.3	113.8	85.7	9	8	1	39.4	61.2	10.3
PEPTIC ULCER (217-220)	1	1	0	7.6	10.3	-	1	0	1	4.4	-	10.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	15.2	20.7	-	2	1	1	8.8	7.6	10.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	7.6	-	28.6	6	1	5	26.3	7.6	51.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	9.6	-	20.5
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	4.4	-	10.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	2	0	6.4	12.1	-
ACCIDENTS (295-330)	8	8	0	60.7	82.7	-	11	10	1	48.2	76.4	10.3
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	38.0	51.7	-	6	6	0	26.3	45.9	-
SUICIDE (331-337)	1	1	0	7.6	10.3	-	3	2	1	13.2	15.3	10.3
HOMICIDE (338-346)	0	0	0	-	-	-	6	0	6	26.3	-	61.7

CAUSE AND GROUP NUMBER	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>423</u>	<u>396</u>	<u>27</u>	<u>9.4</u>	<u>9.6</u>	<u>6.6</u>	<u>1758</u>	<u>1,417</u>	<u>341</u>	<u>9.3</u>	<u>10.3</u>	<u>6.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	8.9	7.3	24.4	35	28	7	18.4	20.4	13.3
HIV DISEASE (039-043)	1	1	0	2.2	2.4	-	8	2	6	4.2	1.5	11.4
MALIGNANT NEOPLASMS (056-108)	97	90	7	214.9	219.2	170.8	408	330	78	215.2	241.0	148.1
DIABETES MELLITUS (124)	4	4	0	8.9	9.7	-	15	9	6	7.9	6.6	11.4
ALZHEIMERS DISEASE (148)	4	4	0	8.9	9.7	-	24	21	3	12.6	15.3	5.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	156	145	11	345.6	353.2	268.5	692	561	131	365.0	409.7	248.7
HEART DISEASES (156-160,162, 164-181)	113	106	7	250.3	258.2	170.8	598	486	112	315.4	354.9	212.6
HYPERTENSION (161,163)	2	1	1	4.4	2.4	24.4	3	2	1	1.6	1.5	1.9
CEREBROVASCULAR DISEASES (182-186)	34	31	3	75.3	75.5	73.2	67	55	12	35.3	40.2	22.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	4	1	3	2.1	0.7	5.7
INFLUENZA AND PNEUMONIA (195-198)	10	9	1	22.2	21.9	24.4	39	35	4	20.6	25.6	7.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	28	27	1	62.0	65.8	24.4	66	60	6	34.8	43.8	11.4
PEPTIC ULCER (217-220)	1	1	0	2.2	2.4	-	1	1	0	0.5	0.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	4	1	11.1	9.7	24.4	19	13	6	10.0	9.5	11.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	8	0	17.7	19.5	-	49	34	15	25.8	24.8	28.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.8	-	18.5	9	8	1	3.1	3.9	1.1
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.2	2.4	-	5	3	2	2.6	2.2	3.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.8	2.0	-	4	3	1	1.4	1.5	1.1
ACCIDENTS (295-330)	39	39	0	86.4	95.0	-	87	76	11	45.9	55.5	20.9
MOTOR VEHICLE ACCIDENTS# (296-306)	17	17	0	37.6	41.4	-	28	24	4	14.8	17.5	7.6
SUICIDE (331-337)	5	5	0	11.1	12.2	-	28	27	1	14.8	19.7	1.9
HOMICIDE (338-346)	5	5	0	11.1	12.2	-	20	6	14	10.5	4.4	26.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>2,091</u>	<u>976</u>	<u>1,115</u>	<u>8.4</u>	<u>11.2</u>	<u>6.9</u>	<u>251</u>	<u>77</u>	<u>174</u>	<u>11.8</u>	<u>19.3</u>	<u>10.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	47	20	27	18.9	23.0	16.6	3	1	2	14.0	25.1	11.5
HIV DISEASE (039-043)	45	2	43	18.1	2.3	26.5	1	0	1	4.7	-	5.8
MALIGNANT NEOPLASMS (056-108)	404	198	206	162.2	227.6	127.1	67	18	49	313.9	451.8	282.2
DIABETES MELLITUS (124)	37	18	19	14.8	20.7	11.7	3	0	3	14.0	-	17.3
ALZHEIMERS DISEASE (148)	34	19	15	13.6	21.8	9.2	12	5	7	56.2	125.5	40.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	843	411	432	338.4	472.5	266.5	89	30	59	416.9	753.0	339.8
HEART DISEASES (156-160,162, 164-181)	661	324	337	265.4	372.5	207.9	63	24	39	295.1	602.4	224.6
HYPERTENSION (161,163)	33	10	23	13.2	11.5	14.2	14	3	11	65.6	75.3	63.4
CEREBROVASCULAR DISEASES (182-186)	118	57	61	47.4	65.5	37.6	12	3	9	56.2	75.3	51.8
ATHEROSCLEROSIS (187)	1	1	0	0.4	1.2	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	39	21	18	15.6	24.1	11.1	9	4	5	42.2	100.4	28.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	64	46	18	25.7	52.9	11.1	4	2	2	18.7	50.2	11.5
PEPTIC ULCER (217-220)	1	0	1	0.4	-	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	16	10	6	6.4	11.5	3.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	51	16	35	20.5	18.4	21.6	8	3	5	37.5	75.3	28.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	266.7	-	299.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	30	3	27	7.6	3.0	9.1	1	0	1	2.7	-	3.0
CONGENITAL MALFORMATIONS (282-290)	6	2	4	2.4	2.3	2.5	3	1	2	14.0	25.1	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	9	1	8	2.3	1.0	2.7	0	0	0	-	-	-
ACCIDENTS (295-330)	109	49	60	43.8	56.3	37.0	13	2	11	60.9	50.2	63.4
MOTOR VEHICLE ACCIDENTS# (296-306)	64	27	37	25.7	31.0	22.8	8	1	7	37.5	25.1	40.3
SUICIDE (331-337)	19	10	9	7.6	11.5	5.6	1	1	0	4.7	25.1	-
HOMICIDE (338-346)	52	4	48	20.9	4.6	29.6	5	1	4	23.4	25.1	23.0

CAUSE AND GROUP NUMBER	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>126</u>	<u>43</u>	<u>83</u>	<u>11.8</u>	<u>15.1</u>	<u>10.5</u>	<u>13</u>	<u>7</u>	<u>6</u>	<u>6.4</u>	<u>9.8</u>	<u>4.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	9.3	-	12.7	0	0	0	-	-	-
HIV DISEASE (039-043)	2	0	2	18.6	-	25.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	22	7	15	205.2	246.2	190.4	3	1	2	148.8	140.0	153.6
DIABETES MELLITUS (124)	0	0	0	-	-	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	9	6	3	83.9	211.0	38.1	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	19	28	438.4	668.3	355.4	5	4	1	248.0	560.2	76.8
HEART DISEASES (156-160,162, 164-181)	39	15	24	363.7	527.6	304.6	3	3	0	148.8	420.2	-
HYPERTENSION (161,163)	3	1	2	28.0	35.2	25.4	1	0	1	49.6	-	76.8
CEREBROVASCULAR DISEASES (182-186)	4	2	2	37.3	70.3	25.4	1	1	0	49.6	140.0	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	3	5	74.6	105.5	63.5	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	2	1	28.0	70.3	12.7	1	0	1	49.6	-	76.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.3	35.2	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	1	4	46.6	35.2	50.8	1	1	0	49.6	140.0	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	10.0	-	12.1	0	0	0	-	-	-
ACCIDENTS (295-330)	9	2	7	83.9	70.3	88.8	1	1	0	49.6	140.0	-
MOTOR VEHICLE ACCIDENTS# (296-306)	7	1	6	65.3	35.2	76.2	0	0	0	-	-	-
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	3	0	3	28.0	-	38.1	1	0	1	49.6	-	76.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>298</u>	<u>286</u>	<u>12</u>	<u>13.0</u>	<u>13.4</u>	<u>7.2</u>	<u>1,195</u>	<u>989</u>	<u>206</u>	<u>8.9</u>	<u>9.9</u>	<u>6.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	21.8	23.5	-	13	5	8	9.7	5.0	23.6
HIV DISEASE (039-043)	0	0	0	-	-	-	5	3	2	3.7	3.0	5.9
MALIGNANT NEOPLASMS (056-108)	48	47	1	209.0	220.8	59.8	275	227	48	205.3	226.8	141.9
DIABETES MELLITUS (124)	9	8	1	39.2	37.6	59.8	13	9	4	9.7	9.0	11.8
ALZHEIMERS DISEASE (148)	9	9	0	39.2	42.3	-	38	30	8	28.4	30.0	23.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	120	114	6	522.6	535.4	358.6	418	350	68	312.1	349.6	201.0
HEART DISEASES (156-160,162, 164-181)	96	91	5	418.0	427.4	298.9	337	285	52	251.6	284.7	153.7
HYPERTENSION (161,163)	0	0	0	-	-	-	8	7	1	6.0	7.0	3.0
CEREBROVASCULAR DISEASES (182-186)	21	21	0	91.4	98.6	-	61	47	14	45.5	47.0	41.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	8	7	1	6.0	7.0	3.0
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	34.8	37.6	-	22	20	2	16.4	20.0	5.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	24	1	108.9	112.7	59.8	64	61	3	47.8	60.9	8.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	13.1	14.1	-	6	6	0	4.5	6.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	30.5	28.2	59.8	22	17	5	16.4	17.0	14.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	5	4	1	2.8	3.0	2.0
CONGENITAL MALFORMATIONS (282-290)	2	2	0	8.7	9.4	-	5	3	2	3.7	3.0	5.9
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	3.3	-	50.0	5	2	3	2.8	1.5	6.1
ACCIDENTS (295-330)	23	22	1	100.2	103.3	59.8	91	78	13	67.9	77.9	38.4
MOTOR VEHICLE ACCIDENTS# (296-306)	15	14	1	65.3	65.8	59.8	31	24	7	23.1	24.0	20.7
SUICIDE (331-337)	5	5	0	21.8	23.5	-	25	23	2	18.7	23.0	5.9
HOMICIDE (338-346)	4	4	0	17.4	18.8	-	10	5	5	7.5	5.0	14.8

CAUSE AND GROUP NUMBER	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>160</u>	<u>67</u>	<u>93</u>	<u>8.8</u>	<u>7.9</u>	<u>9.4</u>	<u>93</u>	<u>12</u>	<u>81</u>	<u>9.8</u>	<u>10.0</u>	<u>9.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	0	2	10.9	-	20.3	4	1	3	42.0	83.8	36.0
HIV DISEASE (039-043)	2	0	2	10.9	-	20.3	1	0	1	10.5	-	12.0
MALIGNANT NEOPLASMS (056-108)	37	13	24	202.4	154.2	243.7	16	1	15	167.8	83.8	179.8
DIABETES MELLITUS (124)	0	0	0	-	-	-	4	0	4	42.0	-	48.0
ALZHEIMERS DISEASE (148)	4	3	1	21.9	35.6	10.2	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	71	30	41	388.4	355.8	416.3	41	5	36	430.1	419.1	431.6
HEART DISEASES (156-160,162, 164-181)	56	23	33	306.3	272.8	335.1	24	5	19	251.8	419.1	227.8
HYPERTENSION (161,163)	2	0	2	10.9	-	20.3	9	0	9	94.4	-	107.9
CEREBROVASCULAR DISEASES (182-186)	11	5	6	60.2	59.3	60.9	8	0	8	83.9	-	95.9
ATHEROSCLEROSIS (187)	1	1	0	5.5	11.9	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	3	4	38.3	35.6	40.6	3	0	3	31.5	-	36.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	32.8	59.3	10.2	5	3	2	52.4	251.5	24.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	10.5	-	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	16.4	23.7	10.2	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	7.2	-	12.3	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	10.5	-	12.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	9	7	87.5	106.7	71.1	6	1	5	62.9	83.8	60.0
MOTOR VEHICLE ACCIDENTS# (296-306)	8	4	4	43.8	47.4	40.6	6	1	5	62.9	83.8	60.0
SUICIDE (331-337)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	5.5	-	10.2	2	0	2	21.0	-	24.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>164</u>	<u>79</u>	<u>85</u>	<u>12.2</u>	<u>14.4</u>	<u>10.7</u>	<u>733</u>	<u>579</u>	<u>154</u>	<u>11.2</u>	<u>12.4</u>	<u>8.4</u>
TUBERCULOSIS (009,010)	1	1	0	7.5	18.3	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	14.9	18.3	12.6	14	11	3	21.5	23.5	16.3
HIV DISEASE (039-043)	0	0	0	-	-	-	7	5	2	10.7	10.7	10.9
MALIGNANT NEOPLASMS (056-108)	29	14	15	216.4	255.9	189.2	152	118	34	233.2	252.4	184.6
DIABETES MELLITUS (124)	0	0	0	-	-	-	13	10	3	19.9	21.4	16.3
ALZHEIMERS DISEASE (148)	3	2	1	22.4	36.6	12.6	19	19	0	29.2	40.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	84	45	39	626.9	822.5	491.9	288	233	55	441.9	498.4	298.6
HEART DISEASES (156-160,162, 164-181)	67	38	29	500.0	694.6	365.8	226	183	43	346.8	391.4	233.5
HYPERTENSION (161,163)	1	0	1	7.5	-	12.6	4	2	2	6.1	4.3	10.9
CEREBROVASCULAR DISEASES (182-186)	13	4	9	97.0	73.1	113.5	51	42	9	78.2	89.8	48.9
ATHEROSCLEROSIS (187)	1	1	0	7.5	18.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	22.4	36.6	12.6	20	15	5	30.7	32.1	27.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	37.3	54.8	25.2	35	31	4	53.7	66.3	21.7
PEPTIC ULCER (217-220)	1	0	1	7.5	-	12.6	1	1	0	1.5	2.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	10	6	4	15.3	12.8	21.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	29.8	36.6	25.2	13	10	3	19.9	21.4	16.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	4	0	4	4.1	-	11.1
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.5	-	12.6	4	2	2	6.1	4.3	10.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	1	8	67.2	18.3	100.9	43	36	7	66.0	77.0	38.0
MOTOR VEHICLE ACCIDENTS# (296-306)	7	1	6	52.2	18.3	75.7	24	20	4	36.8	42.8	21.7
SUICIDE (331-337)	0	0	0	-	-	-	7	6	1	10.7	12.8	5.4
HOMICIDE (338-346)	4	0	4	29.8	-	50.4	6	1	5	9.2	2.1	27.1

CAUSE AND GROUP NUMBER	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>115</u>	<u>51</u>	<u>64</u>	<u>11.0</u>	<u>12.7</u>	<u>10.0</u>	<u>294</u>	<u>221</u>	<u>73</u>	<u>7.3</u>	<u>7.6</u>	<u>6.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	19.2	24.8	15.6	3	3	0	7.5	10.4	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	26	9	17	249.2	223.4	265.3	58	37	21	144.3	127.9	186.6
DIABETES MELLITUS (124)	2	0	2	19.2	-	31.2	9	7	2	22.4	24.2	17.8
ALZHEIMERS DISEASE (148)	1	1	0	9.6	24.8	-	8	6	2	19.9	20.7	17.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	44	21	23	421.6	521.4	359.0	119	93	26	296.1	321.4	231.0
HEART DISEASES (156-160,162, 164-181)	37	18	19	354.6	446.9	296.6	92	70	22	228.9	242.0	195.4
HYPERTENSION (161,163)	2	0	2	19.2	-	31.2	2	2	0	5.0	6.9	-
CEREBROVASCULAR DISEASES (182-186)	4	3	1	38.3	74.5	15.6	17	15	2	42.3	51.8	17.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	2.5	3.4	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	38.3	49.6	31.2	6	4	2	14.9	13.8	17.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	47.9	74.5	31.2	19	18	1	47.3	62.2	8.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	2.5	3.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	2.5	3.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	0	0	0	-	-	-	11	6	5	27.4	20.7	44.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	7.5	-	10.9	3	1	2	6.5	3.6	10.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	5.0	3.4	8.9
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	7.5	-	10.9	0	0	0	-	-	-
ACCIDENTS (295-330)	5	2	3	47.9	49.6	46.8	23	19	4	57.2	65.7	35.5
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	38.3	49.6	31.2	8	7	1	19.9	24.2	8.9
SUICIDE (331-337)	3	1	2	28.7	24.8	31.2	4	4	0	10.0	13.8	-
HOMICIDE (338-346)	1	0	1	9.6	-	15.6	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>304</u>	<u>281</u>	<u>23</u>	<u>7.2</u>	<u>7.9</u>	<u>3.7</u>	<u>951</u>	<u>611</u>	<u>340</u>	<u>12.2</u>	<u>13.4</u>	<u>10.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	6	2	19.1	16.8	32.2	13	8	5	16.7	17.5	15.6
HIV DISEASE (039-043)	1	1	0	2.4	2.8	-	10	3	7	12.9	6.6	21.9
MALIGNANT NEOPLASMS (056-108)	76	67	9	181.1	187.4	145.0	182	122	60	234.2	267.0	187.4
DIABETES MELLITUS (124)	6	5	1	14.3	14.0	16.1	16	6	10	20.6	13.1	31.2
ALZHEIMERS DISEASE (148)	4	4	0	9.5	11.2	-	40	27	13	51.5	59.1	40.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	97	89	8	231.2	248.9	128.9	322	214	108	414.4	468.3	337.4
HEART DISEASES (156-160,162, 164-181)	75	69	6	178.8	193.0	96.7	222	160	62	285.7	350.1	193.7
HYPERTENSION (161,163)	2	2	0	4.8	5.6	-	38	21	17	48.9	46.0	53.1
CEREBROVASCULAR DISEASES (182-186)	16	14	2	38.1	39.2	32.2	58	30	28	74.6	65.6	87.5
ATHEROSCLEROSIS (187)	1	1	0	2.4	2.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	7.2	8.4	-	23	17	6	29.6	37.2	18.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	21	0	50.0	58.7	-	54	47	7	69.5	102.8	21.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	1.3	2.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	4.8	5.6	-	4	1	3	5.1	2.2	9.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	8	1	21.4	22.4	16.1	29	11	18	37.3	24.1	56.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	84.9	-	169.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	4.4	5.4	-	10	3	7	8.5	5.1	11.8
CONGENITAL MALFORMATIONS (282-290)	2	2	0	4.8	5.6	-	1	0	1	1.3	-	3.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	2.5	-	5.1
ACCIDENTS (295-330)	20	19	1	47.7	53.1	16.1	39	25	14	50.2	54.7	43.7
MOTOR VEHICLE ACCIDENTS# (296-306)	12	11	1	28.6	30.8	16.1	21	13	8	27.0	28.4	25.0
SUICIDE (331-337)	6	6	0	14.3	16.8	-	14	11	3	18.0	24.1	9.4
HOMICIDE (338-346)	2	2	0	4.8	5.6	-	13	3	10	16.7	6.6	31.2

CAUSE AND GROUP NUMBER	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>134</u>	<u>88</u>	<u>46</u>	<u>9.9</u>	<u>9.6</u>	<u>10.4</u>	<u>269</u>	<u>167</u>	<u>102</u>	<u>12.3</u>	<u>13.6</u>	<u>10.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	29.6	32.9	22.7	6	1	5	27.5	8.1	52.5
HIV DISEASE (039-043)	0	0	0	-	-	-	5	0	5	22.9	-	52.5
MALIGNANT NEOPLASMS (056-108)	28	19	9	207.1	208.5	204.2	51	35	16	233.7	284.6	168.0
DIABETES MELLITUS (124)	1	1	0	7.4	11.0	-	7	5	2	32.1	40.7	21.0
ALZHEIMERS DISEASE (148)	2	1	1	14.8	11.0	22.7	3	2	1	13.7	16.3	10.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	51	33	18	377.2	362.2	408.3	111	77	34	508.7	626.2	357.0
HEART DISEASES (156-160,162, 164-181)	37	23	14	273.7	252.4	317.6	93	64	29	426.2	520.5	304.5
HYPERTENSION (161,163)	2	2	0	14.8	21.9	-	5	4	1	22.9	32.5	10.5
CEREBROVASCULAR DISEASES (182-186)	12	8	4	88.8	87.8	90.7	11	9	2	50.4	73.2	21.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	14.8	21.9	-	8	5	3	36.7	40.7	31.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	44.4	54.9	22.7	15	9	6	68.7	73.2	63.0
PEPTIC ULCER (217-220)	1	1	0	7.4	11.0	-	1	1	0	4.6	8.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.4	11.0	-	2	0	2	9.2	-	21.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	7.4	11.0	-	5	3	2	22.9	24.4	21.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.0	-	13.7	4	1	3	10.8	5.2	16.8
CONGENITAL MALFORMATIONS (282-290)	2	2	0	14.8	21.9	-	1	0	1	4.6	-	10.5
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	2.7	5.2	-
ACCIDENTS (295-330)	18	8	10	133.1	87.8	226.9	14	9	5	64.2	73.2	52.5
MOTOR VEHICLE ACCIDENTS# (296-306)	13	5	8	96.2	54.9	181.5	9	4	5	41.2	32.5	52.5
SUICIDE (331-337)	0	0	0	-	-	-	1	0	1	4.6	-	10.5
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	4.6	8.1	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>681</u>	<u>550</u>	<u>131</u>	<u>8.8</u>	<u>9.7</u>	<u>6.2</u>	<u>389</u>	<u>170</u>	<u>219</u>	<u>10.7</u>	<u>15.9</u>	<u>8.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	1	0	2.7	9.4	-
SEPTICEMIA (018)	13	9	4	16.7	15.9	18.9	5	1	4	13.7	9.4	15.5
HIV DISEASE (039-043)	0	0	0	-	-	-	5	0	5	13.7	-	19.4
MALIGNANT NEOPLASMS (056-108)	132	111	21	169.9	196.4	99.1	75	36	39	205.6	336.8	151.3
DIABETES MELLITUS (124)	15	9	6	19.3	15.9	28.3	6	3	3	16.4	28.1	11.6
ALZHEIMERS DISEASE (148)	15	15	0	19.3	26.5	-	5	3	2	13.7	28.1	7.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	262	213	49	337.2	377.0	231.3	169	75	94	463.4	701.8	364.6
HEART DISEASES (156-160,162, 164-181)	210	176	34	270.3	311.5	160.5	143	66	77	392.1	617.6	298.6
HYPERTENSION (161,163)	7	3	4	9.0	5.3	18.9	1	0	1	2.7	-	3.9
CEREBROVASCULAR DISEASES (182-186)	42	32	10	54.1	56.6	47.2	23	8	15	63.1	74.8	58.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	23	12	11	29.6	21.2	51.9	11	4	7	30.2	37.4	27.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	47	43	4	60.5	76.1	18.9	23	16	7	63.1	149.7	27.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	7.7	10.6	-	5	1	4	13.7	9.4	15.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	7	4	14.2	12.4	18.9	11	3	8	30.2	28.1	31.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	4.2	1.2	10.8	4	1	3	6.5	8.4	6.1
CONGENITAL MALFORMATIONS (282-290)	5	5	0	6.4	8.8	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	4.9	-	6.1
ACCIDENTS (295-330)	51	42	9	65.6	74.3	42.5	18	8	10	49.4	74.8	38.8
MOTOR VEHICLE ACCIDENTS# (296-306)	28	23	5	36.0	40.7	23.6	9	4	5	24.7	37.4	19.4
SUICIDE (331-337)	4	4	0	5.1	7.1	-	4	3	1	11.0	28.1	3.9
HOMICIDE (338-346)	5	3	2	6.4	5.3	9.4	7	3	4	19.2	28.1	15.5

CAUSE AND GROUP NUMBER	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>383</u>	<u>281</u>	<u>102</u>	<u>11.4</u>	<u>12.2</u>	<u>9.8</u>	<u>547</u>	<u>356</u>	<u>191</u>	<u>9.0</u>	<u>10.6</u>	<u>7.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	11.9	8.6	19.1	13	6	7	21.4	17.9	25.8
HIV DISEASE (039-043)	2	1	1	6.0	4.3	9.6	7	1	6	11.5	3.0	22.2
MALIGNANT NEOPLASMS (056-108)	84	61	23	250.4	264.0	220.2	105	71	34	173.1	211.4	125.6
DIABETES MELLITUS (124)	21	12	9	62.6	51.9	86.2	14	5	9	23.1	14.9	33.2
ALZHEIMERS DISEASE (148)	6	4	2	17.9	17.3	19.1	11	11	0	18.1	32.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	132	98	34	393.4	424.2	325.5	195	124	71	321.5	369.2	262.2
HEART DISEASES (156-160,162, 164-181)	111	84	27	330.8	363.6	258.5	141	93	48	232.4	276.9	177.3
HYPERTENSION (161,163)	8	4	4	23.8	17.3	38.3	12	3	9	19.8	8.9	33.2
CEREBROVASCULAR DISEASES (182-186)	12	9	3	35.8	39.0	28.7	40	26	14	65.9	77.4	51.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	18	17	1	53.6	73.6	9.6	24	23	1	39.6	68.5	3.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	32	26	6	95.4	112.5	57.4	21	16	5	34.6	47.6	18.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.0	4.3	-	5	5	0	8.2	14.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	8.9	8.6	9.6	18	13	5	29.7	38.7	18.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	1	5	13.1	3.3	32.0	8	3	5	9.2	6.7	11.8
CONGENITAL MALFORMATIONS (282-290)	2	0	2	6.0	-	19.1	2	0	2	3.3	-	7.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.2	-	6.4	5	2	3	5.8	4.5	7.1
ACCIDENTS (295-330)	22	18	4	65.6	77.9	38.3	22	14	8	36.3	41.7	29.6
MOTOR VEHICLE ACCIDENTS# (296-306)	16	13	3	47.7	56.3	28.7	13	7	6	21.4	20.8	22.2
SUICIDE (331-337)	5	5	0	14.9	21.6	-	7	6	1	11.5	17.9	3.7
HOMICIDE (338-346)	2	1	1	6.0	4.3	9.6	5	1	4	8.2	3.0	14.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>990</u>	<u>658</u>	<u>332</u>	<u>12.4</u>	<u>13.6</u>	<u>10.5</u>	<u>351</u>	<u>245</u>	<u>106</u>	<u>14.0</u>	<u>14.6</u>	<u>12.7</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	5	7	15.0	10.4	22.2	7	5	2	27.9	29.8	24.0
HIV DISEASE (039-043)	25	2	23	31.3	4.1	73.0	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	311	208	103	389.9	431.1	326.9	71	47	24	283.0	280.5	287.9
DIABETES MELLITUS (124)	12	5	7	15.0	10.4	22.2	8	6	2	31.9	35.8	24.0
ALZHEIMERS DISEASE (148)	27	23	4	33.8	47.7	12.7	9	7	2	35.9	41.8	24.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	296	193	103	371.1	400.0	326.9	134	95	39	534.1	567.1	467.8
HEART DISEASES (156-160,162, 164-181)	214	137	77	268.3	283.9	244.4	101	73	28	402.6	435.7	335.8
HYPERTENSION (161,163)	8	3	5	10.0	6.2	15.9	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	64	45	19	80.2	93.3	60.3	31	20	11	123.6	119.4	131.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	4.0	6.0	-
INFLUENZA AND PNEUMONIA (195-198)	11	9	2	13.8	18.6	6.3	15	10	5	59.8	59.7	60.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	55	52	3	69.0	107.8	9.5	17	15	2	67.8	89.5	24.0
PEPTIC ULCER (217-220)	1	1	0	1.2	2.1	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	10	6	4	12.5	12.4	12.7	5	5	0	19.9	29.8	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	20	11	9	25.1	22.8	28.6	9	2	7	35.9	11.9	84.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	3	3	5.0	4.9	5.0	1	0	1	2.8	-	8.0
CONGENITAL MALFORMATIONS (282-290)	3	1	2	3.8	2.1	6.3	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	3	1	2	2.5	1.6	3.4	0	0	0	-	-	-
ACCIDENTS (295-330)	36	25	11	45.1	51.8	34.9	23	16	7	91.7	95.5	84.0
MOTOR VEHICLE ACCIDENTS# (296-306)	16	8	8	20.1	16.6	25.4	16	11	5	63.8	65.7	60.0
SUICIDE (331-337)	8	6	2	10.0	12.4	6.3	4	4	0	15.9	23.9	-
HOMICIDE (338-346)	10	4	6	12.5	8.3	19.0	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>365</u>	<u>195</u>	<u>170</u>	<u>10.3</u>	<u>11.3</u>	<u>9.3</u>	<u>381</u>	<u>281</u>	<u>100</u>	<u>10.1</u>	<u>10.8</u>	<u>8.4</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	4	1	14.1	23.2	5.5	11	9	2	29.1	34.7	16.8
HIV DISEASE (039-043)	1	0	1	2.8	-	5.5	2	1	1	5.3	3.8	8.4
MALIGNANT NEOPLASMS (056-108)	71	41	30	200.3	237.6	165.0	73	48	25	192.9	185.1	209.8
DIABETES MELLITUS (124)	7	2	5	19.8	11.6	27.5	5	2	3	13.2	7.7	25.2
ALZHEIMERS DISEASE (148)	2	1	1	5.6	5.8	5.5	6	6	0	15.8	23.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	156	84	72	440.2	486.7	396.0	162	123	39	428.1	474.4	327.3
HEART DISEASES (156-160,162, 164-181)	114	63	51	321.6	365.0	280.5	129	100	29	340.9	385.7	243.4
HYPERTENSION (161,163)	8	3	5	22.6	17.4	27.5	4	2	2	10.6	7.7	16.8
CEREBROVASCULAR DISEASES (182-186)	31	16	15	87.5	92.7	82.5	27	19	8	71.3	73.3	67.1
ATHEROSCLEROSIS (187)	2	1	1	5.6	5.8	5.5	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	7	3	28.2	40.6	16.5	20	18	2	52.8	69.4	16.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	15	5	56.4	86.9	27.5	11	10	1	29.1	38.6	8.4
PEPTIC ULCER (217-220)	1	0	1	2.8	-	5.5	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	1	1	5.6	5.8	5.5	2	1	1	5.3	3.8	8.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	12	7	5	33.8	40.6	27.5	12	5	7	31.7	19.3	58.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	3	1	8.4	12.7	4.1	2	1	1	4.1	3.1	6.1
CONGENITAL MALFORMATIONS (282-290)	4	2	2	11.3	11.6	11.0	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	25	10	15	70.5	57.9	82.5	25	19	6	66.1	73.3	50.4
MOTOR VEHICLE ACCIDENTS# (296-306)	16	5	11	45.1	29.0	60.5	14	9	5	37.0	34.7	42.0
SUICIDE (331-337)	4	3	1	11.3	17.4	5.5	2	2	0	5.3	7.7	-
HOMICIDE (338-346)	3	1	2	8.5	5.8	11.0	3	2	1	7.9	7.7	8.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>135</u>	<u>81</u>	<u>54</u>	<u>11.3</u>	<u>12.6</u>	<u>9.8</u>	<u>308</u>	<u>220</u>	<u>88</u>	<u>10.6</u>	<u>11.7</u>	<u>8.5</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	2	3	41.9	31.1	54.5	5	4	1	17.2	21.3	9.6
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.4	-	9.6
MALIGNANT NEOPLASMS (056-108)	28	18	10	234.6	280.0	181.6	48	33	15	164.8	175.9	144.5
DIABETES MELLITUS (124)	8	2	6	67.0	31.1	109.0	15	2	13	51.5	10.7	125.3
ALZHEIMERS DISEASE (148)	3	1	2	25.1	15.6	36.3	4	4	0	13.7	21.3	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	47	26	21	393.8	404.4	381.4	123	101	22	422.2	538.5	212.0
HEART DISEASES (156-160,162, 164-181)	39	23	16	326.8	357.8	290.6	106	90	16	363.8	479.8	154.2
HYPERTENSION (161,163)	0	0	0	-	-	-	1	0	1	3.4	-	9.6
CEREBROVASCULAR DISEASES (182-186)	7	2	5	58.6	31.1	90.8	15	11	4	51.5	58.6	38.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	50.3	93.3	-	13	12	1	44.6	64.0	9.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	4	1	3	33.5	15.6	54.5	14	13	1	48.0	69.3	9.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	16.8	31.1	-	5	3	2	17.2	16.0	19.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	33.5	31.1	36.3	5	3	2	17.2	16.0	19.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	6.3	14.9	-	3	0	3	5.6	-	12.4
CONGENITAL MALFORMATIONS (282-290)	1	1	0	8.4	15.6	-	1	0	1	3.4	-	9.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	1.9	-	4.1
ACCIDENTS (295-330)	4	3	1	33.5	46.7	18.2	19	12	7	65.2	64.0	67.4
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	16.8	15.6	18.2	11	6	5	37.8	32.0	48.2
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	10.3	16.0	-
HOMICIDE (338-346)	0	0	0	-	-	-	4	1	3	13.7	5.3	28.9

CAUSE AND GROUP NUMBER	NEWTON COUNTY						NOXUBEE					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>241</u>	<u>167</u>	<u>74</u>	<u>10.9</u>	<u>11.5</u>	<u>9.8</u>	<u>127</u>	<u>43</u>	<u>84</u>	<u>10.3</u>	<u>12.1</u>	<u>9.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	13.6	20.7	-	3	1	2	24.4	28.1	22.8
HIV DISEASE (039-043)	1	0	1	4.5	-	13.2	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	32	16	217.7	221.0	211.4	25	8	17	203.0	224.8	194.1
DIABETES MELLITUS (124)	7	4	3	31.8	27.6	39.6	6	1	5	48.7	28.1	57.1
ALZHEIMERS DISEASE (148)	5	4	1	22.7	27.6	13.2	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	83	59	24	376.5	407.5	317.2	56	21	35	454.6	590.0	399.6
HEART DISEASES (156-160,162, 164-181)	66	47	19	299.4	324.6	251.1	42	13	29	341.0	365.3	331.1
HYPERTENSION (161,163)	3	3	0	13.6	20.7	-	5	4	1	40.6	112.4	11.4
CEREBROVASCULAR DISEASES (182-186)	13	8	5	59.0	55.3	66.1	8	4	4	64.9	112.4	45.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	4	3	31.8	27.6	39.6	4	1	3	32.5	28.1	34.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	16	0	72.6	110.5	-	8	5	3	64.9	140.5	34.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	4.5	6.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	6	4	45.4	41.4	52.9	2	1	1	16.2	28.1	11.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	5.9	5.5	6.4	2	0	2	10.2	-	12.6
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.5	6.9	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	8	4	54.4	55.3	52.9	4	1	3	32.5	28.1	34.2
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	27.2	34.5	13.2	2	0	2	16.2	-	22.8
SUICIDE (331-337)	5	5	0	22.7	34.5	-	1	0	1	8.1	-	11.4
HOMICIDE (338-346)	2	1	1	9.1	6.9	13.2	1	0	1	8.1	-	11.4

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>286</u>	<u>154</u>	<u>132</u>	<u>6.7</u>	<u>6.2</u>	<u>7.5</u>	<u>333</u>	<u>210</u>	<u>123</u>	<u>9.4</u>	<u>11.7</u>	<u>7.1</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	9.4	8.0	11.4	7	6	1	19.9	33.5	5.8
HIV DISEASE (039-043)	2	0	2	4.7	-	11.4	1	0	1	2.8	-	5.8
MALIGNANT NEOPLASMS (056-108)	71	39	32	166.8	155.8	182.4	74	55	19	210.0	307.2	109.6
DIABETES MELLITUS (124)	4	0	4	9.4	-	22.8	3	2	1	8.5	11.2	5.8
ALZHEIMERS DISEASE (148)	10	4	6	23.5	16.0	34.2	5	5	0	14.2	27.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	120	67	53	281.9	267.7	302.1	134	88	46	380.2	491.5	265.3
HEART DISEASES (156-160,162, 164-181)	97	56	41	227.8	223.7	233.7	95	65	30	269.6	363.1	173.0
HYPERTENSION (161,163)	4	2	2	9.4	8.0	11.4	4	0	4	11.4	-	23.1
CEREBROVASCULAR DISEASES (182-186)	17	7	10	39.9	28.0	57.0	32	22	10	90.8	122.9	57.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	2.8	-	5.8
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	14.1	20.0	5.7	9	5	4	25.5	27.9	23.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	6	1	16.4	24.0	5.7	14	10	4	39.7	55.8	23.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	7.0	8.0	5.7	4	4	0	11.4	22.3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	7.0	-	17.1	8	3	5	22.7	16.8	28.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.9	-	3.6	4	0	4	7.5	-	12.9
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	5.7	-	11.5
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	1.9	-	3.6	2	0	2	3.7	-	6.4
ACCIDENTS (295-330)	13	9	4	30.5	36.0	22.8	25	12	13	70.9	67.0	75.0
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	14.1	20.0	5.7	13	6	7	36.9	33.5	40.4
SUICIDE (331-337)	1	1	0	2.3	4.0	-	3	2	1	8.5	11.2	5.8
HOMICIDE (338-346)	3	1	2	7.0	4.0	11.4	4	0	4	11.4	-	23.1

CAUSE AND GROUP NUMBER	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>483</u>	<u>422</u>	<u>61</u>	<u>9.5</u>	<u>9.7</u>	<u>8.4</u>	<u>113</u>	<u>90</u>	<u>23</u>	<u>9.2</u>	<u>9.5</u>	<u>8.0</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	14	4	35.4	32.0	55.4	3	3	0	24.4	31.8	-
HIV DISEASE (039-043)	1	0	1	2.0	-	13.8	1	1	0	8.1	10.6	-
MALIGNANT NEOPLASMS (056-108)	93	82	11	182.7	187.7	152.4	27	20	7	219.7	212.0	245.3
DIABETES MELLITUS (124)	10	8	2	19.6	18.3	27.7	3	2	1	24.4	21.2	35.0
ALZHEIMERS DISEASE (148)	16	15	1	31.4	34.3	13.8	2	1	1	16.3	10.6	35.0
MAJOR CARDIOVASCULAR DISEASES# (156-189)	175	150	25	343.8	343.4	346.4	38	28	10	309.2	296.8	350.4
HEART DISEASES (156-160,162, 164-181)	141	122	19	277.0	279.3	263.2	32	25	7	260.4	265.0	245.3
HYPERTENSION (161,163)	5	3	2	9.8	6.9	27.7	2	1	1	16.3	10.6	35.0
CEREBROVASCULAR DISEASES (182-186)	18	14	4	35.4	32.0	55.4	3	1	2	24.4	10.6	70.1
ATHEROSCLEROSIS (187)	1	1	0	2.0	2.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	14	12	2	27.5	27.5	27.7	7	6	1	57.0	63.6	35.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	23	0	45.2	52.7	-	3	3	0	24.4	31.8	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	9.8	11.4	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	14	11	3	27.5	25.2	41.6	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	578.0	704.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	1.5	1.8	-	0	0	0	-	-	-
ACCIDENTS (295-330)	34	29	5	66.8	66.4	69.3	10	10	0	81.4	106.0	-
MOTOR VEHICLE ACCIDENTS# (296-306)	19	15	4	37.3	34.3	55.4	9	9	0	73.2	95.4	-
SUICIDE (331-337)	7	7	0	13.8	16.0	-	0	0	0	-	-	-
HOMICIDE (338-346)	1	0	1	2.0	-	13.8	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

**TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2003**

CAUSE AND GROUP NUMBER	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>456</u>	<u>264</u>	<u>192</u>	<u>11.7</u>	<u>13.5</u>	<u>9.9</u>	<u>255</u>	<u>220</u>	<u>35</u>	<u>9.2</u>	<u>9.4</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	14	6	8	36.0	30.7	41.3	2	1	1	7.2	4.3	23.7
HIV DISEASE (039-043)	1	0	1	2.6	-	5.2	1	1	0	3.6	4.3	-
MALIGNANT NEOPLASMS (056-108)	86	50	36	220.9	255.5	185.9	49	43	6	177.7	184.0	142.4
DIABETES MELLITUS (124)	37	17	20	95.0	86.9	103.2	3	2	1	10.9	8.6	23.7
ALZHEIMERS DISEASE (148)	4	3	1	10.3	15.3	5.2	10	9	1	36.3	38.5	23.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	180	109	71	462.3	557.1	366.6	96	80	16	348.1	342.4	379.9
HEART DISEASES (156-160,162, 164-181)	147	95	52	377.6	485.5	268.5	75	62	13	272.0	265.4	308.6
HYPERTENSION (161,163)	2	1	1	5.1	5.1	5.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	26	9	17	66.8	46.0	87.8	18	15	3	65.3	64.2	71.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	11	10	1	28.2	51.1	5.2	7	6	1	25.4	25.7	23.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	20	3	59.1	102.2	15.5	16	16	0	58.0	68.5	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	3.6	4.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	4	4	0	14.5	17.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	4	7	28.2	20.4	36.1	7	6	1	25.4	25.7	23.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	3.3	4.0	2.8	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	5.1	5.1	5.2	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	27	14	13	69.3	71.6	67.1	19	14	5	68.9	59.9	118.7
MOTOR VEHICLE ACCIDENTS# (296-306)	16	9	7	41.1	46.0	36.1	13	11	2	47.1	47.1	47.5
SUICIDE (331-337)	7	3	4	18.0	15.3	20.6	4	4	0	14.5	17.1	-
HOMICIDE (338-346)	3	1	2	7.7	5.1	10.3	1	1	0	3.6	4.3	-

CAUSE AND GROUP NUMBER	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>244</u>	<u>222</u>	<u>22</u>	<u>9.5</u>	<u>10.1</u>	<u>6.0</u>	<u>107</u>	<u>34</u>	<u>73</u>	<u>11.0</u>	<u>11.8</u>	<u>10.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	19.5	22.8	-	1	0	1	10.3	-	14.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	41	7	187.6	187.2	190.5	20	12	8	205.3	417.4	116.5
DIABETES MELLITUS (124)	5	3	2	19.5	13.7	54.4	8	2	6	82.1	69.6	87.4
ALZHEIMERS DISEASE (148)	4	3	1	15.6	13.7	27.2	2	0	2	20.5	-	29.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	79	73	6	308.8	333.2	163.3	46	14	32	472.3	487.0	466.1
HEART DISEASES (156-160,162, 164-181)	66	60	6	258.0	273.9	163.3	39	11	28	400.4	382.6	407.9
HYPERTENSION (161,163)	0	0	0	-	-	-	1	0	1	10.3	-	14.6
CEREBROVASCULAR DISEASES (182-186)	12	12	0	46.9	54.8	-	6	3	3	61.6	104.3	43.7
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	23.4	27.4	-	1	0	1	10.3	-	14.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	16	1	66.4	73.0	27.2	5	0	5	51.3	-	72.8
PEPTIC ULCER (217-220)	1	1	0	3.9	4.6	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.9	4.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	9	1	39.1	41.1	27.2	6	1	5	61.6	34.8	72.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	10.3	-	14.6
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.3	3.8	-	0	0	0	-	-	-
ACCIDENTS (295-330)	20	19	1	78.2	86.7	27.2	4	2	2	41.1	69.6	29.1
MOTOR VEHICLE ACCIDENTS# (296-306)	12	12	0	46.9	54.8	-	2	1	1	20.5	34.8	14.6
SUICIDE (331-337)	4	4	0	15.6	18.2	-	0	0	0	-	-	-
HOMICIDE (338-346)	2	1	1	7.8	4.6	27.2	2	0	2	20.5	-	29.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>803</u>	<u>662</u>	<u>141</u>	<u>6.4</u>	<u>6.6</u>	<u>5.7</u>	<u>252</u>	<u>151</u>	<u>101</u>	<u>8.8</u>	<u>8.9</u>	<u>8.7</u>
TUBERCULOSIS (009,010)	1	1	0	0.8	1.0	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	9	2	8.8	9.0	8.1	6	2	4	21.1	11.8	34.6
HIV DISEASE (039-043)	3	2	1	2.4	2.0	4.0	2	1	1	7.0	5.9	8.6
MALIGNANT NEOPLASMS (056-108)	156	134	22	125.1	134.0	89.2	48	27	21	168.7	160.0	181.4
DIABETES MELLITUS (124)	15	11	4	12.0	11.0	16.2	4	1	3	14.1	5.9	25.9
ALZHEIMERS DISEASE (148)	3	2	1	2.4	2.0	4.0	1	0	1	3.5	-	8.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	341	289	52	273.5	288.9	210.8	111	66	45	390.2	391.2	388.7
HEART DISEASES (156-160,162, 164-181)	297	255	42	238.2	254.9	170.3	94	56	38	330.4	331.9	328.2
HYPERTENSION (161,163)	6	3	3	4.8	3.0	12.2	2	1	1	7.0	5.9	8.6
CEREBROVASCULAR DISEASES (182-186)	31	24	7	24.9	24.0	28.4	13	8	5	45.7	47.4	43.2
ATHEROSCLEROSIS (187)	1	1	0	0.8	1.0	-	1	1	0	3.5	5.9	-
INFLUENZA AND PNEUMONIA (195-198)	17	15	2	13.6	15.0	8.1	5	5	0	17.6	29.6	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	47	44	3	37.7	44.0	12.2	13	11	2	45.7	65.2	17.3
PEPTIC ULCER (217-220)	1	0	1	0.8	-	4.0	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	8	0	6.4	8.0	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	5.6	4.0	12.2	8	7	1	28.1	41.5	8.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	5	3	4.2	3.2	8.1	2	0	2	4.2	-	9.9
CONGENITAL MALFORMATIONS (282-290)	5	5	0	4.0	5.0	-	4	1	3	14.1	5.9	25.9
SUDDEN INFANT DEATH SYNDROME# (292)	5	4	1	2.6	2.6	2.7	1	0	1	2.1	-	5.0
ACCIDENTS (295-330)	50	40	10	40.1	40.0	40.5	14	10	4	49.2	59.3	34.6
MOTOR VEHICLE ACCIDENTS# (296-306)	23	17	6	18.4	17.0	24.3	7	6	1	24.6	35.6	8.6
SUICIDE (331-337)	14	12	2	11.2	12.0	8.1	1	1	0	3.5	5.9	-
HOMICIDE (338-346)	5	1	4	4.0	1.0	16.2	4	1	3	14.1	5.9	25.9

CAUSE AND GROUP NUMBER	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>69</u>	<u>29</u>	<u>40</u>	<u>11.1</u>	<u>15.6</u>	<u>9.2</u>	<u>312</u>	<u>226</u>	<u>86</u>	<u>11.3</u>	<u>12.7</u>	<u>8.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	32.1	53.8	22.9	5	5	0	18.1	28.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	2	2	0	7.2	11.2	-
MALIGNANT NEOPLASMS (056-108)	9	4	5	144.6	215.2	114.5	60	44	16	217.4	247.1	163.5
DIABETES MELLITUS (124)	1	0	1	16.1	-	22.9	10	4	6	36.2	22.5	61.3
ALZHEIMERS DISEASE (148)	1	1	0	16.1	53.8	-	3	2	1	10.9	11.2	10.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	30	10	20	482.0	537.9	458.2	114	84	30	413.2	471.7	306.6
HEART DISEASES (156-160,162, 164-181)	22	6	16	353.5	322.8	366.6	84	62	22	304.4	348.1	224.9
HYPERTENSION (161,163)	3	1	2	48.2	53.8	45.8	3	2	1	10.9	11.2	10.2
CEREBROVASCULAR DISEASES (182-186)	4	2	2	64.3	107.6	45.8	17	13	4	61.6	73.0	40.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	7	5	2	25.4	28.1	20.4
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	48.2	107.6	22.9	9	5	4	32.6	28.1	40.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	32.1	53.8	22.9	21	19	2	76.1	106.7	20.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	3.6	-	10.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	16.1	53.8	-	1	1	0	3.6	5.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	2	1	48.2	107.6	22.9	7	2	5	25.4	11.2	51.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	11.2	-	14.9	3	1	2	7.7	4.4	12.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	2	1	10.9	11.2	10.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	2	1	7.7	8.8	6.2
ACCIDENTS (295-330)	3	2	1	48.2	107.6	22.9	26	17	9	94.2	95.4	92.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	32.1	53.8	22.9	13	9	4	47.1	50.5	40.9
SUICIDE (331-337)	3	2	1	48.2	107.6	22.9	6	4	2	21.7	22.5	20.4
HOMICIDE (338-346)	1	0	1	16.1	-	22.9	2	1	1	7.2	5.6	10.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>161</u>	<u>114</u>	<u>47</u>	<u>10.2</u>	<u>9.4</u>	<u>12.7</u>	<u>155</u>	<u>130</u>	<u>25</u>	<u>10.9</u>	<u>11.6</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	18.9	8.2	54.1	1	1	0	7.0	8.9	-
HIV DISEASE (039-043)	2	0	2	12.6	-	54.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	38	27	11	240.0	222.5	297.4	39	34	5	274.5	303.5	166.6
DIABETES MELLITUS (124)	1	0	1	6.3	-	27.0	1	1	0	7.0	8.9	-
ALZHEIMERS DISEASE (148)	2	2	0	12.6	16.5	-	2	1	1	14.1	8.9	33.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	64	43	21	404.2	354.3	567.7	60	52	8	422.4	464.1	266.5
HEART DISEASES (156-160,162, 164-181)	53	34	19	334.7	280.2	513.6	50	42	8	352.0	374.9	266.5
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	7.0	8.9	-
CEREBROVASCULAR DISEASES (182-186)	6	5	1	37.9	41.2	27.0	9	9	0	63.4	80.3	-
ATHEROSCLEROSIS (187)	2	2	0	12.6	16.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	37.9	41.2	27.0	8	7	1	56.3	62.5	33.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	9	2	69.5	74.2	54.1	6	4	2	42.2	35.7	66.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	2	1	21.1	17.8	33.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	37.9	41.2	27.0	4	3	1	28.2	26.8	33.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	1	1	8.8	6.2	15.2	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	7.0	-	33.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	7	1	50.5	57.7	27.0	10	9	1	70.4	80.3	33.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	25.3	24.7	27.0	5	5	0	35.2	44.6	-
SUICIDE (331-337)	5	5	0	31.6	41.2	-	3	3	0	21.1	26.8	-
HOMICIDE (338-346)	1	0	1	6.3	-	27.0	0	0	0	-	-	-

CAUSE AND GROUP NUMBER	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>341</u>	<u>140</u>	<u>201</u>	<u>10.2</u>	<u>15.4</u>	<u>8.3</u>	<u>152</u>	<u>75</u>	<u>77</u>	<u>10.6</u>	<u>13.3</u>	<u>8.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	1	4	15.0	11.0	16.5	4	0	4	27.8	-	45.7
HIV DISEASE (039-043)	5	1	4	15.0	11.0	16.5	1	0	1	6.9	-	11.4
MALIGNANT NEOPLASMS (056-108)	70	28	42	209.7	307.4	173.1	39	15	24	270.9	266.2	274.0
DIABETES MELLITUS (124)	13	4	9	39.0	43.9	37.1	3	2	1	20.8	35.5	11.4
ALZHEIMERS DISEASE (148)	6	4	2	18.0	43.9	8.2	5	1	4	34.7	17.7	45.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	145	58	87	434.5	636.8	358.5	44	22	22	305.7	390.5	251.1
HEART DISEASES (156-160,162, 164-181)	116	49	67	347.6	538.0	276.1	26	14	12	180.6	248.5	137.0
HYPERTENSION (161,163)	3	0	3	9.0	-	12.4	1	1	0	6.9	17.7	-
CEREBROVASCULAR DISEASES (182-186)	25	9	16	74.9	98.8	65.9	15	7	8	104.2	124.2	91.3
ATHEROSCLEROSIS (187)	1	0	1	3.0	-	4.1	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	5	2	21.0	54.9	8.2	11	7	4	76.4	124.2	45.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	7	2	27.0	76.8	8.2	4	4	0	27.8	71.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	2	1	9.0	22.0	4.1	3	2	1	20.8	35.5	11.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	5	6	33.0	54.9	24.7	4	1	3	27.8	17.7	34.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	2	3	10.7	24.7	7.8	2	0	2	9.0	-	11.9
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.0	-	4.1	1	0	1	6.9	-	11.4
SUDDEN INFANT DEATH SYNDROME# (292)	2	0	2	4.3	-	5.2	0	0	0	-	-	-
ACCIDENTS (295-330)	21	8	13	62.9	87.8	53.6	13	9	4	90.3	159.7	45.7
MOTOR VEHICLE ACCIDENTS# (296-306)	17	8	9	50.9	87.8	37.1	7	5	2	48.6	88.7	22.8
SUICIDE (331-337)	9	4	5	27.0	43.9	20.6	1	0	1	6.9	-	11.4
HOMICIDE (338-346)	1	0	1	3.0	-	4.1	1	1	0	6.9	17.7	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>266</u>	<u>204</u>	<u>62</u>	<u>10.3</u>	<u>11.5</u>	<u>7.7</u>	<u>263</u>	<u>230</u>	<u>33</u>	<u>12.6</u>	<u>13.4</u>	<u>8.8</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	3	4	27.1	16.9	49.6	3	2	1	14.3	11.6	26.7
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	58	39	19	224.8	219.9	235.7	47	44	3	224.7	256.2	80.1
DIABETES MELLITUS (124)	2	1	1	7.8	5.6	12.4	7	5	2	33.5	29.1	53.4
ALZHEIMERS DISEASE (148)	6	6	0	23.3	33.8	-	6	6	0	28.7	34.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	110	86	24	426.4	485.0	297.7	121	103	18	578.4	599.7	480.5
HEART DISEASES (156-160,162, 164-181)	88	71	17	341.2	400.4	210.9	86	73	13	411.1	425.1	347.0
HYPERTENSION (161,163)	1	0	1	3.9	-	12.4	7	7	0	33.5	40.8	-
CEREBROVASCULAR DISEASES (182-186)	19	13	6	73.7	73.3	74.4	27	22	5	129.1	128.1	133.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	8	0	31.0	45.1	-	6	6	0	28.7	34.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	14	1	58.2	78.9	12.4	14	14	0	66.9	81.5	-
PEPTIC ULCER (217-220)	1	1	0	3.9	5.6	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.8	11.3	-	3	3	0	14.3	17.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	4	0	15.5	22.6	-	5	3	2	23.9	17.5	53.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	3	0	7.3	12.0	-	1	1	0	3.1	3.8	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	3.9	-	12.4	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	22	15	7	85.3	84.6	86.8	22	17	5	105.2	99.0	133.5
MOTOR VEHICLE ACCIDENTS# (296-306)	17	13	4	65.9	73.3	49.6	12	9	3	57.4	52.4	80.1
SUICIDE (331-337)	3	3	0	11.6	16.9	-	3	3	0	14.3	17.5	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	4.8	5.8	-

CAUSE AND GROUP NUMBER	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>240</u>	<u>235</u>	<u>5</u>	<u>12.6</u>	<u>12.9</u>	<u>6.5</u>	<u>94</u>	<u>36</u>	<u>58</u>	<u>9.5</u>	<u>13.9</u>	<u>7.9</u>
TUBERCULOSIS (009,010)	1	1	0	5.3	5.5	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	5	0	26.4	27.5	-	0	0	0	-	-	-
HIV DISEASE (039-043)	1	0	1	5.3	-	129.4	1	0	1	10.1	-	13.6
MALIGNANT NEOPLASMS (056-108)	51	50	1	268.9	274.8	129.4	16	6	10	161.3	232.1	136.4
DIABETES MELLITUS (124)	6	6	0	31.6	33.0	-	9	5	4	90.8	193.4	54.6
ALZHEIMERS DISEASE (148)	6	5	1	31.6	27.5	129.4	1	0	1	10.1	-	13.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	107	106	1	564.2	582.6	129.4	37	15	22	373.1	580.3	300.0
HEART DISEASES (156-160,162, 164-181)	87	86	1	458.7	472.7	129.4	33	15	18	332.8	580.3	245.5
HYPERTENSION (161,163)	1	1	0	5.3	5.5	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	11	11	0	58.0	60.5	-	3	0	3	30.2	-	40.9
ATHEROSCLEROSIS (187)	7	7	0	36.9	38.5	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	26.4	27.5	-	3	1	2	30.2	38.7	27.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	10	0	52.7	55.0	-	1	0	1	10.1	-	13.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	10.1	-	13.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	15.8	16.5	-	2	1	1	20.2	38.7	13.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	4.1	4.2	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	10.5	11.0	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	10.0	-	12.5
ACCIDENTS (295-330)	18	17	1	94.9	93.4	129.4	9	4	5	90.8	154.7	68.2
MOTOR VEHICLE ACCIDENTS# (296-306)	7	6	1	36.9	33.0	129.4	7	3	4	70.6	116.0	54.6
SUICIDE (331-337)	3	3	0	15.8	16.5	-	2	1	1	20.2	38.7	13.6
HOMICIDE (338-346)	2	2	0	10.5	11.0	-	3	0	3	30.2	-	40.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>270</u>	<u>246</u>	<u>24</u>	<u>10.3</u>	<u>11.2</u>	<u>5.8</u>	<u>156</u>	<u>99</u>	<u>57</u>	<u>10.3</u>	<u>11.9</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	4	1	19.1	18.2	24.3	4	4	0	26.3	48.1	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	42	40	2	160.8	181.8	48.7	34	26	8	223.8	312.5	116.4
DIABETES MELLITUS (124)	4	4	0	15.3	18.2	-	8	5	3	52.7	60.1	43.6
ALZHEIMERS DISEASE (148)	2	2	0	7.6	9.1	-	2	1	1	13.2	12.0	14.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	147	132	15	562.9	599.9	365.0	54	31	23	355.5	372.6	334.7
HEART DISEASES (156-160,162, 164-181)	111	102	9	425.1	463.6	219.0	43	25	18	283.1	300.5	261.9
HYPERTENSION (161,163)	0	0	0	-	-	-	7	4	3	46.1	48.1	43.6
CEREBROVASCULAR DISEASES (182-186)	34	29	5	130.2	131.8	121.6	3	1	2	19.7	12.0	29.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	23.0	27.3	-	5	2	3	32.9	24.0	43.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	11	0	42.1	50.0	-	8	5	3	52.7	60.1	43.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	26.8	27.3	24.3	5	2	3	32.9	24.0	43.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	432.9	-	877.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	2	0	5.8	6.9	-	1	0	1	4.3	-	8.8
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	6.6	-	14.6
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.9	3.5	-	2	0	2	8.6	-	17.5
ACCIDENTS (295-330)	11	9	2	42.1	40.9	48.7	5	4	1	32.9	48.1	14.6
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	23.0	22.7	24.3	5	4	1	32.9	48.1	14.6
SUICIDE (331-337)	2	2	0	7.6	9.1	-	4	2	2	26.3	24.0	29.1
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	6.6	12.0	-

CAUSE AND GROUP NUMBER	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>532</u>	<u>303</u>	<u>229</u>	<u>10.8</u>	<u>11.6</u>	<u>10.0</u>	<u>634</u>	<u>257</u>	<u>377</u>	<u>10.5</u>	<u>13.2</u>	<u>9.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	11	6	5	22.4	23.0	21.9	12	2	10	19.9	10.3	24.4
HIV DISEASE (039-043)	3	1	2	6.1	3.8	8.7	4	0	4	6.6	-	9.8
MALIGNANT NEOPLASMS (056-108)	97	52	45	198.0	199.0	196.8	124	53	71	205.5	273.1	173.4
DIABETES MELLITUS (124)	10	3	7	20.4	11.5	30.6	23	8	15	38.1	41.2	36.6
ALZHEIMERS DISEASE (148)	10	8	2	20.4	30.6	8.7	12	6	6	19.9	30.9	14.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	217	118	99	442.9	451.6	433.0	275	115	160	455.7	592.7	390.8
HEART DISEASES (156-160,162, 164-181)	160	86	74	326.6	329.1	323.7	232	101	131	384.4	520.5	320.0
HYPERTENSION (161,163)	6	4	2	12.2	15.3	8.7	9	3	6	14.9	15.5	14.6
CEREBROVASCULAR DISEASES (182-186)	40	19	21	81.6	72.7	91.8	28	8	20	46.4	41.2	48.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	1	1	3.3	5.2	2.4
INFLUENZA AND PNEUMONIA (195-198)	16	9	7	32.6	34.4	30.6	16	3	13	26.5	15.5	31.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	25	19	6	51.0	72.7	26.2	22	15	7	36.4	77.3	17.1
PEPTIC ULCER (217-220)	2	0	2	4.1	-	8.7	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	7	1	16.3	26.8	4.4	1	1	0	1.6	5.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	5	5	20.4	19.1	21.9	18	5	13	29.8	25.8	31.8
MATERNAL CAUSES (261-273)	1	1	0	123.3	270.3	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	2.5	-	4.5	2	1	1	2.0	4.4	1.3
CONGENITAL MALFORMATIONS (282-290)	2	1	1	4.1	3.8	4.4	4	0	4	6.6	-	9.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	3.0	-	4.0
ACCIDENTS (295-330)	28	18	10	57.2	68.9	43.7	33	13	20	54.7	67.0	48.8
MOTOR VEHICLE ACCIDENTS# (296-306)	15	11	4	30.6	42.1	17.5	14	7	7	23.2	36.1	17.1
SUICIDE (331-337)	11	9	2	22.4	34.4	8.7	5	4	1	8.3	20.6	2.4
HOMICIDE (338-346)	5	1	4	10.2	3.8	17.5	16	3	13	26.5	15.5	31.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>195</u>	<u>130</u>	<u>65</u>	<u>9.2</u>	<u>9.9</u>	<u>8.1</u>	<u>152</u>	<u>136</u>	<u>16</u>	<u>15.0</u>	<u>17.0</u>	<u>7.3</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	0	1	4.7	-	12.4	5	3	2	49.2	37.6	91.8
HIV DISEASE (039-043)	1	0	1	4.7	-	12.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	43	29	14	203.3	221.3	174.0	29	27	2	285.5	338.3	91.8
DIABETES MELLITUS (124)	3	2	1	14.2	15.3	12.4	2	2	0	19.7	25.1	-
ALZHEIMERS DISEASE (148)	1	1	0	4.7	7.6	-	3	3	0	29.5	37.6	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	78	46	32	368.8	351.0	397.8	68	59	9	669.4	739.2	413.2
HEART DISEASES (156-160,162, 164-181)	55	28	27	260.1	213.6	335.6	59	51	8	580.8	639.0	367.3
HYPERTENSION (161,163)	3	2	1	14.2	15.3	12.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	16	13	3	75.6	99.2	37.3	7	6	1	68.9	75.2	45.9
ATHEROSCLEROSIS (187)	2	2	0	9.4	15.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	7	1	37.8	53.4	12.4	3	2	1	29.5	25.1	45.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	13	10	3	61.5	76.3	37.3	6	6	0	59.1	75.2	-
PEPTIC ULCER (217-220)	1	1	0	4.7	7.6	-	1	1	0	9.8	12.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	1	0	9.8	12.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	4.7	-	12.4	2	2	0	19.7	25.1	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.7	7.6	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	3.4	7.0	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	8	3	52.0	61.0	37.3	6	5	1	59.1	62.6	45.9
MOTOR VEHICLE ACCIDENTS# (296-306)	7	6	1	33.1	45.8	12.4	4	3	1	39.4	37.6	45.9
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	29.5	37.6	-
HOMICIDE (338-346)	0	0	0	-	-	-	2	1	1	19.7	12.5	45.9

CAUSE AND GROUP NUMBER	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>119</u>	<u>52</u>	<u>67</u>	<u>11.6</u>	<u>16.6</u>	<u>9.4</u>	<u>200</u>	<u>114</u>	<u>86</u>	<u>10.0</u>	<u>10.4</u>	<u>9.6</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	1	1	0	5.0	9.1	-
HIV DISEASE (039-043)	1	0	1	9.8	-	14.1	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	18	9	9	175.8	287.0	126.7	55	29	26	276.2	264.5	290.6
DIABETES MELLITUS (124)	7	1	6	68.4	31.9	84.4	4	2	2	20.1	18.2	22.4
ALZHEIMERS DISEASE (148)	2	2	0	19.5	63.8	-	10	9	1	50.2	82.1	11.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	49	20	29	478.5	637.8	408.2	70	43	27	351.6	392.2	301.7
HEART DISEASES (156-160,162, 164-181)	34	15	19	332.0	478.3	267.4	62	38	24	311.4	346.6	268.2
HYPERTENSION (161,163)	1	1	0	9.8	31.9	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	14	4	10	136.7	127.6	140.7	8	5	3	40.2	45.6	33.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	9	5	4	87.9	159.4	56.3	10	6	4	50.2	54.7	44.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	4	2	58.6	127.6	28.1	3	2	1	15.1	18.2	11.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	19.5	63.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	0	3	29.3	-	42.2	4	2	2	20.1	18.2	22.4
MATERNAL CAUSES (261-273)	1	0	1	671.1	-	847.4	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.6	-	6.2
CONGENITAL MALFORMATIONS (282-290)	1	0	1	9.8	-	14.1	1	0	1	5.0	-	11.2
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	2	0	2	7.2	-	12.4
ACCIDENTS (295-330)	6	2	4	58.6	63.8	56.3	13	7	6	65.3	63.8	67.0
MOTOR VEHICLE ACCIDENTS# (296-306)	2	0	2	19.5	-	28.1	7	2	5	35.2	18.2	55.9
SUICIDE (331-337)	1	1	0	9.8	31.9	-	2	2	0	10.0	18.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	1	0	1	5.0	-	11.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENCE OF YALOBUSHA, YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2003

CAUSE AND GROUP NUMBER	YALOBUSHA COUTNY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>172</u>	<u>128</u>	<u>44</u>	<u>12.9</u>	<u>15.9</u>	<u>8.3</u>	<u>285</u>	<u>141</u>	<u>144</u>	<u>10.1</u>	<u>11.2</u>	<u>9.2</u>
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	3	3	45.0	37.2	56.7	8	3	5	28.3	23.9	31.8
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	7.1	-	12.7
MALIGNANT NEOPLASMS (056-108)	40	30	10	299.7	372.2	189.1	50	24	26	176.8	191.2	165.4
DIABETES MELLITUS (124)	1	1	0	7.5	12.4	-	17	7	10	60.1	55.8	63.6
ALZHEIMERS DISEASE (148)	1	1	0	7.5	12.4	-	5	5	0	17.7	39.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	60	45	15	449.5	558.4	283.7	97	50	47	343.1	398.3	299.0
HEART DISEASES (156-160,162, 164-181)	47	37	10	352.1	459.1	189.1	70	36	34	247.6	286.8	216.3
HYPERTENSION (161,163)	2	1	1	15.0	12.4	18.9	12	4	8	42.4	31.9	50.9
CEREBROVASCULAR DISEASES (182-186)	11	7	4	82.4	86.8	75.6	14	9	5	49.5	71.7	31.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	45.0	62.0	18.9	7	5	2	24.8	39.8	12.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	10	1	82.4	124.1	18.9	8	6	2	28.3	47.8	12.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	3.5	-	6.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	1	2	22.5	12.4	37.8	2	0	2	7.1	-	12.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	45.0	37.2	56.7	10	2	8	35.4	15.9	50.9
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	5.1	-	10.9	4	0	4	9.1	-	12.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	1	2	10.6	8.0	12.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	16	12	4	119.9	148.9	75.6	17	10	7	60.1	79.7	44.5
MOTOR VEHICLE ACCIDENTS# (296-306)	7	6	1	52.4	74.4	18.9	9	5	4	31.8	39.8	25.4
SUICIDE (331-337)	2	2	0	15.0	24.8	-	6	6	0	21.2	47.8	-
HOMICIDE (338-346)	4	4	0	30.0	49.6	-	10	0	10	35.4	-	63.6

CAUSE AND GROUP NUMBER	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL CAUSES</u>	<u>28,333</u>	<u>19,013</u>	<u>9,320</u>	<u>9.8</u>	<u>10.8</u>	<u>8.3</u>
TUBERCULOSIS (009,010)	4	4	0	0.1	0.2	-
SEPTICEMIA (018)	537	313	224	18.6	17.7	20.0
HIV DISEASE (039-043)	188	33	155	6.5	1.9	13.9
MALIGNANT NEOPLASMS (056-108)	5,924	4,006	1,918	205.6	227.1	171.6
DIABETES MELLITUS (124)	671	355	316	23.3	20.1	28.3
ALZHEIMERS DISEASE (148)	575	453	122	20.0	25.7	10.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	11,039	7,441	3,598	383.1	421.9	321.9
HEART DISEASES (156-160,162, 164-181)	8,662	5,932	2,730	300.6	336.4	244.2
HYPERTENSION (161,163)	369	177	192	12.8	10.0	17.2
CEREBROVASCULAR DISEASES (182-186)	1,723	1,110	613	59.8	62.9	54.8
ATHEROSCLEROSIS (187)	55	44	11	1.9	2.5	1.0
INFLUENZA AND PNEUMONIA (195-198)	754	553	201	26.2	31.4	18.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,385	1,182	203	48.1	67.0	18.2
PEPTIC ULCER (217-220)	31	20	11	1.1	1.1	1.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	220	167	53	7.6	9.5	4.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	675	361	314	23.4	20.5	28.1
MATERNAL CAUSES (261-273)	7	3	4	16.5	13.0	20.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	204	65	139	4.8	2.8	7.2
CONGENITAL MALFORMATIONS (282-290)	114	53	61	4.0	3.0	5.4
SUDDEN INFANT DEATH SYNDROME# (292)	95	34	61	2.2	1.5	3.2
ACCIDENTS (295-330)	1,647	1,147	500	57.2	65.0	44.7
MOTOR VEHICLE ACCIDENTS# (296-306)	890	595	295	30.9	33.7	26.4
SUICIDE (331-337)	336	283	53	11.7	16.0	4.7
HOMICIDE (338-346)	304	83	221	10.6	4.7	19.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2003
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2003)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2003

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6
1992**	42,676	21,700	20,976	16.6	13.3	22.3
1993**	42,134	21,246	20,888	16.4	13.0	22.2
1994**	41,938	21,536	20,402	16.3	13.2	21.7
1995**	41,332	21,571	19,761	15.3	12.7	19.8
1996**	40,978	21,447	19,531	15.2	12.7	19.5
1997**	41,527	22,021	19,506	15.4	13.0	19.5
1998**	42,917	22,950	19,967	15.6	13.3	19.3
1999**	42,678	22,652	20,026	15.4	13.1	19.2
2000**	44,075	23,540	20,535	15.5	13.5	18.7
2001**	42,277	22,798	19,479	14.9	13.0	17.7
2002**	41,511	22,620	18,891	14.4	12.8	17.0
2003**	42,321	23,118	19,203	14.7	13.1	17.2

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2003,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2003)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2003

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7
1992	25,163	16,417	8,746	9.8	10.0	9.3
1993	26,271	17,003	9,268	10.2	10.4	9.9
1994	26,657	17,210	9,447	10.4	10.5	10.0
1995	26,910	17,729	9,181	10.0	10.5	9.2
1996	26,566	17,488	9,078	9.9	10.3	9.1
1997	27,380	18,034	9,346	10.2	10.6	9.3
1998	27,737	18,343	9,394	10.1	10.7	9.1
1999	28,090	18,693	9,397	10.1	10.8	9.0
2000	28,529	19,189	9,340	10.0	11.0	8.5
2001	28,134	18,774	9,360	9.9	10.8	8.5
2002	28,765	19,168	9,597	10.0	10.9	8.6
2003	28,333	19,013	9,320	9.8	10.8	8.3

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-2003,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2003)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1,087.5	740.6	1,482.1
1914	413	124	289	1,016.7	580.5	1,500.3
1915	289	88	201	731.9	419.1	1,087.4
1916	326	102	224	835.2	506.7	1,185.0
1917	297	105	192	799.6	551.0	1,061.6
1918	302	82	220	766.7	409.9	1,134.8
1919	407	173	234	957.8	785.4	1,143.5
1920	393	127	266	898.4	566.0	1,248.5
1921	391	145	246	841.2	611.7	1,079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1,267.2
1925	435	143	292	954.7	642.3	1,253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1,098.2
1928	421	161	260	874.8	681.0	1,061.9
1929	410	152	258	899.7	687.6	1,099.5
1930	489	171	318	1,019.1	737.3	1,282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABE 22 - PAGE 2
MATERNAL DEATHS - MISSISSIPPI - 1913-2003

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7
1992	4	1	3	9.4	4.6	14.3
1993	11	2	9	26.1	9.4	43.1
1994	4	1	3	9.5	4.6	14.7
1995	5	0	5	12.1	-	25.3
1996	1	0	1	2.4	-	5.1
1997	11	4	7	26.5	18.2	35.9
1998	4	2	2	9.3	8.7	10.0
1999	6	2	4	14.0	8.8	20.0
2000	8	2	6	18.2	8.5	29.2
2001	12	4	8	28.4	17.5	41.1
2002	9	2	7	21.7	8.8	37.0
2003	7	3	4	16.5	13.0	20.8

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-2003
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2003)

COUNTY	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5

TABLE 23 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-2003

COUNTY	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5
1992	508	170	338	11.9	7.8	16.1
1993	482	178	304	11.4	8.4	14.6
1994	459	158	301	10.9	7.3	14.8
1995	435	149	286	10.5	6.9	14.5
1996	451	169	282	11.0	7.9	14.4
1997	440	156	284	10.6	7.1	14.6
1998	436	146	290	10.2	6.4	14.5
1999	435	152	283	10.2	6.7	14.1
2000	468	157	311	10.6	6.7	15.1
2001	443	157	286	10.5	6.9	14.7
2002	428	155	273	10.3	6.8	14.4
2003	453	158	295	10.7	6.8	15.4

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2003
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2003)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-2003

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8
1992	320	97	223	7.5	4.5	10.6
1993	298	111	187	7.1	5.2	9.0
1994	273	93	180	6.5	4.3	8.8
1995	254	88	166	6.1	4.1	8.4
1996	294	103	191	7.2	4.8	9.8
1997	269	96	173	6.5	4.4	8.9
1998	265	76	189	6.2	3.3	9.5
1999	267	91	176	6.2	4.0	8.8
2000	289	91	198	6.6	3.9	9.6
2001	277	96	181	6.6	4.2	9.3
2002	281	100	181	6.8	4.4	9.6
2003	246	78	168	5.8	3.4	8.7

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-2003
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2003)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
POSTNEONATAL DEATHS - MISSISSIPPI - 1924 - 2003

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7
1992	188	73	115	4.4	3.4	5.5
1993	184	67	117	4.4	3.2	5.6
1994	186	65	121	4.4	3.0	5.9
1995	181	61	120	4.4	2.8	6.1
1996	157	66	91	3.8	3.1	4.6
1997	171	60	111	4.1	2.7	5.7
1998	171	70	101	4.0	3.0	5.0
1999	168	61	107	3.9	2.7	5.3
2000	179	66	113	4.1	2.8	5.5
2001	166	61	105	3.9	2.7	5.4
2002	147	55	92	3.5	2.4	4.9
2003	207	80	127	4.9	3.5	6.6

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2003

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2003

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689
1992	22,995	16,776	6,219	12,758**	9,785	2,667
1993	23,271	17,066	6,205	13,860**	10,513	2,940
1994	22,872	16,479	6,393	13,302**	10,110	2,890
1995	22,150	15,714	6,436	13,182**	10,073	2,850
1996	21,550	15,219	6,331	14,263**	10,658	3,180
1997	21,338	14,630	6,708	13,860**	10,376	3,101
1998	20,911	14,222	6,689	13,748**	10,310	3,004
1999	21,828	14,436	7,392	14,056**	10,625	3,221
2000	19,879	13,232	6,647	14,177**	10,666	3,312
2001	18,605	12,483	6,122	14,198**	10,683	3,370
2002	18,447	12,451	5,996	14,169**	10,548	3,466
2003	17,827	12,081	5,746	13,330**	9,737	3,325

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2003

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2003

YEAR	NUMBER			RATE*		
	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53
023	Gonococcal infection	A54

Group	Cause of Death	ICD-10 Codes Included
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65

Group	Cause of Death	ICD-10 Codes Included
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45

Group	Cause of Death	ICD-10 Codes Included
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93

Group	Cause of Death	ICD-10 Codes Included
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88

Group	Cause of Death	ICD-10 Codes Included
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13

Group	Cause of Death	ICD-10 Codes Included
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03

Group	Cause of Death	ICD-10 Codes Included
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J10-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38

Group	Cause of Death	ICD-10 Codes Included
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27

Group	Cause of Death	ICD-10 Codes Included
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	000
262	Spontaneous abortion	003
263	Medical abortion	004
264	Other abortion	005
265	Other and unspecified pregnancy with abortive outcome	001-002, 006-007
266	Eclampsia and pre-eclampsia	011, 013-016
267	Hemorrhage of pregnancy and childbirth and placenta previa	020, 044-046, 067, 072
268	Obstetric embolism	088
269	Other complications predominately related to the puerperium	085-087, 089-092
270	All other direct obstetric causes	010, 012, 021-043, 047-066, 068-071, 073-075
271	Obstetric death of unspecified cause	095
272	Other deaths related to pregnancy, childbirth and the puerperium	096-097
273	Indirect obstetric deaths	098-099
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96

Group	Cause of Death	ICD-10 Codes Included
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78

Group	Cause of Death	ICD-10 Codes Included
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3-V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49

Group	Cause of Death	ICD-10 Codes Included
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24

Group	Cause of Death	ICD-10 Codes Included
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH
USED FOR RANKING LEADING CAUSES,
SHOWING GROUP NUMBERS, CAUSES OF DEATH,
AND ICD-10 CODES INCLUDED IN EACH CATEGORY

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J10-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	000-099
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH
USED FOR TABULATING INFANT MORTALITY STATISTICS,
SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	<u>Certain infectious and parasitic diseases</u>	<u>A00-B99</u>
001	Certain intestinal infectious diseases	A00-A08
002	#Diarrhea and gastroenteritis of presumed infectious origin	A09
003	#Tuberculosis	A16-A19
004	#Tetanus	A33, A35
005	#Diphtheria	A36
006	#Whooping cough	A37
007	#Meningococcal infection	A39
008	#Septicemia	A40-A41
009	#Congenital syphilis	A50
010	#Gonococcal infection	A54
	<u>Viral diseases</u>	<u>A80-B34</u>
011	#Acute poliomyelitis	A80
012	#Varicella (chickenpox)	B01
013	#Measles	B05
014	#Human immunodeficiency virus (HIV) disease	B20-B24
015	#Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	#Candidiasis	B37
018	#Malaria	B50-B54
019	#Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	<u>Neoplasms</u>	<u>C00-D48</u>
	# <u>Malignant neoplasms</u>	<u>C00-C97</u>
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# <u>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism</u>	<u>D50-D89</u>
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	<u>Endocrine, nutritional and metabolic diseases</u>	<u>E00-E88</u>
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	<u>Diseases of the nervous system</u>	<u>G00-G98</u>
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# <u>Diseases of the circulatory system</u>	<u>I00-I99</u>

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	<u>Diseases of the respiratory system</u>	<u>J00-J98</u>
045	Acute upper respiratory infections	J00-J06
	# <u>Influenza and pneumonia</u>	<u>J10-J18</u>
046	Influenza	J10-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	<u>Diseases of the digestive system</u>	<u>K00-K92</u>
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	<u>Diseases of the genitourinary system</u>	<u>N00-N98</u>
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	<u>Certain conditions originating in the perinatal period</u>	<u>P00-P96</u>
	<u>Newborn affected by maternal factors and by complications of pregnancy, labor and delivery</u>	<u>P00-P04</u>
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	<u># Newborn affected by maternal complications of pregnancy</u>	<u>P01</u>
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	<u># Newborn affected by complications of placenta, cord and membranes</u>	<u>P02</u>
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	<u>Disorders related to length of gestation and fetal malnutrition</u>	<u>P05-P08</u>
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	<u># Intrauterine hypoxia and birth asphyxia</u>	<u>P20-P21</u>
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	<u>Other respiratory conditions originating in the perinatal period</u>	<u>P23-P28</u>

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	<u>Infections specific to the perinatal period</u>	<u>P35-P39</u>
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	<u>Hemorrhagic and hematological disorders of newborn</u>	<u>P50-P61</u>
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	<u># Congenital malformations, deformations and chromosomal abnormalities</u>	<u>Q00-Q99</u>
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	<u>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>	<u>R00-R99</u>
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	<u>External causes of mortality</u>	<u>V01-Y89</u>
	# <u>Accidents</u>	<u>V01-X59, Y85-Y86</u>
	<u>Transport accidents</u>	<u>V01-V99, Y85</u>
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	<u># Assault (homicide)</u>	<u>X85-Y09, Y87.1</u>
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	<u># Complications of medical and surgical care</u>	<u>Y40-Y84, Y88</u>
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

MISSISSIPPI DEPARTMENT OF HEALTH

www.HealthyMS.com

1-866-HLTHY4U

1-866-458-4948